


EmNANO-a56M0

AMD G-Series SoC Dual Core 210HA COM Express® Mini Type 10 CPU Module



Features

- Soldered onboard AMD G-Series SoC Dual Core 210HA processor
- Integrated Gigabit Ethernet
- Single Channel 18-bit LVDS and 1 x DDI port
- Supporting Dual Independent Displays
- **Extended Operating Temp.: -20 ~ 70°C**

System

CPU AMD G-Series SoC Dual Core 210HA

Memory Soldered onboard 2GB DDR3L SDRAM

BIOS AMI® UEFI BIOS

Watchdog Timer 1~255 levels reset

I/O

USB Port 8 x USB 2.0 ports

Digital I/O 8-bit programmable Digital Input/Output

Expansion Bus 3 x PCIe x1 Gen2 lanes
SPI, and LPC (Low Pin Count) interface

Storage 2 x Serial ATA ports

Ethernet Chipset 1 x Realtek RTL8111E PCIe GbE controller

AUDIO/ Interface HD AUDIO link

Display

Graphics Chipset Integrated in 210HA Kabini

Graphics Interface LCD: Single Channel 18-bit LVDS up to 1400 x 1050 @60Hz

1 x DDI port

Mechanical & Environmental

Power Requirement +12V


Power Consumption 1.08A@+12V (Typical)

Operating Temp. -20 ~ 70°C (-4 ~ 158°F)

Operating Humidity 0 ~ 90% (non-condensing)


Dimensions (L x W) 84 x 55 mm (3.30" x 2.17")

Dimensions



Unit: mm

Block Diagram



Ordering Information

EmNANO-a56M0-210HA	COM Express® Mini Type 10 CPU Module with AMD G-Series SoC Dual Core 210HA and 2GB memory soldered on module
HS-56M0-F1	Heat spreader
HS-56M0-C1	Heat spreader with fan
PBN-9007	COM Express® Mini evaluation carrier board (EPIC form factor)
CBK-05-9007-00	Cable Kit 1 x USB cable 1 x serial port cable 1 x SATA cable 1 x SATA power cable 1 x PS/2 cable

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [CPU & Chip Coolers](#) category:

Click to view products by [Arbor Technology](#) manufacturer:

Other Similar products are found below :

[HS-56M0-C1](#) [1960058073N001](#) [19FFD124010HB2A7-000001-RS](#) [BXTS15A](#) [FHS-A9025S19](#) [UPS-APL01-COOLER-A01](#) [EP-FNUPACTCLRDC](#) [5078C111200E](#) [AP3505HX-J70-LF](#) [SK 570 25 SA](#) [BXSTS200P 915972](#) [SK 570 10 SA](#) [SK 571 25 SA](#) [SK 571 50 SA](#) [SK 578 15 SA](#) [RAPID-100-2](#) [RAPID-135-6](#) [RAPID-L120](#) [RAPID-L240](#) [FHS-A9025S20](#) [1960048820N001](#) [BXSTS200PNRW 915971](#) [1960048819N001](#) [1750000282](#) [AmITX-BT TM-FAN-ETT](#) [1960049408N001](#) [CF-775A-RS](#) [1960053207N001](#) [1960047670N001](#) [1960047669N001](#) [1750001660](#) [conga-TC170/CSP-B](#) [MC30101V1-Q020-S99-PK](#) [664-P4505MX-G90-LF](#) [FEX353521T710M2](#) [FHE353526T710T](#) [FHL313117T710T](#) [EP-FNDCACTCLUPS](#) [36099-0000-99-1](#) [36099-0000-99-0](#) [LA 17/150 24V](#) [LA 27 K 150 ME 24 V](#) [LA 7/100 12V](#) [LA 7/100 24V](#) [LA 7/150 12V](#) [LA 7/150 24V](#) [LA 9/200 24V](#)