

1

2

3






4

5

6

7

④ **USB 2.0 COMPLIANT**



- NOTES:**
MATERIAL:
 ① Insulation: LCP UL94V-0, Color White
 2. Contact : Brass
 3. Plating : Selective Gold Flash over 50µ" Nickel
 ④ 4. Shell Plating: SPCC , 50µ" Nickel
 5. Packing: 100pcs/Tray
- ⑤ MECHANICAL:**
 1. MATING FORCE:3.57KG MAX
 2. UNMATING FORCE:1.02KG MIN
 3. DURABILITY:1500 CYCLES MIN
- ⑥ ELECTRICAL:**
 1. CURRENT RATING:1.5A
 2. DIELECTRIC STRENGTH: 500V AC FOR 1MINUTE
 3. CONTACT RESISTANCE: 30MΩ MAX
 4. INSULATION RESISTANCE: 1000MΩ MIN
 OPERATING TEMPERATURE: -55℃ TO +85℃

ROHS compliant
Unit: mm

Scale	Free				
TOLERANCE		⑤	Update to new spec and page 2	06.03.2018	Tom
X	±0.30	④	Add USB 2.0 compliant	27.08.2013	Ray
.XX	±0.20	③	Correct the packing	22.03.2011	Rate
.XXX	±0.10	②	Update	07.07.2009	Dean
DIM	TOL	①	Drawn	25.03.2006	Hellwig
X. °	±5°				
Angle	TOL				
UNIT	mm	Id:	Modification	Date	Name

Date	Name	Customer-No.
06.03.2018	Tom	
27.08.2013	Ray	
22.03.2011	Rate	
07.07.2009	Dean	
25.03.2006	Hellwig	
06.03.2018	Winnie	

ASSMANN WSW-No.		Customer-No.
A-USB A-LP-SMT-C		
Drawing-No.	ASSMANN	
ASS 1452A CO	components	
Replace		
rev05		
SHEET		
1 / 2		

1

2

3

4

5

6

7

SV45

1

2

3



4

5


6

7

USB 2.0 COMPLIANT



Top Cover




100PCS /Tray


40 trays /carton



drying agent



Label



A

NOTES:

Packing quantity :4KPCS / Carton .
Carton Size: 49*29*19cm

B

C

D

E

F

ROHS compliant

Unit: mm

Scale	Free			Date	Name	Customer-No.
TOLERANCE						
X	±0.30	⑤	Update to new spec and page 2	06.03.2018	Tom	ASSMANN WSW-No.
.XX	±0.20	④	Add USB 2.0 compliant	27.08.2013	Ray	A-USB A-LP-SMT-C
.XXX	±0.10	③	Correct the packing	22.03.2011	Rate	Drawing-No.
DIM	TOL	②	Update	07.07.2009	Dean	ASS 1452A CO
X. °	±5°	①	Drawn	25.03.2006	Hellwig	rev05
Angle	TOL	①	Drawn	25.03.2006	Hellwig	
UNIT	mm	Id.	Modification	Date	Name	Replace

G

H



ASSMANN WSW-No.
A-USB A-LP-SMT-C
Drawing-No.
ASS 1452A CO
rev05
SHEET 1 / 2

1

2

3

4

5

6

7

SV45

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Connectors](#) category:

Click to view products by [Assmann](#) manufacturer:

Other Similar products are found below :

[10033527-N3112MLF](#) [17-210561](#) [GMCB05B11124H1EU](#) [17-200931](#) [65-647-8-BK-BU](#) [690-010-295-484](#) [73725-1191BLF](#) [950](#) [E8144-B01021-L](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBA511N5](#) [MUSBB15131](#) [MUSBC111M5](#) [MUSBD11135](#) [217450-1](#) [CA 6 W LD](#)
[896-30-004-00-000000](#) [KUSBVX-BS1N-W30](#) [KUSBX-AP-KIT-SCBLK](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W](#) [KUSBX-SMTAS1NBTR](#) [KUSBX-SMTBS1NBTR](#) [30-498-6](#) [SK-60A-2](#) [17-200261](#) [17-210051](#) [1734082-1](#) [FK-37-32SL](#) [30-1574](#) [30-470](#) [30-489](#) [30-541](#) [30-572-3](#) [30-9503](#) [M9177/2-1](#) [MAB 5 S](#) [MIKROE-1451](#) [33UBBR-04SW11R](#) [USBFTV2PEM2G](#) [USBFTVC6ZN](#) [USBFTVSCCG](#)
[KUSBX-AS2N-W30](#) [KUSBX-SLAS1N-W](#) [KUSBX-SLAS1N-W30](#) [1-1734084-2](#) [E8110-001-01](#) [MUSBC11135](#) [NK-27-32SL](#)