

**RoHS compliant**  
Unit: mm





Scale	Free
TOLERANCE	
.X	±0.30
.XX	±0.20
.XXX	±0.10
DIM	TOL
X.°	±1°
Angle	TOL
UNIT	mm

Id.	①	Drawn	26.04.2007	Helwig	Name
②	Update	Dean	07.07.2009	Helwig	Date
③	Add "USB 2.0 COMPLIANT"	Amy	19.08.2013	Helwig	Modification

Customer-No.	ASSMANN WSW-No.	Drawing-No.	ASS 1370B CO	rev03
Name	Helwig	Drawn	26.04.2007	Helwig
Date	19.08.2013	Approved	19.08.2013	Amy

1 2 3 4 5 6 7

H G F D C B A



- NOTES:**
- 1. Insulation: Glass Filled polyester UL94V-0, Color Black
  - 2. Contact : Phosphor Bronze
  - 3. Plating : Selective Gold Flash over 50µ" Nickel
  - 4. Shell Plating: 80µ" Nickel over 50µ" Cu

1 2 3 4 5 6 7

H G F D C B A

**USB 2.0 COMPLIANT**



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [USB Connectors](#) category:*

*Click to view products by [Assmann](#) manufacturer:*

Other Similar products are found below :

[10033527-N3112MLF](#) [17-210561](#) [GMCB05B11124H1EU](#) [17-200931](#) [65-647-8-BK-BU](#) [690-010-295-484](#) [73725-1191BLF](#) [950](#) [E8144-B01021-L](#) [A-USB A-LP-SMT-C](#) [A-USB B-TOP-C](#) [MUSBA511N5](#) [MUSBB15131](#) [MUSBC111M5](#) [MUSBD11135](#) [217450-1](#) [CA 6 W LD](#)  
[896-30-004-00-000000](#) [KUSBVX-BS1N-W30](#) [KUSBX-AP-KIT-SCBLK](#) [KUSBX-AS2N-W](#) [KUSBX-SMT2AP1S-W](#) [KUSBX-SMTAS1NBTR](#) [KUSBX-SMTBS1NBTR](#) [30-498-6](#) [SK-60A-2](#) [17-200261](#) [17-210051](#) [1734082-1](#) [FK-37-32SL](#) [30-1574](#) [30-470](#) [30-489](#) [30-541](#) [30-572-3](#) [30-9503](#) [M9177/2-1](#) [MAB 5 S](#) [MIKROE-1451](#) [33UBBR-04SW11R](#) [USBFTV2PEM2G](#) [USBFTVC6ZN](#) [USBFTVSCCG](#)  
[KUSBX-AS2N-W30](#) [KUSBX-SLAS1N-W](#) [KUSBX-SLAS1N-W30](#) [1-1734084-2](#) [E8110-001-01](#) [MUSBC11135](#) [NK-27-32SL](#)