



# KLF Mini horn strobe beacon

- Well-designed electromechanical horn combined with xenon strobe beacon
- Degree of protection IP 43
- For universal audible applications
- Fully developed and proven technology - typical horn tone
- Comprehensive range of AC and DC nominal voltages
- With cone
- Attractive price/performance ratio



## TECHNICAL DATA

Housing	ABS grey (RAL 7035)
Lens	ribbed inside orange, red or yellow
Type of mounting	any, Sound outlet opening at bottom
Connection technology	up to 2,5 mm <sup>2</sup>
Beacon type	Xenon strobe beacon
Luminous intensity	1 J Strobe energy
Strobe/flash frequency	1,4 Hz
Tone	Steady tone
Volume	88-92 dB
Duty cycle	100 %
Service life	Light source: 10 million flashes
Operating temperature	-20 °C / +50 °C
Degree of protection	IP43 & NEMA type 2
Weight	260 g



KLF

ORDER DATA

Lens colour	Nominal voltage	Voltage range [V]	Nominal current [A]	Mains frequency	Order number
orange	24 V DC	+/- 10 %	0,120		710 121 005
	110-120 V AC	+/- 10 %	0,050	60 Hz	710 121 210
	230-240 V AC	+/- 10 %	0,026	50 Hz	710 121 113
red	110-120 V AC	+/- 10 %	0,050	60 Hz	710 122 210
	230-240 V AC	+/- 10 %	0,026	50 Hz	710 122 113
	24 V AC	+/- 10 %	0,120		710 122 005
yellow	24 V DC	+/- 10 %	0,120		710 127 005
	110-120 V AC	+/- 10 %	0,050	60 Hz	710 127 210
	230-240 V AC	+/- 10 %	0,026	50 Hz	710 127 113



# X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Auer Signal](#) manufacturer:*

Other Similar products are found below :

<a href="#">710000004</a>	<a href="#">710000005</a>	<a href="#">710000113</a>	<a href="#">710100005</a>	<a href="#">710100105</a>	<a href="#">710100113</a>	<a href="#">710111005</a>	<a href="#">710111113</a>	<a href="#">710112005</a>	<a href="#">710117005</a>	<a href="#">710117113</a>
<a href="#">812500405</a>	<a href="#">812510405</a>	<a href="#">813500405</a>	<a href="#">900002900</a>	<a href="#">900004900</a>	<a href="#">900007900</a>	<a href="#">900012405</a>	<a href="#">900014405</a>	<a href="#">900015405</a>	<a href="#">900016405</a>	<a href="#">900017405</a>
<a href="#">900500313</a>	<a href="#">900500405</a>	<a href="#">900582900</a>	<a href="#">901001900</a>	<a href="#">901002900</a>	<a href="#">901004900</a>	<a href="#">901005900</a>	<a href="#">901006900</a>	<a href="#">901007900</a>	<a href="#">901011405</a>	<a href="#">901012405</a>
<a href="#">901016405</a>	<a href="#">901017405</a>	<a href="#">901500313</a>	<a href="#">901500405</a>	<a href="#">901573900</a>	<a href="#">901582900</a>	<a href="#">902001900</a>	<a href="#">902002900</a>	<a href="#">902004900</a>	<a href="#">902005900</a>	<a href="#">902006900</a>
<a href="#">902007900</a>	<a href="#">902011405</a>	<a href="#">902012405</a>	<a href="#">902014405</a>	<a href="#">902015405</a>	<a href="#">902016405</a>					