



## Solder Core Wire

Aven Solder Core Wire contains 3.5 ounces (100g) of either 1.2mm or 1.0mm solder. The 17553 and 17555 feature a chemistry of 60% tin, 40% lead combination ideal for applications like fine electrical soldering which requires lower melting temperatures. The 17553LF and 17555LF feature a chemistry of 99.3% tin and 0.7% copper. This lead-free solder alleviates concerns about the effects of lead on the body and on the environment. Ideal for general purpose soldering including PC board repair and tinning wires.

## **Features**

- Good solderability, no spattering and non-corrosive
- Ideal for use on PCB, electronic devices and fine electrical soldering
- 1.2mm or 1.0mm sizes available
- Leaded solder 60/40 | Lead-free solder 99.3/0.7

SOLDER CORE WIRE	
DIMENSIONS	2 x 2 x 5/8 inches
WEIGHT	3.5 oz (100g)
SOLDER CHEMISTRY	60/40 & 99.3/0.7
AVAILABLE SIZES	1.0mm & 1.2mm
PACKAGE CONTENTS	Solder Core Wire

Part #	Description
17553	Solder 100g 1.2mm 60/40
17555	Solder 100g 1.0mm 60/40
17553LF	Solder 100g 1.2mm Lead Free
17555LF	Solder 100g 1.0mm Lead Free

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Solder category:

Click to view products by Aven manufacturer:

Other Similar products are found below:

600YSY 701-2758 707-0425 707-1746 707-1748 707-1811 707-1813 707-1831 707-1840 707-1850 707-1852 13-217-3-01 P10695 SN63WRAP3-.022-1-LB 24-6040-0007 DAC-061 599Z 701-2089 707-0285 707-0366 707-0441-26 707-1774 707-1810 24-6337-9727 601Y 24-9574-7619 24-4060-2437 14-6040-0125 04-0595-0000 V5S35[42G]217 V8B45[60G]138 V5B45[42G]138 V3B45[20G]138 XGS20[20G]158 631960 S2626-O-T 8055 5760140 TRWR-204 1152 EC2002M-1 WPT17 WS6016 760-2028 ART.AGT-030 54068 8S005 4900-18G 648107 811008