




31-T

Thin Jaw Adjustable Spanners with Serrated Pipe Jaws & Phosphate Finish



PRODUCT DETAILS


- One end with serrated shark jaws for pipe fittings, loosening rounded nuts and bolts, working with round objects, etc. - equally strong in both directions
- Extra-wide jaw opening with a shorter handle than standard for working in confined spaces
- 36% thinner jaws than standard spanners of the same size for easier access in tight spaces
- Head combines slim design for accessibility with strength for performance
- Laser scale in mm for pre-adjusting and accurate measurement
- Precision hardening and high-performance alloy steel for top strength
- Phosphate finish, precision hardened and anti-corrosion treated
- Left going screw
- Standards: ISO 6787, DIN 3117, ASME B107.8 and BS 6333
- IP: Industrial pack



Follow the Fish!



PRODUCT ATTRIBUTES

Product	A	A	B	C	D	E	
31-T	209 mm	8 in	32 mm	4.5 mm	12.8 mm	29 mm	270 g
31-T IP	209 mm	8 in	32 mm	4.5 mm	12.8 mm	29 mm	270 g

Follow the Fish!



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Spanners](#) category:

Click to view products by [Bahco](#) manufacturer:

Other Similar products are found below :

[74008](#) [1406504-3](#) [1406504-4](#) [1406504-5](#) [1725859-2](#) [9965](#) [1055267-1](#) [1-1406504-0](#) [TG70-24](#) [TG70-18](#) [R282320031](#) [1055512-1](#) [1055276-1](#)
[R282303020](#) [TOL-222901](#) [523200-4](#) [TOL-171801](#) [1490262-2](#) [9968](#) [1302340394](#) [AC24VS](#) [R282340000](#) [BT-BS-609WT](#) [BT-BS-610R](#) [BT-](#)
[BS-610RT](#) [R282320030](#) [BT-ST-302D](#) [1031-27R](#) [1031-34R](#) [1060-29](#) [1067-10](#) [1067-27](#) [1067-32](#) [1071-48](#) [10F0-26P](#) [10F0-32P](#) [10F0-55P](#) [0-](#)
[90-947](#) [0-90-949](#) [40080606](#) [40082626](#) [40093232](#) [50184065](#) [58211008](#) [58211011](#) [58211013](#) [58211014](#) [58211015](#) [58211016](#) [58211019](#)