




**4413**

## HSS-G Drill Bits for Metal

### PRODUCT DETAILS

- Size 1 mm up to 4 mm, two drills in each tube
- Top angle of 130° with self-centring split-point tip for quick cutting and perfect centring
- Speed Point, no need to pre-punch or pilot drill up to 10mm diameter
- Drill bits have a cylindrical shank and designed for use in drill stands and drill drivers
- High-speed steel (HSS) drill for drilling in bronze, brass, carbon steel, cast iron, alloy steel and stainless steel
- Manufactured to DIN 338 N
- High-speed steel (HSS) with ground flutes
- Long lasting performance
- Top angle 130°
- Split-Point
- Ground flutes enable fast drilling and high precision
- DIN 338N
- Retail pack



**Follow the Fish!**



## PRODUCT ATTRIBUTES

| Product           | <b>A</b> | <b>B</b> | <b>C</b> | <b>D</b> |  |
|-------------------|----------|----------|----------|----------|---|
| <b>4413-1.00</b>  | 1.00 mm  | 34 mm    | 1.00 mm  | 12 mm    | 10 g  |
| <b>4413-1.50</b>  | 1.50 mm  | 40 mm    | 1.50 mm  | 18 mm    | 11 g  |
| <b>4413-2.00</b>  | 2.00 mm  | 49 mm    | 2.00 mm  | 24 mm    | 12 g  |
| <b>4413-2.50</b>  | 2.50 mm  | 57 mm    | 2,50 mm  | 30 mm    | 14 g  |
| <b>4413-3.00</b>  | 3.00 mm  | 61 mm    | 3.00 mm  | 33 mm    | 15 g  |
| <b>4413-3.25</b>  | 3.25 mm  | 65 mm    | 3.25 mm  | 36 mm    | 17 g  |
| <b>4413-3.30</b>  | 3.30 mm  | 65 mm    | 3.30 mm  | 36 mm    | 17 g  |
| <b>4413-3.50</b>  | 3.50 mm  | 70 mm    | 3.50 mm  | 39 mm    | 18 g  |
| <b>4413-4.00</b>  | 4.00 mm  | 75 mm    | 4.00 mm  | 43 mm    | 22 g  |
| <b>4413-4.20</b>  | 4.20 mm  | 75 mm    | 4.20 mm  | 43 mm    | 16 g  |
| <b>4413-4.25</b>  | 4.25 mm  | 75 mm    | 4.25 mm  | 43 mm    | 16 g  |
| <b>4413-4.50</b>  | 4.50 mm  | 80 mm    | 4.50 mm  | 47 mm    | 19 g  |
| <b>4413-5.00</b>  | 5.00 mm  | 86 mm    | 5.00 mm  | 52 mm    | 21 g  |
| <b>4413-5.50</b>  | 5.50 mm  | 93 mm    | 5.50 mm  | 57 mm    | 24 g  |
| <b>4413-6.00</b>  | 6.00 mm  | 93 mm    | 6.00 mm  | 57 mm    | 26 g  |
| <b>4413-6.50</b>  | 6.50 mm  | 101 mm   | 6.50 mm  | 63 mm    | 33 g  |
| <b>4413-6.80</b>  | 6.80 mm  | 109 mm   | 6.80 mm  | 69 mm    | 37 g  |
| <b>4413-7.00</b>  | 7.00 mm  | 109 mm   | 7.00 mm  | 69 mm    | 37 g  |
| <b>4413-7.50</b>  | 7.50 mm  | 109 mm   | 7.50 mm  | 69 mm    | 41 g  |
| <b>4413-8.00</b>  | 8.00 mm  | 117 mm   | 8.00 mm  | 75 mm    | 48 g  |
| <b>4413-8.50</b>  | 8.50 mm  | 117 mm   | 8.50 mm  | 75 mm    | 52 g  |
| <b>4413-9.00</b>  | 9.00 mm  | 125 mm   | 9.00 mm  | 81 mm    | 61 g  |
| <b>4413-9.50</b>  | 9.50 mm  | 125 mm   | 9.50 mm  | 87 mm    | 65 g  |
| <b>4413-10.00</b> | 10.00 mm | 133 mm   | 10.00 mm | 87 mm    | 74 g  |
| <b>4413-10.20</b> | 10.20 mm | 133 mm   | 10.20 mm | 87 mm    | 77 g  |
| <b>4413-10.50</b> | 10.50 mm | 133 mm   | 10.50 mm | 87 mm    | 84 g  |
| <b>4413-11.00</b> | 11.00 mm | 142 mm   | 11.00 mm | 94 mm    | 94 g  |
| <b>4413-11.50</b> | 11.50 mm | 142 mm   | 11.50 mm | 94 mm    | 103 g   |
| <b>4413-12.00</b> | 12.00 mm | 151 mm   | 12.00 mm | 101 mm   | 115 g   |
| <b>4413-12.50</b> | 12.50 mm | 151 mm   | 12.50 mm | 101 mm   | 120 g   |
| <b>4413-13.00</b> | 13.00 mm | 151 mm   | 13.00 mm | 101 mm   | 130 g   |

**Follow the Fish!**



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Hand Tools](#) category:*

*Click to view products by [Bahco](#) manufacturer:*

Other Similar products are found below :

[58284-1](#) [662908-1](#) [68764-0001](#) [690619-6](#) [D20419-189](#) [7-354778-7](#) [768531-1](#) [821903-5](#) [822253-1](#) [854183-1](#) [854358-1](#) [992258-1](#) [1-21046-3](#)  
[1-22278-0](#) [1-22278-2](#) [1-24954-2](#) [125529-5](#) [126513-1](#) [1-305579-8](#) [1320846-1](#) [1338618-1](#) [1338968-2](#) [1-354779-0](#) [1-354779-2](#) [1-354779-4](#)  
[1424443-1](#) [1424289-1](#) [1424444-1](#) [MS24256A16](#) [1-525442-0](#) [1532195-2](#) [1538773-2](#) [1-59907-5](#) [1-692134-3](#) [HT-920A-124-HTELE-RPL-KIT](#)  
[1976923-1](#) [1976969-1](#) [2063794-1](#) [2063795-1](#) [2-21002-1](#) [2-21002-3](#) [2-21002-4](#) [2-21002-7](#) [2-21002-9](#) [2-21004-0](#) [229399-2](#) [229707-1](#)  
[911737-2](#) [2598-5027-54](#) [91348-2](#)