



## BH15000A

Wydłużony podnośnik wózkowy.  
Podnośność 5T



### DANE PRODUKTÓW








- Duży pedał umożliwiający szybką i bezpieczną operację oraz wygodę użytkownika
- Kompozytowa rączka izolowana dla większego komfortu
- Duża, wbudowana tacka do przechowywania narzędzi, śrub, nakrętek etc.
- Stalowe siodło o średnicy Ø110mm z gumową nakładką o średnicy Ø95mm i grubości 12mm zapobiegające uszkodzeniu podwozia samochodu podczas podjazdu
- Zawór bezpieczeństwa zapobiegający przeciążeniu
- Prędkość opadania regulowana przez podnoszenie i pokręcanie rączką
- Solidne stalowe kółka
- Certyfikowany zgodnie z 2006/42/EC + BS EN1494
- Option: Saddle extension 120mm ref. BH110000A-EXT
- Opcjonalnie: siodło wydłużone 120mm o kodzie BH110000A-EXT

Follow the Fish!



## CHARAKTERYSTYKA PRODUKTU

Produkt: **BH15000A**

	5000 kg		150 mm		570 mm
	1354 mm		65		107 mm
	X		1260 mm		2327 mm
	375 mm		71.3 kg		

Follow the Fish!



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Hand Tools](#) category:*

*Click to view products by [Bahco](#) manufacturer:*

Other Similar products are found below :

[58284-1](#) [662908-1](#) [68764-0001](#) [690619-6](#) [D20419-189](#) [7-354778-7](#) [768531-1](#) [821903-5](#) [822253-1](#) [854183-1](#) [854358-1](#) [992258-1](#) [1-21046-3](#)  
[1-22278-0](#) [1-22278-2](#) [1-24954-2](#) [125529-5](#) [126513-1](#) [1-305579-8](#) [1320846-1](#) [1338618-1](#) [1338968-2](#) [1-354779-0](#) [1-354779-2](#) [1-354779-4](#)  
[1424443-1](#) [1424289-1](#) [1424444-1](#) [MS24256A16](#) [1-525442-0](#) [1532195-2](#) [1538773-2](#) [1-59907-5](#) [1-692134-3](#) [HT-920A-124-HTELE-RPL-KIT](#)  
[1976923-1](#) [1976969-1](#) [2063794-1](#) [2063795-1](#) [2-21002-1](#) [2-21002-3](#) [2-21002-4](#) [2-21002-7](#) [2-21002-9](#) [2-21004-0](#) [229399-2](#) [229707-1](#)  
[911737-2](#) [2598-5027-54](#) [91348-2](#)