

1.1

Product identifier

Bare Conductive Electric Paint **Safety Data Sheet**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)



IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

	GHS Product Identifier	Bare Conductive Paint
	Chemical Name	Water-based dispersion of carbon pigment in Natural resin
	Other names	
	CAS No.	Mixture — Not applicable
	EINECS No.	Mixture — Not applicable
1.2	Relevant identified uses of the	substance or mixture and uses advised against
	Identified use(s)	Electrically conductive paint
	Uses advised against	None
1.3 De	etails of the supplier of the safet	ty data sheet
	Company Identification	Bare Conductive Limited First Floor 98 Commercial Street London E1 6LZ
	Telephone	+44 (0)20 3432 5385
	E-Mail (competent person)	info@bareconductive.com
1.4 Emergency telephone number		
	Emergency Phone No.	+44 (0)20 3432 5385 / Technical manager
2.	HAZARDS IDENTIF	FICATION
2.1	Classification of the substance	or mixture
2.1.1	Regulation (EC) No. 1272/200	8 (CLP)
2.1.2	Directives 1999/45/EC	Preparation is not classified as hazardous according to Directives 1999/45/EC.
2.2	Label elements	
2.2.1	Label elements	According to Regulation (EC) No. 1272/2008 (CLP)
2.2.2	Label elements	According to Directive 1999/45/EC
	Hazard Symbol	Not applicable
	Risk Phrases	Not applicable
	Safety Phrases	Not applicable
2.3	Other hazards	
2.4	Additional Information	

3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances EC Classification No. 1272/2008 Ingredients %W/W CAS No. EC No. Hazard statement(s) Water 7732-18-5 231-791-2 Not classified. Not classified. Natural Resin Trade secret Trade secret Conductive carbon Not classified. Trade secret Trade secret Humectant Trade secret Trade secret Not classified. Individual levels below 1% do not give rise to classification Processing aids and preservatives Trade secret Trade secret EC Classification No. 67/548/EEC Classification and Risk Phrases Hazard statement(s) %W/W CAS No. EC No.

3.2 Substances

For full text of R/H/P phrases see section 16.



4. FIRST AID MEASURES

4.1	Description of first aid measures		
	Inhalation	Remove patient from exposure. Give oxygen if breathing difficult. Apply artificial respiration if necessary. Obtain medical attention if ill effects occur.	
	Skin Contact	Wash affected skin with plenty of soap and water. Remove contaminated clothing and wash before reuse. Obtain medical attention if ill effects occur.	
	Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. Obtain medical attention.	
	Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Obtain medical attention.	
4.2	Most important symptoms and effects, both acute and delayed	Unlikely to cause harmful effects under normal conditions of handling and use.	
4.3	Indication of the immediate medical attention and special treatment needed	None	

5. FIRE-FIGHTING MEASURES

5.1	Extinguishing media		
	Suitable Extinguishing Media	As appropriate for surrounding fire.	
	Unsuitable Extinguishing Media	As appropriate for surrounding fire.	
5.2	Special hazards arising from the substance or mixture	Combustion or thermal decomposition will evolve toxic and irritant vapours. (Nitrogen oxides)	
5.3 Advice for fire-fighters Self-contained breathing apparatus to be worn if involved in fire. Water spray should be used to cool containers.			

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Put on protective clothing.
6.2	Environmental precautions	Do not allow to enter drains, sewers or watercourses. If substance has entered a watercourse or sewer advise police and water authority.
6.3	Methods and material for containment and cleaning up	Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a lidded container for disposal. Clean area afterward with water and detergent
6.4	Reference to other sections	See Section: 8 (Exposure controls / PPE) & 13 (Disposal)

7. HANDLING AND STORAGE

7.1	Precautions for safe handling	Avoid contact with skin and eyes. Natural ventilation is adequate.	
7.2	Conditions for safe storage, including any incompatibilities	Keep in the original container in a cool, dry place.	
	Storage Temperature	Maximum temperature 25 degC. Product may be refrigerated but do not freeze Six months at 25 degC. After opening, use within two months Strong oxidising agents.	
	Storage Life		
	Incompatible materials		
	Other information	Product may settle on storage Stir thoroughly before use	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control parameters	
8.1.1	Occupational Exposure Limits	WEL: Workplace Exposure Limit (UK HSE EH40)
	LTEL (8 hr TWA mg/m³)	Not listed
	LTEL (8 hr TWA mg/m³)	Not listed
8.2	Exposure controls	
8.2.1	Appropriate engineering controls	Ventilation recommended. Follow the principles of good occupational hygiene to control personal exposures.
8.2.2	Personal protection equipment	
	Eye/face protection	Safety spectacles recommended.
	Skin protection	Plastic or rubber gloves recommended







	Skin protection (Hand protection/ Other).	Plastic or rubber gloves recommended
	Respiratory protection	No personal respiratory protective equipment normally required.
	Other	General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and after work. Wash contaminated clothing before reuse.
8.2.3	Environmental Exposure Controls	Do not allow to enter drains, sewers or watercourses.

9. PHYSICAL AND CHEMICAL PROPERTIES.

9.1	.1 Information on basic physical and chemical properties (Solution)	
	Appearance	Liquid
	Colour	Black
	Odour	Slight
	Odour Threshold (ppm)	Not applicable
	pH (Value)	5-7
	Melting Point (°C) / Freezing Point (°C)	Approx -10 degC
-	Boiling point/boiling range (°C)	Approx 102 – 105 degC
	Flash Point (°C) [Closed cup]	Not applicable. (Not combustible)
	Evaporation rate (Water = 1)	1
	Explosive limit ranges	Not applicable
	Vapour Pressure (mmHg)	17 mmHg at 20 degC (Water)
	Vapour Density (Air=1)	Not applicable
	Density (g/ml)	1.2 – 1.25 at 25 degC
	Solubility (Water)	Partially soluble
	Solubility (Other)	Partially soluble in organic solvents
	Partition Coefficient (n-Octanol/water)	Not applicable
	Auto Ignition Temperature (°C)	Not applicable
	Decomposition Temperature (°C)	> 100 degC (Partly Evaporates)
	Viscosity	Viscous liquid
	Explosive properties	Not explosive
	Oxidising properties	Not oxidising
	Out and the farmount and	

9.2 Other information

10. STABILITY AND REACTIVITY

10.1	Reactivity	Oxidises	
10.2	Chemical stability	Stable under normal conditions	
10.3	Possibility of hazardous reactions	Possibility of highly exothermic reaction with strong oxidizing agents	
10.4	Conditions to avoid	High temperatures	
10.5	Incompatible materials Strong oxidising agents		
10.6	Hazardous Decomposition Product(s) Nitrogen oxides		

11. TOXICOLOGICAL INFORMATION

11.1	Information	on tox	icological	effects
------	-------------	--------	------------	---------

Acute toxicity	
Ingestion	LD50 :>10 000 mg/kg (rat) (Calculated as product)
Inhalation (4 hrs)	Not applicable
Skin Contact	LD50 :> 10 000 mg/kg (rabbit) (Calculated as product)
Skin corrosion / irritation	Unlikely to cause skin irritation
Serious eye damage / irritation	Product is slightly irritant to eyes. Contains low concentrations (< 0.5%) of corrosive ingredients
Respiratory or skin sensitization	Product is not sensitizing
Mutagenicity	There is no evidence of mutagenic potential
Carcinogenicity	No evidence of carcinogenicity
Reproductive toxicity	No evidence of reproductive toxicity
STOT-single exposure	Inhalation: Irritation of the respiratory tract. Coughing. Unlikely route of exposure.
	Ingestion: Nausea, vomiting
STOT-repeated exposure (91 days)	NOAEL > 10 000 mg/kg/day(rat)(Calculated as product)
.2 Other information	

12. ECOLOGICAL INFORMATION

12.1 Toxicity			
	(Fish) (96hrs)	LC50 > 1000 mg/l (Calculated as product)	
	(Daphnia magna) (48hrs)	EC50 > 1 000 mg/l (Calculated as product)	
	(Algae) (72hrs)	EC50 > 1 000 mg/l (Calculated as product)	
12.2	Persistence and degradability	The organic ingredients are Biodegradable	
12.3	Bioaccumulative potential (96 hrs)	The product has no potential for bioaccumulation.	
12.4	Mobility in soil	The substance is predicted to have high mobility in soil.	
12.5	Results of PBT and vPvB assessment	Not classified as PBT or vPvB.	

13. DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	Do not empty into drains. Dispose of this material and its container at waste collection centre. Dried paint may be disposed of by landfill in accordance with local regulations.
13.2	Additional Information	The waste is considered to be non hazardous.
12.6	Other adverse effects	

14. TRANSPORT INFORMATION

14.1	Land transport (ADR/RID) UN number	Not classified as dangerous for transport.
14.2	Sea transport (IMDG) UN number	Not classified as dangerous for transport.
14.3	Air transport (ICAO/IATA) UN number	Not classified as dangerous for transport.

15. REGULATORY INFORMATION

5.1	Safety, health and environmental	
	regulations/legislation specific	
	for the substance or mixture	

15.1.1	EU regulations Authorisations and / or restrictions on use.	Not applicable
15.1.2	National regulations	Not applicable
15.2	Chemical Safety Assessment	No Chemical Safety Assessment (CSA) has been carried out

16. OTHER INFORMATION

References	European Chemicals Agency
	European Chemicals Bureau
	European Regulations and Directives
	Published chemical directories
	Suppliers' safety data sheets
	UK Health and Safety Executive
Risk Phrases	
Safety Phrases	
Hazard statement(s)	

Additional Information

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Bare Conductive Limited gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Bare Conductive Limited accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Prepared by:

Edmund Fowles EF Chemical Consulting Ltd 17 Kings Crescent East Chester CH3 5TH UK

T: +44 (0)1244 351644

E: edmund@efchemicalconsulting.co.uk

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Educational Kits category:

Click to view products by Bare Conductive manufacturer:

Other Similar products are found below:

1805 4771 CS-SNEKBOARD-03 1116 1465 1834 1972 1999 2474 2798 DFR0107 FIT0045 KIT0020 KIT-14501 KIT0117 STEM-01 KIT-12963 KIT-14515 TOL-11784 KIT-10212 3417 3602 419 572 801 1135 1148 1171 1842 1844 1968 2310 2668 3036 3093 3343 3791 3928 3957 4013 4103 4254 4330 4337 4353 4354 4422 4430 4740 4748