



# Product: MDVO F COAXIAL VIDEO MODULE ☑

# MDVO Insert, 1-Port, F Coaxial Video Module

## **Product Description**

MDVO Insert, 1-Port, F Coaxial Video Module, Available in several colors.

## **Technical Specifications**

## **Product Overview**

	Suitable Applications:	Audio and Video applications
Physical Characteristics (Overall)		

Height:	0.63 m
Width:	0.63
Depth:	1.14
Packaging:	10 units packaged in a plastic bag.
Weight:	0.010 lbs

#### **Connectors**

#### Materials

Material Plastic - UL940V-0, Metal

## **Temperature Range**

Installation Temp Range:	-10°C To +60°C
Storage Temp Range:	-40°C To +70°C
Operating Temp Range:	-10°C To +60°C

## **Mechanical Characteristics**

Footprint/Type:	MDVO
Connector/Hardware Retention:	20 lbs

## **Applicable Environmental and Other Programs**

Environmental Space:	Indoor
EU Directive 2002/95/EC (RoHS):	Yes
MII Order #39 (China RoHS):	EUP 50

## Flammability, LS0H, Toxicity Testing

Safety Listing:	c(UL)us Listed

## **Part Number**

Related Parts:	Compatible MDVO Faceplate and Patch Panel

#### Variants

Item #	Color	UPC
A0407000	Almond	611589000482

A0407002	Black	611589000505
A0406999	Gray	611589000475
AX102599	Ivory	611589027700
A0407001	White	611589000499

#### **Product Notes**

Notes: For a	additional information about this product, visit our web site at http://www.belden.com.
--------------	---

#### **History**

Update and Revision:	Revision Number: 0.178 Revision Date: 03-16-2021	

#### © 2021 Belden, Inc

#### All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Adapters - In Series category:

Click to view products by Belden manufacturer:

Other Similar products are found below:

5916-1103-603 5919-1503-000 651A505 82-5552 9030-9523-502 PN2C A0407000 R114703000W R125771001 R127871001

R141710000W R141723161 R141730000 R143730700 R143770000 R161703000W R161753000W R161791530W R201705000

R222705200 R222M40010W R223703180 R316754000 R405006000 R443162000 AD78TL HRM-513S 1996352-2 2157155-1 252169-75

AD158 2101130-1 252186 R114704000W R114720000W R125705001 R125705701 R125771000 R125771001W R127704001

R127.870.001 R127872001 R141717000 R142710000 R142723000 R143703000 R143704000 R143705700 R161715000W R161771000W