# **Detailed Specifications & Technical Data**

#### **ENGLISH MEASUREMENT VERSION**



### E505001 Cord Sets - DataTuff® Cat 5e 600V AWM Rated IP20 RJ45 Cord Set



For more Information please call

1-800-Belden1



# **General Description:**

1 meter (3.3 ft.), Shielded with solid conductors (ref: Belden Bonded-Pair Cable 7958A). Cable Rating NEC: CMR, CMX-Outdoor. CEC: CMR FT4. MSHA. 600V AWM Rated.

# **Applicable Specifications and Agency Compliance (Overall)**

### **Applicable Standards & Environmental Programs**

EU Directive 2002/95/EC (RoHS):	Yes
EU RoHS Compliance Date (mm/dd/yyyy):	01/01/2006
MII Order #39 (China RoHS):	EUP 50

# **Notes (Overall)**

**Storage Temperature Range:** 

Installation Temperature Range:

Notes: For additional information about this product, visit our web site at http://www.belden.com

Cable					
Description:	4 pair, 24 AWG Bare Copper, Polyolefin Insulation, Bonded pairs, Overall Beldfoil(R) Shield, Industrial Grade PVC, Oil Res, Sun Res, P-MSHA, CMR, CMXOutdoor, FT4, 600V AWM Rated.				
Part Number:	7958A				
Shielding:	Aluminum Foil-Polyester Tape				
Electrical Performance:	Category 5e				
Maximum Operating Voltage:	300 V RMS (600 V AWM Rated)				
Applicable Standards:	ANSI/TIA/EIA-568-C.2, ISO/IEC 11801, EtherNet/IP(tm) Specification, UL 1666 Riser				
Connectors					
Description:	RJ45 plugs. Suitable for use in IP20 applications				
Connector Type:	Cat 5e				
Sealing:	Suitable for IP20				
Connector Interface:	IEC 60603-7				
Shielding:	Smooth Coated Aluminum				
Electrical Performance:	Cat 5e				
Maximum Operating Voltage:	300 V RMS				
Applicable Standards:	ANSI/TIA/EIA-568-C.2, ISO/IEC 11801, EtherNet/IP Specification				
Assembly					
Part Number:	E505001				
Electrical Performance:	Category 5e				
	300 V RMS (600 V AWM Rated)				

-40°C To +70°C

-10°C To +60°C

Page 1 of 2 05-15-2019

# **Detailed Specifications & Technical Data**





## E505001 Cord Sets - DataTuff® Cat 5e 600V AWM Rated IP20 RJ45 Cord Set

Operating Temperature Range:	-10°C To +60°C		
Applicable Standards:	ANSI/TIA/EIA-568-C.2, ISO/IEC 11801, UL 1863 and CSA-22.2 No. 233		
Shielding:	Aluminum Foil-Polyester Tape		
Length:	1 meter (3.3 ft.)		

Notes: US Patent #'s 5, 606, 151; 5, 734, 126. EtherNet/IP is a trademark of ControlNet International, Ltd. under license by Open DeviceNet Vendor Association, Inc.

### **Put Ups and Colors:**

Item #	Putup	Ship Weight	Color	Notes	Item Desc
E505001 002S1	1 EA	0.251 LB	RED		CORDSET IP20 C5E FTP SO 1M RD
E505001 006S1	1 EA	0.251 LB	BLUE, LIGHT		CORDSET IP20 C5E FTP SO 1M BL
E505001 008S1	1 EA	0.251 LB	GRAY		CORDSET IP20 C5E FTP SO 1M GY
E505001 010S1	1 EA	0.251 LB	BLACK		CORDSET IP20 C5E FTP SO 1M BK

Revision Number: 1 Revision Date: 12-13-2013

© 2019 Belden, Inc All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Page 2 of 2 05-15-2019

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Ethernet Cables / Networking Cables category:

Click to view products by Belden manufacturer:

Other Similar products are found below:

73-6670-7 73-6680-15 73-7797-25 MCJB2-10P6Q7-120 84909-0204 1200700174 1200860368 E16A06002M030 E200102-009-S1

AX105346-EW MT14-187L 17-103530 ERWPAB3002M005 190-038045-01 NK5EPC18RDY NK5EPC18VLY NK5EPC18YLY

NK5EPC1GRY NK5EPC4Y NK5EPC6YLY NK5EPC8BLY NK5EPC9YLY 1969343-6 C501100010 C501106002 C501106007

C501106015 C501106025 C601102010 C601104010 C601106007 C601106015 2142758-2 2168427-2 CAT1106007 21949-1 2J1866A

RJF SFTP 5E 0500 AX100351 MN14CEC/ST C501100015 C501106004 C501106010 C5F1108007 C601104004 C601106004

CA21106004 CA21106010 CA21106015 CA21109007