

Industrial Ethernet MagJack® ICMs

TRP Connector has designed ICMs to support 10/100Base-T non-PoE, PoE and 1GBase-T Ethernet applications for the primarily industrial market. Our industrial Ethernet MagJack ICM products are aimed at customers building equipment for factories and machines where the operating temperatures are between -40°C and 85°C and who need low cost, reliable ethernet connections.

These ICMs have options for IR reflow compatibility, tape-and-reel packaging, optional LEDs and can be automatically inserted on to the PCB for low cost application. Our ICMs are more durable and longer lasting, with fewer field issues.


Features

- Industrial temperature range
- Highly reliable with sensible cost
- Options for reflow compatibility, tape-and-reel packaging and LEDs

Benefits

- ICM operates in harsh conditions of the factory floor without degradation of performance
- Long life with no failures for worry-free use in industrial applications
- Allows for automatic pick-and-place and low cost reflow soldering operations

Specifications

- Meets all IEEE 802.3 10/100Base-T and 1GBase-T electrical requirements including RL, IL, Hi-pot and Common Mode parameters
- Operates from -40°C to 85°C or as specified
- 100% Hi-pot tested in production
- 50 micro-inches of gold plated contacts as required by the TIA 1096/FCC 47, Part 68
- Optional LEDs and shield configurations
- Optional IR-reflow soldering compatibility
- UL recognized
- RoHS 6/6 compliant 

Applications

- Industrial Ethernet controllers
- Machine control boards
- Ethernet lighting controls
- Industrial Wireless access points
- Industrial video display units



Common Part Numbers

TRP	2250015-1	1G, nPOE tab-up
TRP	2250056-1	10/100, PoE, tab-up
TRP	2250066-1	10/100, nPOE, tab-up

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Modular Connectors / Ethernet Connectors](#) category:

Click to view products by [Bel Fuse](#) manufacturer:

Other Similar products are found below :

[8949-H88/06BLKA/SN](#) [74441-0010/BKN](#) [MP1010RX-1000](#) [MP44RX-1000](#) [PHJ-4P4C-1-V-4](#) [PHP-6P6C-5](#) [GAX-3-66](#) [GAX-8-62](#) [GDCX-PA-66-50](#) [GDCX-PN-64](#) [GDCX-PN-66](#) [GDCX-PN-66-50](#) [GDLX-A-66](#) [GDLX-N-66](#) [GDLX-S-66](#) [GDLX-S-88K](#) [GDLX-SMT-S-88](#) [GDTX-S-88-50](#) [GDX-PA-1010](#) [GLX-N-1010M-BLK](#) [GLX-S-88M-BLK](#) [GMX-N-1010](#) [GMX-S-1010](#) [GMX-S-66](#) [GMX-SMT4-N-88](#) [GPX-2-64](#) [GSGX-N-2-88](#) [GSGX-N-4-88](#) [GSX-NS2-88-3.05](#) [GSX-NS2-88-3.05-50](#) [GSX-NS-88-3.05-50](#) [PT-108A-8C-UL](#) [PT-J951-8C](#) [PTS-J531-8CS-50UL](#) [1-1775629-2](#) [A-2014-0-4](#) [GWLX-S-88-GR](#) [GWLX-S9-88-YG](#) [DC-1021-8-WH-6](#) [1300530003](#) [1324640-4](#) [RJ11FTVC2G](#) [RJ11FTVC2N](#) [RJFTVX2SA1G](#) [132764-001](#) [1413235](#) [MP88X-1000](#) [MPS88RX-5000](#) [E5288-S000K3-L](#) [E5908-15A242-L](#)