



# Handtools



# **Tooling**


## multi-functional hand tools

### **Platens:**



\*combi die set 2980021-01 accepts ferrule inserts, order ferrule inserts seperately to suit cable  $O\!/D$ 

 $(e.g.\ \ 2980035\text{-}01\ for\ 6mm\ O/D\ cable)$ 



#### 2980019-01-B

Professional handtool for use with hardened die sets. The combi die set for shielded plugs also accepts ferrule crimping dies. For the longterm and large cable assembly.



Suitable dies for tool 2980019-01:

| No. of contacts  | part-no.   | Die platens loaded in die sets |   |   |
|------------------|------------|--------------------------------|---|---|
|                  |            | Α                              | В | С |
| 4 UTP            | 2980024-01 | 0                              | 0 | 0 |
| 6UTP             | 2980026-01 | 0                              | 0 | 0 |
| 6 UTP SL Version | 2980043-01 | 0                              | 0 | 0 |
| 6 UTP MMJ        | 2980025-01 | 0                              | 0 | 0 |
| 8 UTP            | 2980036-01 | 0                              | 0 | 0 |
| 8 UTP Cat 5/6    | 2980039-01 | 0                              |   | 0 |
| 8 UTP Cat 6 new  | 2980047-01 | 0                              |   |   |
| 10 UTP           | 2980038-01 | 0                              | 0 | 0 |
| 6 STP            | 2980041-01 | 0                              |   |   |
| 8 STP            | 2980020-01 | 0                              |   |   |
| 10 STP           | 2980037-01 | 0                              |   |   |

| combi die | part-no.   | ferrule insert | outer cable-O |
|-----------|------------|----------------|---------------|
|           |            | 2980034-01     | max. 3,7mm    |
| 8 STP     | 2980021-01 | 2980022-01     | max. 4,5mm    |
|           |            | 2980023-01     | max. 5,2mm    |
|           |            | 2980035-01     | max. 6,0mm    |




#### 2980042

Simple table fixture for easier handling.

<sup>\*</sup> Warning !!! Tool Die Platens will be damaged if Unshielded Die Sets are used for Shielded Plugs. The Shielded Plugs only require platen "A", the Cat 5 USTP & the 2PC Plugs only require platens "A" & "C"

# **Tooling**

# multi-functional hand tools






### 2980070-01 & 2980075-01 Professional Handtool for the assembly of shielded Cat 6 plugs. This is a real One-Step tool: contacts and shield is crimped at the same time.

### Completet handtool and die-set

| Plug               | Part number | outer cable Ø |
|--------------------|-------------|---------------|
| SS-39200-010 / 011 | 2980075-01  | more than 6mm |
| SS-39200-012       | 2980070-01  | less than 6mm |




### discrete die-set

| Ø more than 6mm |                  | Ø less than 6mm |                  |  |
|-----------------|------------------|-----------------|------------------|--|
| Part number     | die-set          | Part number     | die-set          |  |
| 2980076-01      | discrete         | 2980071-01      | discrete         |  |
| 2980077-01      | shield crimp die | 2980072-01      | shield crimp die |  |

## multi-functional hand tools

# **Tooling**



#### 2980028-01-B

Ferrule Handtool for the assembly of shielded SCS plugs

(CAT3/CAT5/CAT5+). The ferrule insert can be easily exchanged for the individual cable diameters.

| Outer cable-Ø | part-no.   |  |
|---------------|------------|--|
| max. 3,7 mm   | 2980029-01 |  |
| max. 4,5 mm   | 2980030-01 |  |
| max. 5,2 mm   | 2980031-01 |  |
| max. 6 mm     | 2980032-01 |  |
| max. 6,5 mm   | 2980065-01 |  |



Suitable dies for tool 2980028-01:



#### 2980050-01 & 2980055-01


Professional Handtool for the assembly of shielded Voice-Series<sup>TM</sup> plugs (V-P-88-S). This is a real One-Step tool: contacts and shield is crimped at the same time.

| Outer shield-Ø | part-no.   |
|----------------|------------|
| max. 5,7 mm    | 2980050-01 |
| max. 6,4 mm    | 2980055-01 |



#### 2940011-01


Wire cutter made of stainless 'Solingen'-steel for cutting wires at the assembly of shielded SCS plugs and Cable jacks.





# **Tooling**

## multi-functional hand tools

## Die Platens Loaded 2980027-01 & 2980033-01








Note:- The above tools do not crimp the inner conductor strain relief situated immediately after the contact blade platen

### 2980027-01

simple and cheap multi-functional hand tools including stripper and cutter to assemble 4-, 6-, MMJ 6- and 8- pole modular plugs.

#### 2980033-01

same as tool above but with 10-pole instead of 8-pole insert.



#### 2980040-01

Professional ratched handtool with fixed die set included. For assembly of all Stewart Connector CableJacks.

part-no.

SS-800810-xxx

SS-800810SB-xxx

SS-801010-xxx

SS-801010SB-xxx

Suitable Cable Jacks for tool 2980040-01:

## **Bench-Mount Press**

# **Tooling**



#### 2980100-01

This table mount tool is a low-cost alternative for semi quantity assemblies.

Unique features like:

- adjustable/turnable insert
- adjustable lever force
- ShureStake principle for reliable results
- spring supportet lever goes back to start position automatically
- sensitive feedback about final crimp position
- same inserts like for 2980019-01
- all frame parts are made of hardened steel
- 1 year warranty


## Inserts for Bench-Mount Press to be used with professional crimping bench-mount-press above



4 different sizes for cable diameters

Easily exchangeable suitable sub-inserts

| part-no.   | description            | marking     |
|------------|------------------------|-------------|
| 2980060-01 | main die set           |             |
| 2980061-01 | sub-insert for Ø3,7 mm | I stripe    |
| 2980062-01 | sub-insert for Ø4,5 mm | II stripe   |
| 2980063-01 | sub-insert for Ø5,2 mm | III stripe  |
| 2980064-01 | sub-insert for Ø6,0 mm | IIII stripe |




### 298HT900

Punch-Down Tool for use together with our VoiceSeries PunchDownBlocks (e.g. V-PDB-8). Supplied together with a belt-case.



- The electric Crimp-Press is an extremly versatile crimp machine.
- The ECP1500 is deliverable with and without a tester for conductivity and short circuit.
- It is able to use the standard die sets.
- Fast cycle time allows approx. 800 pieces per hour.
- The connecting cables can be crimped together in one operation with simultaneous test for conductivity and short circuit.
- The crimping cycle including test takes approx. 1,3 sec.



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Crimpers / Crimping Tools category:

Click to view products by Bel Fuse manufacturer:

Other Similar products are found below:

010-0096 M225201-06 M225202-37 6-1579015-5 CT150-2-D02 CT150-6-RH07 622-6441LF M322 6-304052-1 63456-0054 63484-3701 63800-8355 63819-1875 63819-2875 63819-4475 63823-3475 63827-5375 64001-0975 64001-4175 64005-0175 662903-2 690602-6 7-1579001-9 7-23471-1 762637-1 808714-1 811242-5 91362-1 999-50-020083 1-21002-3 1-21002-7 12085270 1-21002-6 1-21113-6 1-22548-4 125442-1 DCE.91.073.BVC DCE.91.090.3MVM DCE.91.130.5MVU DCE.91.202.BVCM 1338300-1 1-354003-0 1338301-1 DF62/RE-MD 142321 AP105-DF11-2428S(64) 1456088-1 1490794-1 1-45804-6 1490357-2