


REV	ECO	DATE
G1	22170	8/7/2009
H	24010	12/15/2011
J	25198	10/3/2014



NOTES: UNLESS OTHERWISE SPECIFIED.


1. MATERIAL & FINISH:

- 1.1 HOUSING, BARREL & COUPLING NUT: PASSIVATED STAINLESS STEEL
- 1.2 DIELECTRIC: PTFE (TEFLON)
- 1.3 CENTER CONTACT: GOLD PLATED BERYLLIUM COPPER
- 1.3 GASKET: SILICONE RUBBER

2. ELECTRICAL SPECIFICATIONS:

- 2.1 FREQUENCY RANGE: DC - 18.0 GHz
- 2.2 ATTENUATION VALUES AND ACCURACY
 - 2.2.1 0 dB +0.3 dB
 - 2.2.2 1 TO 10 dB ±0.3 dB
 - 2.2.3 11 TO 20 dB ±0.5 dB
 - 2.2.4 21 TO 30 dB ±1.0 dB
- 2.3 VSWR (MAX): 1.07+.015f(GHz)
- 2.4 MAXIMUM INPUT POWER:
 - 2.4.1 AVERAGE: 2 WATTS AT +25°C DERATED LINEARLY TO 0.5 WATTS AT +125°C
 - 2.4.2 PEAK: 200 WATTS FOR A DUTY CYCL OF 5 X 10⁻⁴, MAX PULSE DURATION OF 5 MICROSECONDS.

3. OPERATING TEMPERATURE RANGE: -65°C TO +125°C



<p>This PROPRIETARY Document is property of Cinch Connectivity Solutions. It is confidential in nature, non-transferable, and issued with the clear understanding that it is not traded or copied without permission and is returnable upon demand.</p> <p>INTERPRET DRAWING IN ACCORDANCE WITH ASME Y14.5-2009.</p>	Model No. ATT-0263-XX-SMA-02	MIDWEST MICROWAVE		
	RoHS2 <input checked="" type="checkbox"/> 2011/65/EU	Cage Code 34078	Title: ATTENUATOR, 0-30 dB	
	UNLESS OTHERWISE SPECIFIED: UNITS: INCH .XX ±.02 .XXX ±.005 ANGLES ±1°	3RD ANGLE PROJECTION 	Drawing No. ATT-0263-XX-SMA-02-01	Rev. J
	Date: 10/13/2014	Drawn by: C. WALLACE	Size A	Workmanship Std: NONE
		DO NOT SCALE DRAWING	Sheet 1 of 1	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Attenuators - Interconnects](#) category:

Click to view products by [Bel Fuse](#) manufacturer:

Other Similar products are found below :

[R414701000](#) [R411800121](#) [R413840115](#) [ATT-523F-05-SMA-02](#) [R413305000](#) [R411808121](#) [R412501124](#) [R414702000](#) [ATP8-10006KV](#)
[R414705000](#) [R411710124](#) [R410220121](#) [CT3369A-20](#) [09AS102-K40S3](#) [R411802000](#) [ATT-263F-03-SMA-02](#) [R417320130](#) [R412508124](#)
[R417030110](#) [ATT-523F-12-SMA-02](#) [ATT-263F-06-SMA-02](#) [ATT-0263-22-SMA-02](#) [ATT-263F-10-SMA-02](#) [ATT-523F-10-SMA-02](#)
[R422030020](#) [R422020030](#) [R417506130](#) [ATT-0263-25-SMA-02](#) [R413810000](#) [R411810124](#) [R413803000](#) [R417330110](#) [ATT-0290-02-HEX-](#)
[02](#) [R415603000](#) [R415620000](#) [R415606000](#) [R415610000](#) [ATT-0290-00-SMA-02](#) [AT-130V](#) [CATTEN-05R0-BNC](#) [CATTEN-04R0-BNC](#)
[6620_SMA-50-1/199_NE](#) [6630_SMA-50-2/199_NE](#) [CATTEN-06R0-BNC](#) [ATT-0294-02-SMA-02](#) [ATT-0298-06-HEX-02](#) [6610_SMA-50-](#)
[2/199_NE](#) [6605_SMA-50-1/199_NE](#) [6820.17.A](#) [6803.17.B](#)