

M12 A-Code Series

The M12 A-Code product line from Stewart Connector are standard products used in industrial automation, outdoor applications, measurement and control, agriculture and more. A-code M12 connectors are often used for sensors and DC power. The entire product line is IP67 rated when installed, adding to the reliable nature of these connectors in an industrial environment. IDC and soldering termination options offer quick and easy installations, replacements or upgrades.

Features & Benefits

- Includes both male and female panel mount receptacles and field terminated plug options
- A-Coding (or keying) within the M12 series prevents mismatching with other M12 coding/keying options
- Each of the parts in the A-Code series is IP67 rated when installed
- DeviceNet, CANbus and fieldbus primarily use connectors with 4 and 5 pin options
- Male front panel mount receptacle - available with 0.5 meter leads or solder cup contacts and 4 or 5 pin options
- Male rear panel mount receptacle - available with 0.5 meter leads or PCB solder pins and 4 or 5 pin options
- Female front panel mount receptacle - available with solder cup contacts and a 4 pin option
- Field terminated plugs with solder cup contacts - male and female and 4 or 5 pin options available
- Field terminated plugs with IDCs - both 4 and 5 pin options available for male plugs, 4 pin option available for female plugs

Applications

- Factory automation
- Sensors and power applications
- Communications
- Robotics
- Alternative energy solutions

M12 A-Code Series

Part Number Selection Guide

Part Number	Gender	Number of Contacts	Orientation	Type	Termination
SS-12000-001	Male	4	Straight	Front Panel Mount Receptacle	Solder Cup Contacts
SS-12000-002	Male	5	Straight	Front Panel Mount Receptacle	Solder Cup Contacts
SS-12000-003	Male	4	Straight	Rear Panel Mount Receptacle	Solder Cup Contacts
SS-12000-004	Male	5	Straight	Rear Panel Mount Receptacle	Solder Cup Contacts
SS-12000-005	Female	4	Straight	Front Panel Mount Receptacle	Solder Cup Contacts
SS-12000-009	Male	4	Straight	Front Panel Mount Receptacle with 0.5 m Leads	Leads
SS-12000-010	Male	5	Straight	Front Panel Mount Receptacle with 0.5 m Leads	Leads
SS-12000-011	Male	4	Straight	Rear Panel Mount Receptacle with 0.5m Leads	Leads
SS-12000-012	Male	5	Straight	Rear Panel Mount Receptacle with 0.5 m Leads	Leads
SS-12000-017	Male	4	Straight	Field Terminated Plug	Solder Cup Contacts
SS-12000-018	Male	5	Straight	Field Terminated Plug	Solder Cup Contacts
SS-12000-019	Female	4	Straight	Field Terminated Plug	Solder Cup Contacts
SS-12000-020	Female	5	Straight	Field Terminated Plug	Solder Cup Contacts
SS-12000-021	Male	4	Straight	Field Terminated Plug	IDCs
SS-12000-022	Male	5	Straight	Field Terminated Plug	IDCs
SS-12000-023	Female	4	Straight	Field Terminated Plug	IDCs



Stewart Connector
 11118 Susquehanna Trail South
 Glen Rock, PA 17327-9199

+1 717.235.7512
 techhelp@belf.com
belfuse.com/stewart-connector

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circular Metric Connectors](#) category:

Click to view products by [Bel Fuse](#) manufacturer:

Other Similar products are found below :

[600X518037X](#) [6STD15PCR99B70A](#) [8R4000A16M020](#) [8R5000A16M005](#) [1200910002](#) [1203580030](#) [1200910008](#) [1200910011](#) [1300140094](#)
[130203-0054](#) [1300140026](#) [1300150099](#) [RF-12S1N8A90DU](#) [1-3637-600-5205](#) [1612618](#) [21036836414](#) [8R4006A16M010](#) [8R5006A18A120](#)
[1604232](#) [1R3006A20M005](#) [RF-12P1N8A80DU](#) [RF-12P1N8A90DU](#) [41-40011](#) [42-01015](#) [4-22279-4](#) [4-22281-1](#) [4-22284-9](#) [43-01088](#) [43-](#)
[01203](#) [41-40013](#) [42-00008](#) [43-00343](#) [43-01032](#) [43-01162](#) [43-10000](#) [600X518050X](#) [SACC-DSI-FS-5P-PG9-L180 SC](#) [8R5006A16M020](#)
[8R5006A16M005](#) [8R4000A16M010](#) [6-22279-3](#) [1605332](#) [N03FA03144](#) [1300140077](#) [43-01338](#) [XS2RD4265](#) [RSC 4/9](#) [XS2R-D426-1](#)
[XS8A-0441](#) [859RD04-103R004](#)