



SMP Terminations

With emergence of 5G market, the SMP interfaces become more popular. Midwest Microwave is now offering its SMP terminations through distribution to compliment variety of SMP connectors offerings of its sister brand Johnson. Midwest Microwave is a leader in microwave components manufacturing and utilizes its QPL design and manufacturing expertise into the SMP terminations.

Features

• DC to 18 GHz operation


Part Number

- Interface per MIL-STD-348A, SMP series
- Compliments Johnson's SMP offering for 5G market
- SMP terminations made by M39030 qualified manufacturer

Description





TRM-2109-F0-SMP-09	SMP Female Termination
	(.463)



T BI
and

Part Number	Description
TRM-2109-M0-SMP-09	SMP Male Termination







SMP Termination Specifications



Materials

Body Gold plated beryllium copper

Dielectric PTFE (Teflon)

Center Contact Gold plated beryllium copper

Enviromental

Operating Temperature -65°C to +125°C

Thermal Shock Per MIL-STD-202, Method 107, Condition B

Mechanical Shock Per MIL-STD-202, Method 213, Condition 1

Salt Spray Per MIL-STD-202, Method 101, Condition B

Electrical

Frequency of Operation DC-18GHz

Impedance 50 Ohms

VSWR 1.20:1 (max.)

Average Power 2W Max @ 25°C derated to 1W @ 125°C

Mechanical

Interface Per MIL-STD-348A, Series SMP

Mating Durability 100 Matings

Center Contact Retention 1.5 lbs minimum axial

Engagement Force 15.0 lbs maximum full detent

Disengagement Force 5.0 lbs minimum full detent 2.0 lbs minimum limited detent 0.5 lbs minimum smooth bore

10.0 lbs maximum limited detent



20.0 lbs maximum smooth bore

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Terminators category:

Click to view products by Bel Fuse manufacturer:

Other Similar products are found below:

M39030/3-04S M39030/3-04S M39030/3-11N TNG1-9-78-D3 TNA2-50 TNG1-6-78 TNH1-1-50 TNGFL1-1-78

R4042N5000 53S1RR-001N3 142275 56S1RR-001N4 65_BNC-50-0-7/133_NE 71S1RR-001N4 02S17R-001D3 R404240120 R404260000

HT-10-2 FL LCX 50-OHM-RSMA M39030/3-04N TNA1-6-50 131-3801-811 TNA1-1-50 65_N-50-0-51/113_NE 65_BNC-50-0-2/133_NE

65_N-50-0-1/133_NE 65002_N-50-1/122_NE 65_MMCX-50-0-31/111_OE 18K15R-0.5E3 2702702 TRM-2161-M0-35M-02 53S17R
001N3 1100.19.0001 6701.01.B 18S24H-40ML5 TRM-2053-M0-NNN-02 R404759000 M39030/6-02N TRM-2080-M0-NNN-07 TRM
2053-MC-NNN-02 M39030/3-03S SF8012-6009 6701.01.A 65_MCX-50-0-4/111_NE 65_716-50-0-2/003_-E 65_SMB-50-0-1/111_NE

M39030/3-12N 82-5722-RFX 8018-6174