## **Terminations**

## 3.5 mm 26.5 GHz Type

## DC - 26.5 GHz - 2 Watts High Performance

- Low VSWR
- Rugged Stainless Steel Construction
- · Small Size, Light Weight
- Bead Chain available on all Models
- Mates with Standard SMA Interface

Midwest Microwave's 3.5mm series of high performance coaxial Terminations provide temperature stable, ruggedly built, low VSWR precision performance in a compact light weight package size. All Models mate non-destructively with standard SMA connector interfaces. Bead Chains are available with any of the units described.



Impedance: 50 Ohms

Frequency: DC - 18.0 and DC - 26.5 GHz

VSWR: 1.12 max @ DC - 18.0 GHz and 1.18 max @ 18.0 - 26.5 GHz


Power: 2 Watts max @ 25 °C


Operating Temperature Range: -65 to +125 °C

Finish: Passivated Stainless Steel

DC - 26.5 GHz	2160 Series Model Numbers	
Male Plug	Male Plug with Chain	
TRM-2160-M0-35M-02	TRM-2160-MC-35M-02	
Female Jack	Female Jack with Chain	
TRM-2160-F0-35M-02	TRM-2160-FC-35M-02	

DC - 18.0 GHz	2161	Series	Model Numbers	
Male Plug		Male Plug with Chain		
TRM-2161-M0-35M-02		TRM-2161-MC-35M-02		
Female Jack		Female Jack with Chain		
TRM-2161-F0-35M-02		TRM	M-2161-FC-35M-02	







## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Terminators category:

Click to view products by Bel Fuse manufacturer:

Other Similar products are found below:

M39030/3-04S M39030/3-04S M39030/3-11N TNG1-9-78-D3 TNA2-50 TNG1-6-78 TNH1-1-50 TNGFL1-1-78

R4042N5000 53S1RR-001N3 142275 56S1RR-001N4 65\_BNC-50-0-7/133\_NE 71S1RR-001N4 02S17R-001D3 R404240120 R404260000

HT-10-2 FL LCX 50-OHM-RSMA M39030/3-04N TNA1-6-50 131-3801-811 TNA1-1-50 65\_N-50-0-51/113\_NE 65\_BNC-50-0-2/133\_NE 65\_N-50-0-1/133\_NE 65002\_N-50-1/122\_NE 65\_MMCX-50-0-31/111\_OE 18K15R-0.5E3 2702702 TRM-2161-M0-35M-02 53S17R-001N3 1100.19.0001 6701.01.B 18S24H-40ML5 TRM-2053-M0-NNN-02 R404759000 M39030/6-02N TRM-2080-M0-NNN-07 TRM-2053-MC-NNN-02 M39030/3-03S SF8012-6009 6701.01.A 65\_MCX-50-0-4/111\_NE 65\_716-50-0-2/003\_-E 65\_SMB-50-0-1/111\_NE M39030/3-12N 82-5722-RFX 8018-6174