

### Rohs Compliant





For stripping and assembly instuctions see Drawing Number: VAIF1107

## 

#### Electrical Characteristics

Nominal Impedance: Non Constant
Frequency Range: DC to 2 GHz
VSWR: 1.35:1 maximum
Insertion Loss: 0.2 dB at 2 GHz

Operating Voltage (rms): 250 V maximum at sea level
Dielectric Withstand Voltage (rms): 1500 V maximum at sea level
Contact Resistance: 3.0 milliohms maximum
Insulation Resistance: 5000 megohms minimum

#### Mechanical Characteristics

Mating Cycles: 50 cycles (subject to cable)
Interface Dimensions: Conform to MIL-C-39012

#### **Environmental Characteristics**

Temperature Range: -65 °C to +165 °C

	PART	DESCRIPTION
1	Body	Brass, nickel plated 2.54 μm
2	Contact	Brass, gold plated 0.076 μm - 0.127 μm
3	Dielectric	PTFE

Strip & Crimp Dims Added	MS	5	24 Aug 09
Address	MS	4	17 Mar 09
CAD Issue	PCD	3	29 May 02
Pin Dimension Change	RCS	2	31 Jul 00
First Issue	PDC	1	19 Jun 00
DESCRIPTION OF REVISION	APPVD	ISS	DATE



Cinch Connectivity Solutions 7-13 Russel Way, Widford Industrial Estate, Chelmsford, Essex, CM1 3AA, UK.

CM1 3AA, UK. Tel: +44 (0) 1245 359515 Fax: +44 (0) 1245 358938

	SCALE: Not To Scale	DRAWN BY:	P D Couzens	
	DIMENSIONS: mm	CHECKED BY:	P D Couzens	
	TOLERANCES: ± 0.2mm unless	APPROVED BY:	S Nash	
	otherwise stated	DATE:	29 May 02	

TITLE:

F Crimp Plug For RG179

PART NUMBER:

VF10-2061

PAGE: 1 of 1

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Connectors / Coaxial Connectors category:

Click to view products by Bel Fuse manufacturer:

Other Similar products are found below:

8915-1511-000 89674-0827 6001-7071-019 6002-7051-003 6002-7551-202 6059674-1 619550-1 630059-000 M39030/3-01N 6500-7071-046 6769 CX050L2AQ 7002-1541-010 7002-1542-011 7004-1512-000 7009-1511-004 7010-1511-000 7029-1511-060 7101-1541-010 7101-1571-002 7145-1521-002 7203-1571-003 7209-1511-011 7210-1511-015 7210-1511-019 73137-5015 73216-2241 73404-2300 7405-1521-005 7405-1521-802 8527 8547 FS11V 877931 8808-1511-001 9049-9513-000 9074-9513-000 9101-9573-002 910A205F 9130-9573-002 PL11SC-026 PL375-33 PL40-5 PL74C-221 PL75MC-217 PL803-7 1200690078 1-201144-1 R107003010W R110A172100