## SPECIAL TWEEZERS FOR SMD-TECHNIQUE

high precision tweezers from special steel stainless – matt fi nish – anti–magnetic – acid –resisting - alternative with ESD coating (-13) -



No.	Lei mm	ngth inch	Finish / Model	Weight g
5-048	110	4 <sup>3</sup> /8"	straight, very sharply pointed	12
5-048-13	110	4 <sup>3</sup> /8"	as before, with ESD coating	12
5-049	110	4 <sup>3</sup> / <sub>8"</sub>	straight, very sharply pointed, 4 SA	12
5-049-13	110	4 <sup>3</sup> /8"	as before, with ESD coating	12
5-051	115	4 <sup>1</sup> / <sub>2"</sub>	straight pointed, 2 SA	15
5-051-13	115	4 <sup>1</sup> / <sub>2"</sub>	as before, with ESD coating	15
5-052	110	4 <sup>3</sup> / <sub>8"</sub>	bent, very sharply pointed, 5b SA	13
5-052-13	110	4 <sup>3</sup> /8"	as before, with ESD coating	13
5-053	110	4 <sup>3</sup> / <sub>8"</sub>	obliquely angled, very sharply pointed, 51 SA	13
5-053-13	110	4 <sup>3</sup> /8"	as before, with ESD coating	13
5-054	120	4 <sup>3</sup> /4"	sickle-shape-curved, very sharply pointed, 7abb SA	16
5-054-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	16
5-055	120	4 <sup>3</sup> / <sub>4"</sub>	sickle-shaped, very sharply pointed	15
5-055-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	15
5-056	120	4 <sup>3</sup> / <sub>4"</sub>	slightly bent, very sharply pointed, 7 SA	15
5-056-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	15
5-057	120	4 <sup>3</sup> / <sub>4"</sub>	self-locking, straight-pointed, 31 SA	13
5-057-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	13
5-058	120	4 3/4"	self-locking, bent, pointed, 31b SA	13
5-058-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	13
5-059	120	4 <sup>3</sup> / <sub>4"</sub>	flat, rounded tips, 2.0 mm width, 2a SA	15
5-059-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	15
5-061	115	$4^{1}/_{2^{n}}$	bent, flat rounded tips, 2ab SA	16
5-061-13	115	4 <sup>1</sup> / <sub>2"</sub>	as before, with ESD coating	16
5-062	115	4 <sup>1</sup> /2"	35° angled, 2 mm width with gripping cavity Ø 0.8 mm	16
5-062-13	115	4 1/2"	as before, with ESD coating	16
5-063	115	4 <sup>1</sup> / <sub>2"</sub>	35° angled, 3.5 mm width, with gripping cavity Ø 0.8 mm, 58 SA	16
5-063-13	115	4 <sup>1</sup> /2"	as before, with ESD coating	16
5-065	120	4 <sup>3</sup> /4"	straight, 3 mm width, with gripping cavity Ø 0.8 mm	16
5-065-13	120	4 <sup>3</sup> /4"	as before, with ESD coating	16



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Soldering Workstation Equipment category:

Click to view products by Bernstein manufacturer:

Other Similar products are found below :

FP-BVX
GS1116
2072
BH-010
AC-TX001-4
CA0202
CA0201
AC-TX002-2
MFR-CA3
WXD2N
Q-7100-9000
35456
T0051514699N

35457
35450
WS2-NS
T0051512299N
ALFA
T0058757898
T0058768762
T0058744845N
T0051512199N
BL12
145-2000-ESDN

T0058758721N
T0058768727N
T0058716743
WXD2020N
T0058768725N
BP0027
CLMU-A8
0352830
FAE1-2A
JBC-JNASE-2A

QUICK 860DA
0016344
CL-SFE/1
FILTERS
PX0410/03P/5055
RA150
10G.SA.0
36A.SA
3C.SA
3.TA
AT850D/P
TMT-HA300
TMT 

PH200
5-048
5-050
5-051
5-052
Solution
Soluti