

30° angled, 2.5 mm width 15 as before, with ESD coating 15 tip 45° angled, 2 mm width 12 SA 15 as before, with ESD coating 15 tip angled, 1.6 mm width, 13 SA 13 as before, with ESD coating 13 tip angled, 0C SA 8 as before, with ESD coating 13 thin, straight-pointed, 0C SA 8 as before, with ESD coating 8	anolic BERNSTEIN (5-066-
tip 45° angled, 2 mm width 12 SA 15 as before, with ESD coating 15 tip angled, 1.6 mm width, 13 SA 13 as before, with ESD coating 13 thin, straight-pointed, OC SA 8	d agnade ♦ BERNSTEIN (5-068- 5-068- Manuale ♦ BERNSY EI 4-071
as before, with ESD coating15tip angled, 1.6 mm width, 13 SA13as before, with ESD coating13thin, straight-pointed, OC SA8	e BERNSTEIN FORMATS 5-068- 5-068- Mennent BERNSTEIN 8-071
tip angled, 1.6 mm width, 13 SA 13 as before, with ESD coating 13 thin, straight-pointed, OC SA 8	5-068-
as before, with ESD coating 13 thin, straight-pointed, OC SA 8	mognatio BERNSTEII 5-071
thin, straight-pointed, OC SA 8	
	5-0
as before with ESD costing	
as before, with ESD coating 6	eracid entimagnetic BERNSTEI 5-072
schmal, straight-spitz, 3c SA 11	5-0
as before, with ESD coating 11 statilese-antimagne	etic O BERNSTEIN
long-thin, straight, 13 very sharply pointed, SS SA	5-073-
as before, with ESD coating 13	SABUC O BERNSTEIN
straight, pointed, 1 SA 14	5-0
as before, with ESD coating	d Bignetic Score-13
straight, very sharply pointed, 13 grip surface offset, 60 SA	5-075-
as before, with ESD coating 13	d BERNSTEII 5-076 5-0
rigid, straight, pointed, 00 SA 19	
as before, with ESD coating 19	otic OBERNSTEIN 5-077-13
wide, tapering, pointed, AA SA 16	5-077-
as before, with ESD coating 16 stationese-antimegnetic	de O BERNSTEIN
tapering, chisel, 1 mm width, PSF SA 16	5-078-
as before, with ESD coating 16	- acid antimagnetic BERNSTER 5-083
straight, pointed 8	5-0
as before, with ESD coating 8	netto O BERNSTEIN
	5-083-

CUTTING TWEEZERS

No.

5-066

5-066-13

5-067-13

5-067

5-068

5-071

5-072

5-073

5-074

5-075

5-076

5-077

5-078

5-083

5-076-13

5-074-13

Length mm in

120

120

120

85

85

110

140

140

120

140

140

120

130

130

140 140 inch

4 ³/4"

4 3/4"

4 ³/_{4"}

4 3/4"

 $4^{3}/_{4''}$

4³/4"

3 ³/8"

4 ³/_{8"}

5 ¹/2"

 $4^{3}/_{4''}$

4³/4"

5 ³/4"

5 ³/4"

 $4^{3}/_{4^{"}}$

4 ³/4"

5¹/8"

5 ¹/8"

5 ³/4"

5 ³/4"

Made from Carbon Steel, extremely hard, excellent sharpness at the cutting edges. For cutting of soft copper, gold and silver wires up to $0.25 \text{ mm} \emptyset$.

5-079	115	4 ¹ /2"	Carbon Steel, matt finish 15 AGW	25
5-079-13	115	4 ¹ /2"	as before, with ESD coating	25



NEW

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Soldering Workstation Equipment category:

Click to view products by Bernstein manufacturer:

Other Similar products are found below :

 FP-BVX
 GS1116
 2072
 BH-010
 AC-TX001-4
 CA0202
 CA0201
 AC-TX002-2
 MFR-CA3
 WXD2N
 Q-7100-9000
 35456
 T0051514699N

 35457
 35450
 WS2-NS
 T0051512299N
 ALFA
 T0058757898
 T0058768762
 T0058744845N
 T0051512199N
 BL12
 145-2000-ESDN

 T0058758721N
 T0058768727N
 T0058716743
 WXD2020N
 T0058768725N
 BP0027
 CLMU-A8
 0352830
 FAE1-2A
 JBC-JNASE-2A

 QUICK 860DA
 0016344
 CL-SFE/1
 FILTERS
 PX0410/03P/5055
 RA150
 10G.SA.0
 36A.SA
 3C.SA
 3.TA
 AT850D/P
 TMT-HA300
 TMT

 PH200
 5-048
 5-050
 5-051
 5-052
 Solution
 Soluti