


REV.	DESCRIPTION	DATE	APPROVED
A	Engineering Update w/o Changes	02/24/04	M. C.



Spacing = D + G

PART NO.	PCB SPACING	T ±.005 (.1mm)	D ±.003 (.08mm)
312-078	.312 (7.9)	.078 (2.0)	.236 (6.0)
312-109	.312 (7.9)	.109 (2.8)	.236 (6.0)
312-125	.312 (7.9)	.125 (3.2)	.236 (6.0)
312-156	.312 (7.9)	.156 (4.0)	.236 (6.0)
312-187	.312 (7.9)	.187 (4.8)	.236 (6.0)
400-078	.400 (10.2)	.078 (2.0)	.324 (8.2)
400-109	.400 (10.2)	.109 (2.8)	.324 (8.2)
400-125	.400 (10.2)	.125 (3.2)	.324 (8.2)
400-156	.400 (10.2)	.156 (4.0)	.324 (8.2)
400-187	.400 (10.2)	.187 (4.8)	.324 (8.2)
500-078	.500 (12.7)	.078 (2.0)	.424 (10.8)
500-109	.500 (12.7)	.109 (2.8)	.424 (10.8)
500-125	.500 (12.7)	.125 (3.2)	.424 (10.8)
500-156	.500 (12.7)	.156 (4.0)	.424 (10.8)
500-187	.500 (12.7)	.187 (4.8)	.424 (10.8)

PART NO.	PCB SPACING	T ±.005 (.1mm)	D ±.003 (.08mm)
600-078	.600 (15.2)	.078 (2.0)	.524 (13.3)
600-109	.600 (15.2)	.109 (2.8)	.524 (13.3)
600-125	.600 (15.2)	.125 (3.2)	.524 (13.3)
600-156	.600 (15.2)	.156 (4.0)	.524 (13.3)
600-187	.600 (15.2)	.187 (4.8)	.524 (13.3)
750-078	.750 (19.1)	.078 (2.0)	.674 (17.1)
750-109	.750 (19.1)	.109 (2.8)	.674 (17.1)
750-125	.750 (19.1)	.125 (3.2)	.674 (17.1)
750-156	.750 (19.1)	.156 (4.0)	.674 (17.1)
750-187	.750 (19.1)	.187 (4.8)	.674 (17.1)
800-078	.800 (20.3)	.078 (2.0)	.724 (18.4)
800-109	.800 (20.3)	.109 (2.8)	.724 (18.4)
800-125	.800 (20.3)	.125 (3.2)	.724 (18.4)
800-156	.800 (20.3)	.156 (4.0)	.724 (18.4)
800-187	.800 (20.3)	.187 (4.8)	.724 (18.4)

PART NO.	PCB SPACING	T ±.005 (.1mm)	D ±.003 (.08mm)
1000-078	1.00 (25.4)	.078 (2.0)	.924 (23.5)
1000-109	1.00 (25.4)	.109 (2.8)	.924 (23.5)
1000-125	1.00 (25.4)	.125 (3.2)	.924 (23.5)
1000-156	1.00 (25.4)	.156 (4.0)	.924 (23.5)
1000-187	1.00 (25.4)	.187 (4.8)	.924 (23.5)

2. MATERIAL: NYLON 6, 10% GLASS, 94V-0, BLACK. BIVAR MATERIAL CODE 12-BK.  
RTP 299A X 59354CFR, BLACK OR MODIFIED PLASTICS MN6-FG10SE BK.

1. GENERAL SPECIFICATIONS: BIVAR MOLDED COMPONENT SPECIFICATION BV00-E101.

STANDARD TOLERANCE (UNLESS OTHERWISE SPECIFIED)		 <b>BIVAR</b> <sup>®</sup> 4 THOMAS, IRVINE, CA. 92618 TEL: (949) 951-8808 FAX: (949) 951-3974			
DECIMALS	ANGULAR				
.X ± .1	X° ± 1°	 <b>TITLE: CIRC-O-GIDE, SNAP-IN BUTTON STYLE CARD GUIDE</b>			
.XX ± .01					
.XXX ± .005		DESIGNED: <b>Ty Yin</b>	DATE: <b>02/24/04</b>	PART NO: CIRC-O-GIDE	REVISION: <b>A</b>
CHECKED: <b>D. Green</b>		DATE: <b>02/24/04</b>	CAGE CODE : 32559 SHEET # 1 OF 1		
CAD GENERATED DOCUMENT, DO NOT MEASURE DRAWING.					

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Circuit Board Hardware - PCB category](#):*

*Click to view products by [Bivar manufacturer](#):*

Other Similar products are found below :

[8919-0-00-15-00-00-03-0](#) [0132-0-15-01-30-27-04-0](#) [0135-0-15-01-30-27-04-0](#) [5970-1-15-01-32-14-04-0](#) [0132-0-15-15-30-27-04-0](#) [0135-0-15-15-30-27-04-0](#) [0149-0-15-15-30-27-04-0](#) [MBI 1 BLUE](#) [7305-0-15-15-47-14-10-0](#) [MKU 1 BLACK](#) [MLN 150/1 BLACK](#) [8579-0-15-80-11-27-10-0](#) [8579-1-15-15-11-27-10-0](#) [8637-0-15-15-21-14-10-0](#) [8830-0-15-01-22-14-10-0](#) [8836-0-00-21-00-00-03-0](#) [PRUEF 2 RED](#) [9976-0-00-00-00-00-03-0](#) [1178-0-01-80-00-00-03-0](#) [PW1616](#) [1215-3-05-00-00-00-01-0](#) [1303-0-15-15-47-14-04-0](#) [1404-3](#) [1404-4](#) [1406-4](#) [1407-3](#) [1406-3](#) [1407-4](#) [1408-3](#) [1424-4](#) [1426-3](#) [1427-3](#) [1427-4](#) [1428-3](#) [1419-4](#) [1424-3](#) [1426-4](#) [1428-4](#) [MPS 1 BLACK](#) [1520150-1](#) [1548-103](#) [1801-0-15-15-30-27-04-0](#) [1938-0-00-00-00-00-03-0](#) [1942-0-00-00-00-00-03-0](#) [2101-3-00-44-00-00-07-0](#) [2104-2-01-44-00-00-07-0](#) [2108-2-00-50-00-00-07-0](#) [2108-3-00-44-00-00-07-0](#) [2109-2-00-44-00-00-07-0](#) [2110-2-00-44-00-00-07-0](#)