

[Home](#) / [Products](#) / [Component Mounts & Spacers](#) / [Wash Away Spacers](#) / [Rectangular and Square Wash-Away Component Spacers](#)

## Component Mounts & Spacers

- [Component Mounts](#)
- [Spacers](#)
- [Wash Away Spacers](#)
- [Crystal Insulators](#)

## Card Guides & Ejectors

- [Card Guides](#)
- [PCB Ejectors](#)

## Product Info Center

## Rectangular and Square Wash-Away Component Spacers



The Popular Diss-O-Pad Spacer series of Wash-Away Spacers provide for accurate positioning of through-hole electronic components on PCBs then dissolve in hot or warm running water without a trace of residue. Rectangular and square water soluble spacers provide a problem solving approach to control production uniformity through the soldering process while eliminating scrap and rejects due to improper component placement or contaminant entrapment. Manufactured from organic materials, Wash-Away Spacers are ecological solution to improved production yield with over 200 styles available from stock.

PART NUMBER	DESCRIPTION
<a href="#">TO-100-040</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.04 Thick, Wax
<a href="#">TO-100-050</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.05 Thick, Wax
<a href="#">TO-100-060</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.06 Thick, Wax
<a href="#">TO-100-070</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.07 Thick, Wax
<a href="#">TO-100-080</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.08 Thick, Wax
<a href="#">TO-100-090</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.09 Thick, Wax
<a href="#">TO-100-100</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.10 Thick, Wax
<a href="#">TO-100-120</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.12 Thick, Wax
<a href="#">TO-100-130</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.13 Thick, Wax
<a href="#">TO-100-150</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.15 Thick, Wax
<a href="#">TO-100-200</a>	Diss-O-Pad, TO-100, Rectangle, 0.67 Length, 0.1 Width, 0.20 Thick, Wax
<a href="#">TO-101-040</a>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.04 Thick, Wax
<a href="#">TO-101-050</a>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.05 Thick, Wax
<a href="#">TO-101-060</a>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.06 Thick, Wax

## Rectangular and Square Wash-Away Component Spacers

<u>TO-101-070</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.07 Thick, Wax
<u>TO-101-080</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.08 Thick, Wax
<u>TO-101-090</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.09 Thick, Wax
<u>TO-101-100</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.10 Thick, Wax
<u>TO-101-120</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.12 Thick, Wax
<u>TO-101-130</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.13 Thick, Wax
<u>TO-101-150</u>	Diss-O-Pad, TO-101, Rectangle, 0.562 Length, 0.185 Width, 0.15 Thick, Wax
<u>TO-102-040</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.04 Thick, Wax
<u>TO-102-050</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.05 Thick, Wax
<u>TO-102-060</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.06 Thick, Wax
<u>TO-102-070</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.07 Thick, Wax
<u>TO-102-090</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.09 Thick, Wax
<u>TO-102-100</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.10 Thick, Wax
<u>TO-102-120</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.12 Thick, Wax
<u>TO-102-130</u>	Diss-O-Pad, TO-102, Rectangle, 0.505 Length, 0.16 Width, 0.13 Thick, Wax
<u>TO-116-040</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.04 Thick, Wax
<u>TO-116-050</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.05 Thick, Wax
<u>TO-116-060</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.06 Thick, Wax
<u>TO-116-070</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.07 Thick, Wax
<u>TO-116-080</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.08 Thick, Wax
<u>TO-116-090</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.09 Thick, Wax
<u>TO-116-100</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.10 Thick, Wax
<u>TO-116-110</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.11 Thick, Wax
<u>TO-116-120</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.12 Thick, Wax
<u>TO-116-130</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.13 Thick, Wax
<u>TO-116-150</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.15 Thick, Wax
<u>TO-116-180</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.18 Thick, Wax
<u>TO-116-200</u>	Diss-O-Pad, TO-116, Rectangle, 0.666 Length, 0.3 Width, 0.20 Thick, Wax
<u>TO-117-040</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.04 Thick, Wax
<u>TO-117-050</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.05 Thick, Wax

## Rectangular and Square Wash-Away Component Spacers

<u>TO-117-060</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.06 Thick, Wax
<u>TO-117-070</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.07 Thick, Wax
<u>TO-117-080</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.08 Thick, Wax
<u>TO-117-090</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.09 Thick, Wax
<u>TO-117-100</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.10 Thick, Wax
<u>TO-117-120</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.12 Thick, Wax
<u>TO-117-130</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.13 Thick, Wax
<u>TO-117-140</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.14 Thick, Wax
<u>TO-117-150</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.15 Thick, Wax
<u>TO-117-160</u>	Diss-O-Pad, TO-117, Rectangle, 0.666 Length, 0.281 Width, 0.16 Thick, Wax
<u>TO-118-040</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.04 Thick, Wax
<u>TO-118-050</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.05 Thick, Wax
<u>TO-118-060</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.06 Thick, Wax
<u>TO-118-070</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.07 Thick, Wax
<u>TO-118-080</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.08 Thick, Wax
<u>TO-118-090</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.09 Thick, Wax
<u>TO-118-100</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.10 Thick, Wax
<u>TO-118-110</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.11 Thick, Wax
<u>TO-118-120</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.12 Thick, Wax
<u>TO-118-130</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.13 Thick, Wax
<u>TO-118-150</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.15 Thick, Wax
<u>TO-118-160</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.16 Thick, Wax
<u>TO-118-170</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.17 Thick, Wax
<u>TO-118-200</u>	Diss-O-Pad, TO-118, Rectangle, 0.705 Length, 0.26 Width, 0.20 Thick, Wax
<u>TO-120-040</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.04 Thick, Wax
<u>TO-120-050</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.05 Thick, Wax
<u>TO-120-060</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.06 Thick, Wax
<u>TO-120-070</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.07 Thick, Wax
<u>TO-120-090</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.09 Thick, Wax
<u>TO-120-100</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.10 Thick, Wax

## Rectangular and Square Wash-Away Component Spacers

<u>TO-120-120</u>	Diss-O-Pad, TO-120, Square, 0.085 Length, 0.085 Width, 0.12 Thick, Wax
<u>TO-121-040</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.04 Thick, Wax
<u>TO-121-050</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.05 Thick, Wax
<u>TO-121-060</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.06 Thick, Wax
<u>TO-121-070</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.07 Thick, Wax
<u>TO-121-090</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.09 Thick, Wax
<u>TO-121-100</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.10 Thick, Wax
<u>TO-121-120</u>	Diss-O-Pad, TO-121, Square, 0.095 Length, 0.095 Width, 0.12 Thick, Wax
<u>TO-200-040</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.04 Thick, Wax
<u>TO-200-050</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.05 Thick, Wax
<u>TO-200-060</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.06 Thick, Wax
<u>TO-200-080</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.08 Thick, Wax
<u>TO-200-090</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.09 Thick, Wax
<u>TO-200-100</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.10 Thick, Wax
<u>TO-200-120</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.12 Thick, Wax
<u>TO-200-130</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.13 Thick, Wax
<u>TO-200-150</u>	Diss-O-Pad, TO-200, Rectangle, Notched, 0.19 Length, 0.095 Width, 0.15 Thick, Wax
<u>TO-201-040</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.04 Thick, Wax
<u>TO-201-050</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.05 Thick, Wax
<u>TO-201-050E</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.05 Thick, Effervescent
<u>TO-201-070</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.07 Thick, Wax
<u>TO-201-090</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.09 Thick, Wax
<u>TO-201-100</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.10 Thick, Wax
<u>TO-201-120</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.12 Thick, Wax
<u>TO-201-120E</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.12 Thick, Effervescent
<u>TO-201-130</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.13 Thick, Wax
<u>TO-201-150</u>	Diss-O-Pad, TO-201, Rectangle, Notched, 0.24 Length, 0.095 Width, 0.15 Thick, Wax
<u>TO-203-040</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.04 Thick, Wax
<u>TO-203-050</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.05 Thick, Wax
<u>TO-203-060</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.06 Thick, Wax

## Rectangular and Square Wash-Away Component Spacers

<u>TO-203-070</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.07 Thick, Wax
<u>TO-203-090</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.09 Thick, Wax
<u>TO-203-100</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.10 Thick, Wax
<u>TO-203-120</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.12 Thick, Wax
<u>TO-203-130</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.13 Thick, Wax
<u>TO-203-140</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.14 Thick, Wax
<u>TO-203-150</u>	Diss-O-Pad, TO-203, Rectangle, Notched, 0.29 Length, 0.095 Width, 0.15 Thick, Wax
<u>TO-204-040</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.04 Thick, Wax
<u>TO-204-050</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.05 Thick, Wax
<u>TO-204-060</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.06 Thick, Wax
<u>TO-204-070</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.07 Thick, Wax
<u>TO-204-080</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.08 Thick, Wax
<u>TO-204-090</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.09 Thick, Wax
<u>TO-204-100</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.10 Thick, Wax
<u>TO-204-120</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.12 Thick, Wax
<u>TO-204-130</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.13 Thick, Wax
<u>TO-204-150</u>	Diss-O-Pad, TO-204, Rectangle, Notched, 0.34 Length, 0.145 Width, 0.15 Thick, Wax
<u>TO-205-040</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.04 Thick, Wax
<u>TO-205-040E</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.04 Thick, Effervescent
<u>TO-205-060</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.06 Thick, Wax
<u>TO-205-070</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.07 Thick, Wax
<u>TO-205-090</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.09 Thick, Wax
<u>TO-205-100</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.10 Thick, Wax
<u>TO-205-120</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.12 Thick, Wax
<u>TO-205-130</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.13 Thick, Wax
<u>TO-205-150</u>	Diss-O-Pad, TO-205, Rectangle, Notched, 0.39 Length, 0.145 Width, 0.15 Thick, Wax
<u>TO-206-040</u>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.04 Thick, Wax
<u>TO-206-050</u>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.05 Thick, Wax
<u>TO-206-060</u>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.06 Thick, Wax
<u>TO-206-070</u>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.07 Thick, Wax

Rectangular and Square Wash-Away Component Spacers

<a href="#">TO-206-080</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.08 Thick, Wax
<a href="#">TO-206-090</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.09 Thick, Wax
<a href="#">TO-206-100</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.10 Thick, Wax
<a href="#">TO-206-120</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.12 Thick, Wax
<a href="#">TO-206-130</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.13 Thick, Wax
<a href="#">TO-206-150</a>	Diss-O-Pad, TO-206, Rectangle, Notched, 0.49 Length, 0.195 Width, 0.15 Thick, Wax
<a href="#">TO-207-040</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.04 Thick, Wax
<a href="#">TO-207-050</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.05 Thick, Wax
<a href="#">TO-207-060</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.06 Thick, Wax
<a href="#">TO-207-070</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.07 Thick, Wax
<a href="#">TO-207-090</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.09 Thick, Wax
<a href="#">TO-207-100</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.10 Thick, Wax
<a href="#">TO-207-120</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.12 Thick, Wax
<a href="#">TO-207-130</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.13 Thick, Wax
<a href="#">TO-207-150</a>	Diss-O-Pad, TO-207, Rectangle, Notched, 0.59 Length, 0.195 Width, 0.15 Thick, Wax

### Products

- [Component Mounts & Spacers](#)
- [Card Guides & Ejectors](#)
- [Product Info Center](#)

### Applications

- [Audio Video](#)
- [Communication](#)
- [Industrial](#)
- [Medical](#)
- [Security](#)
- [Transportation](#)

### News

- [Latest News](#)
- [Archives](#)

## Distributors & Reps

### About Us





- [Company Profile](#)
- [Quality Assurance](#)
- [Corporate Terms & Conditions](#)

### Bivar Sites

- [Bivar Corporate](#)
- [Enclosure Hardware](#)
- [LED Indication](#)
- [LED Lighting](#)
- [MyBivar](#)

© 2014 Bivar Inc., All Rights Reserved. [Contact Us](#)

[Terms & Conditions](#) | [Privacy Policy](#) | [Sitemap](#)

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Circuit Board Hardware - PCB category](#):*

*Click to view products by [Bivar manufacturer](#):*

Other Similar products are found below :

[8919-0-00-15-00-00-03-0](#) [0135-0-15-01-30-27-04-0](#) [5970-1-15-01-32-14-04-0](#) [0149-0-15-15-30-27-04-0](#) [7305-0-15-15-47-14-10-0](#) [MLN](#)  
[150/1 BLACK](#) [8579-0-15-80-11-27-10-0](#) [8579-1-15-15-11-27-10-0](#) [8830-0-15-01-22-14-10-0](#) [8836-0-00-21-00-00-03-0](#) [PRUEF 1 RED](#)  
[PRUEF 2 RED](#) [9976-0-00-00-00-00-03-0](#) [PW1616](#) [1215-3-05-00-00-00-01-0](#) [1231](#) [1303-0-15-15-47-14-04-0](#) [1404-3](#) [1404-4](#) [1406-4](#) [1407-3](#)  
[1406-3](#) [1407-4](#) [1408-3](#) [1424-4](#) [1427-3](#) [1419-4](#) [1426-4](#) [MPS 1 BLACK](#) [1548-103](#) [1938-0-00-00-00-00-03-0](#) [1942-0-00-00-00-00-03-0](#) [2101-](#)  
[3-00-44-00-00-07-0](#) [2108-2-00-50-00-00-07-0](#) [2109-2-00-44-00-00-07-0](#) [2110-2-00-44-00-00-07-0](#) [2111-2-00-00-00-00-07-0](#) [2113-4-](#)  
[00-44-00-00-07-0](#) [2301-3-00-44-00-00-07-0](#) [2308-1-00-50-00-00-07-0](#) [2313-2-00-00-00-00-07-0](#) [2315-2-01-44-00-00-07-0](#) [2317-2-00-50-00-](#)  
[00-07-0](#) [2333-1-00-50-00-00-07-0](#) [9000-0-00-00-00-00-03-0](#) [2506-2-00-50-00-00-07-0](#) [2507-2-01-44-00-00-07-0](#) [2508-2-00-44-00-00-07-0](#)  
[2561-2-00-44-00-00-07-0](#) [9220](#)