



Home / Products / Component Mounts & Spacers / Wash Away Spacers / Round Wash-Away Component Spacers

Component Mounts & Spacers

- Component Mounts
- Spacers
- Wash Away Spacers
- Crystal Insulators

Card Guides & Ejectors

- Card Guides
- PCB Ejectors

Product Info Center

Round Wash-Away Component Spacers



The Popular Diss-O-Pad Spacer series of Wash-Away Spacers provide for accurate positioning of through-hole electronic components on PCBs then dissolve in hot or warm running water without a trace of residue. Circular water soluble spacers provide a problem solving approach to control production uniformity through the soldering process while eliminating scrap and rejects due to improper component placement or contaminant entrapment. Manufactured from organic materials, Wash-Away Spacers are an ecological solution to improved production yield with over 200 styles available from stock.

PART NUMBER	DESCRIPTION
TO-10-040	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.04 Thick, Wax
TO-10-050	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.05 Thick, Wax
TO-10-060	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.06 Thick, Wax
TO-10-070	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.07 Thick, Wax
TO-10-080	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.08 Thick, Wax
TO-10-090	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.09 Thick, Wax
TO-10-100	Diss-O-Pad, TO-10, Round, 0.085 OD, 0.04, ID, 0.10 Thick, Wax
TO-11-040	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.04 Thick, Wax
TO-11-050	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.05 Thick, Wax
TO-11-060	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.06 Thick, Wax
TO-11-070	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.07 Thick, Wax
TO-11-080	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.08 Thick, Wax
TO-11-100	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.10 Thick, Wax
TO-11-110	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.11 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-11-120</u>	Diss-O-Pad, TO-11, Round, 0.1 OD, 0.045, ID, 0.12 Thick, Wax
<u>TO-12-080</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.08 Thick, Wax
<u>TO-12-090</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.09 Thick, Wax
<u>TO-12-100</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-12-120</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-12-130</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-12-180</u>	Diss-O-Pad, TO-12, Round, w/Cavity, 0.31 OD, 0.125, ID, 0.18 Thick, Wax
<u>TO-13-040</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.04 Thick, Wax
<u>TO-13-050</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.05 Thick, Wax
<u>TO-13-060</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.06 Thick, Wax
<u>TO-13-070</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.07 Thick, Wax
<u>TO-13-080</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.08 Thick, Wax
<u>TO-13-090</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.09 Thick, Wax
<u>TO-13-100</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.10 Thick, Wax
<u>TO-13-120</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.12 Thick, Wax
<u>TO-13-130</u>	Diss-O-Pad, TO-13, Round, 0.225 OD, 0.225, ID, 0.13 Thick, Wax
<u>TO-16-040</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.04 Thick, Wax
<u>TO-16-050</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.05 Thick, Wax
<u>TO-16-060</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.06 Thick, Wax
<u>TO-16-070</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.07 Thick, Wax
<u>TO-16-080</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.08 Thick, Wax
<u>TO-16-090</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.09 Thick, Wax
<u>TO-16-100</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-16-120</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-16-130</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-16-150</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.15 Thick, Wax
<u>TO-16-200</u>	Diss-O-Pad, TO-16, Round, 0.205 OD, 0.125, ID, 0.20 Thick, Wax
<u>TO-17-040</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.04 Thick, Wax
<u>TO-17-050</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.05 Thick, Wax
<u>TO-17-060</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.06 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-17-070</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.07 Thick, Wax
<u>TO-17-090</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.09 Thick, Wax
<u>TO-17-100</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.10 Thick, Wax
<u>TO-17-120</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.12 Thick, Wax
<u>TO-17-130</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.13 Thick, Wax
<u>TO-17-140</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.14 Thick, Wax
<u>TO-17-150</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.15 Thick, Wax
<u>TO-17-170</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.17 Thick, Wax
<u>TO-17-180</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.18 Thick, Wax
<u>TO-17-200</u>	Diss-O-Pad, TO-17, Round, 0.25 OD, 0.17, ID, 0.20 Thick, Wax
<u>TO-18-040</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.04 Thick, Wax
<u>TO-18-050</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.05 Thick, Wax
<u>TO-18-060</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.06 Thick, Wax
<u>TO-18-070</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.07 Thick, Wax
<u>TO-18-080</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.08 Thick, Wax
<u>TO-18-090</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.09 Thick, Wax
<u>TO-18-100</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-18-120</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-18-130</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-18-150</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.15 Thick, Wax
<u>TO-18-170</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.17 Thick, Wax
<u>TO-18-190</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.19 Thick, Wax
<u>TO-18-200</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.20 Thick, Wax
<u>TO-18-250</u>	Diss-O-Pad, TO-18, Round, 0.25 OD, 0.125, ID, 0.25 Thick, Wax
<u>TO-19-040</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.04 Thick, Wax
<u>TO-19-050</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.05 Thick, Wax
<u>TO-19-060</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.06 Thick, Wax
<u>TO-19-070</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.07 Thick, Wax
<u>TO-19-090</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.09 Thick, Wax
<u>TO-19-100</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.10 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-19-120</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.12 Thick, Wax
<u>TO-19-130</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.13 Thick, Wax
<u>TO-19-150</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.15 Thick, Wax
<u>TO-19-190</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.19 Thick, Wax
<u>TO-19-200</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.20 Thick, Wax
<u>TO-19-230</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.23 Thick, Wax
<u>TO-19-250</u>	Diss-O-Pad, TO-19, Round, 0.48 OD, 0.25, ID, 0.25 Thick, Wax
<u>TO-20-090</u>	Diss-O-Pad, TO-20, Round, w/Cavity, 0.29 OD, 0.125, ID, 0.09 Thick, Wax
<u>TO-20-100</u>	Diss-O-Pad, TO-20, Round, w/Cavity, 0.29 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-20-120</u>	Diss-O-Pad, TO-20, Round, w/Cavity, 0.29 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-20-130</u>	Diss-O-Pad, TO-20, Round, w/Cavity, 0.29 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-20-150</u>	Diss-O-Pad, TO-20, Round, w/Cavity, 0.29 OD, 0.125, ID, 0.15 Thick, Wax
<u>TO-21-050</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.05 Thick, Wax
<u>TO-21-070</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.07 Thick, Wax
<u>TO-21-080</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.08 Thick, Wax
<u>TO-21-090</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.09 Thick, Wax
<u>TO-21-100</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-21-120</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-21-130</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-21-150</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.15 Thick, Wax
<u>TO-21-170</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.17 Thick, Wax
<u>TO-21-200</u>	Diss-O-Pad, TO-21, Round, Grooved, 0.25 OD, 0.125, ID, 0.20 Thick, Wax
<u>TO-22-040</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.04 Thick, Wax
<u>TO-22-050</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.05 Thick, Wax
<u>TO-22-060</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.06 Thick, Wax
<u>TO-22-070</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.07 Thick, Wax
<u>TO-22-080</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.08 Thick, Wax
<u>TO-22-090</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.09 Thick, Wax
<u>TO-22-100</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.10 Thick, Wax
<u>TO-22-110</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.11 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-22-120</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.12 Thick, Wax
<u>TO-22-130</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.13 Thick, Wax
<u>TO-22-150</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.15 Thick, Wax
<u>TO-22-190</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.19 Thick, Wax
<u>TO-22-200</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.20 Thick, Wax
<u>TO-22-250</u>	Diss-O-Pad, TO-22, Round, 0.437 OD, 0.225, ID, 0.25 Thick, Wax
<u>TO-23-040</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.04 Thick, Wax
<u>TO-23-050</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.05 Thick, Wax
<u>TO-23-060</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.06 Thick, Wax
<u>TO-23-070</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.07 Thick, Wax
<u>TO-23-100</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.10 Thick, Wax
<u>TO-23-120</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.12 Thick, Wax
<u>TO-23-130</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.13 Thick, Wax
<u>TO-23-150</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.15 Thick, Wax
<u>TO-23-180</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.18 Thick, Wax
<u>TO-23-190</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.19 Thick, Wax
<u>TO-23-200</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.20 Thick, Wax
<u>TO-23-250</u>	Diss-O-Pad, TO-23, Round, 0.31 OD, 0.09, ID, 0.25 Thick, Wax
<u>TO-24-040</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.04 Thick, Wax
<u>TO-24-050</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.05 Thick, Wax
<u>TO-24-060</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.06 Thick, Wax
<u>TO-24-070</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.07 Thick, Wax
<u>TO-24-090</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.09 Thick, Wax
<u>TO-24-100</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.10 Thick, Wax
<u>TO-24-130</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.13 Thick, Wax
<u>TO-24-150</u>	Diss-O-Pad, TO-24, Round, 0.34 OD, 0.09, ID, 0.15 Thick, Wax
<u>TO-25-040</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.04 Thick, Wax
<u>TO-25-050</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.05 Thick, Wax
<u>TO-25-060</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.06 Thick, Wax
<u>TO-25-070</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.07 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-25-090</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.09 Thick, Wax
<u>TO-25-100</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.10 Thick, Wax
<u>TO-25-120</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.12 Thick, Wax
<u>TO-25-130</u>	Diss-O-Pad, TO-25, Round, 0.48 OD, 0.18, ID, 0.13 Thick, Wax
<u>TO-26-040</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.04 Thick, Wax
<u>TO-26-050</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.05 Thick, Wax
<u>TO-26-060</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.06 Thick, Wax
<u>TO-26-070</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.07 Thick, Wax
<u>TO-26-090</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.09 Thick, Wax
<u>TO-26-100</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.10 Thick, Wax
<u>TO-26-120</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.12 Thick, Wax
<u>TO-26-150</u>	Diss-O-Pad, TO-26, Round, 0.187 OD, 0.07, ID, 0.15 Thick, Wax
<u>TO-27-050</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.05 Thick, Wax
<u>TO-27-060</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.06 Thick, Wax
<u>TO-27-070</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.07 Thick, Wax
<u>TO-27-100</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.10 Thick, Wax
<u>TO-27-120</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.12 Thick, Wax
<u>TO-27-130</u>	Diss-O-Pad, TO-27, Round, 0.29 OD, 0.125, ID, 0.13 Thick, Wax
<u>TO-28-040</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.04 Thick, Wax
<u>TO-28-050</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.05 Thick, Wax
<u>TO-28-060</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.06 Thick, Wax
<u>TO-28-070</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.07 Thick, Wax
<u>TO-28-100</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.10 Thick, Wax
<u>TO-28-120</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.12 Thick, Wax
<u>TO-28-130</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.13 Thick, Wax
<u>TO-28-180</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.18 Thick, Wax
<u>TO-28-190</u>	Diss-O-Pad, TO-28, Round, 0.343 OD, 0.172, ID, 0.19 Thick, Wax
<u>TO-29-040</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.04 Thick, Wax
<u>TO-29-050</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.05 Thick, Wax
<u>TO-29-060</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.06 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-29-070</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.07 Thick, Wax
<u>TO-29-090</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.09 Thick, Wax
<u>TO-29-100</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.10 Thick, Wax
<u>TO-29-130</u>	Diss-O-Pad, TO-29, Disk, 0.156 OD, ID, 0.13 Thick, Wax
<u>TO-30-040</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.04 Thick, Wax
<u>TO-30-050</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.05 Thick, Wax
<u>TO-30-060</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.06 Thick, Wax
<u>TO-30-070</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.07 Thick, Wax
<u>TO-30-090</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.09 Thick, Wax
<u>TO-30-100</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.10 Thick, Wax
<u>TO-30-130</u>	Diss-O-Pad, TO-30, Round, 0.397 OD, 0.275, ID, 0.13 Thick, Wax
<u>TO-31-040</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.04 Thick, Wax
<u>TO-31-050</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.05 Thick, Wax
<u>TO-31-060</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.06 Thick, Wax
<u>TO-31-070</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.07 Thick, Wax
<u>TO-31-090</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.09 Thick, Wax
<u>TO-31-100</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.10 Thick, Wax
<u>TO-31-120</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.12 Thick, Wax
<u>TO-31-130</u>	Diss-O-Pad, TO-31, Disk, 0.125 OD, ID, 0.13 Thick, Wax
<u>TO-32-040</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.04 Thick, Wax
<u>TO-32-050</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.05 Thick, Wax
<u>TO-32-060</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.06 Thick, Wax
<u>TO-32-070</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.07 Thick, Wax
<u>TO-32-080</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.08 Thick, Wax
<u>TO-32-090</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.09 Thick, Wax
<u>TO-32-100</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.10 Thick, Wax
<u>TO-32-130</u>	Diss-O-Pad, TO-32, Disk, 0.187 OD, ID, 0.13 Thick, Wax
<u>TO-33-040</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.04 Thick, Wax
<u>TO-33-050</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.05 Thick, Wax
<u>TO-33-060</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.06 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-33-070</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.07 Thick, Wax
<u>TO-33-080</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.08 Thick, Wax
<u>TO-33-090</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.09 Thick, Wax
<u>TO-33-100</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.10 Thick, Wax
<u>TO-33-120</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.12 Thick, Wax
<u>TO-33-130</u>	Diss-O-Pad, TO-33, Disk, 0.25 OD, ID, 0.13 Thick, Wax
<u>TO-35-100</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.10 Thick, Wax
<u>TO-35-120</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.12 Thick, Wax
<u>TO-35-13</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.13 Thick, Wax
<u>TO-35-130</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.13 Thick, Wax
<u>TO-35-140</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.14 Thick, Wax
<u>TO-35-150</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.15 Thick, Wax
<u>TO-35-170</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.17 Thick, Wax
<u>TO-35-180</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.18 Thick, Wax
<u>TO-35-190</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.19 Thick, Wax
<u>TO-35-220</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.22 Thick, Wax
<u>TO-35-230</u>	Diss-O-Pad, TO-35, Round, Grooved, 0.44 OD, ID, 0.23 Thick, Wax
<u>TO-36-060</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.06 Thick, Wax
<u>TO-36-070</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.07 Thick, Wax
<u>TO-36-080</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.08 Thick, Wax
<u>TO-36-090</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.09 Thick, Wax
<u>TO-36-100</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.10 Thick, Wax
<u>TO-36-120</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.12 Thick, Wax
<u>TO-36-130</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.13 Thick, Wax
<u>TO-36-150</u>	Diss-O-Pad, TO-36, Round, Grooved, 0.187 OD, ID, 0.15 Thick, Wax
<u>TO-37-050</u>	Diss-O-Pad, TO-37, Round, Grooved, 0.156 OD, ID, 0.05 Thick, Wax
<u>TO-37-070</u>	Diss-O-Pad, TO-37, Round, Grooved, 0.156 OD, ID, 0.07 Thick, Wax
<u>TO-37-090</u>	Diss-O-Pad, TO-37, Round, Grooved, 0.156 OD, ID, 0.09 Thick, Wax
<u>TO-37-100</u>	Diss-O-Pad, TO-37, Round, Grooved, 0.156 OD, ID, 0.10 Thick, Wax
<u>TO-37-120</u>	Diss-O-Pad, TO-37, Round, Grooved, 0.156 OD, ID, 0.12 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-40-040</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.04 Thick, Wax
<u>TO-40-050</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.05 Thick, Wax
<u>TO-40-060</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.06 Thick, Wax
<u>TO-40-070</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.07 Thick, Wax
<u>TO-40-090</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.09 Thick, Wax
<u>TO-40-100</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.10 Thick, Wax
<u>TO-40-120</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.12 Thick, Wax
<u>TO-40-130</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.13 Thick, Wax
<u>TO-40-150</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.15 Thick, Wax
<u>TO-40-160</u>	Diss-O-Pad, TO-40, Round, 0.156 OD, 0.045, ID, 0.16 Thick, Wax
<u>TO-41-040</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.04 Thick, Wax
<u>TO-41-050</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.05 Thick, Wax
<u>TO-41-060</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.06 Thick, Wax
<u>TO-41-070</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.07 Thick, Wax
<u>TO-41-090</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.09 Thick, Wax
<u>TO-41-100</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.10 Thick, Wax
<u>TO-41-120</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.12 Thick, Wax
<u>TO-41-130</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.13 Thick, Wax
<u>TO-41-140</u>	Diss-O-Pad, TO-41, Round, 0.36 OD, 0.156, ID, 0.14 Thick, Wax
<u>TO-42-040</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.04 Thick, Wax
<u>TO-42-050</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.05 Thick, Wax
<u>TO-42-060</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.06 Thick, Wax
<u>TO-42-070</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.07 Thick, Wax
<u>TO-42-090</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.09 Thick, Wax
<u>TO-42-100</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.10 Thick, Wax
<u>TO-42-120</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.12 Thick, Wax
<u>TO-42-130</u>	Diss-O-Pad, TO-42, Round, 0.438 OD, 0.25, ID, 0.13 Thick, Wax
<u>TO-46-040</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.04 Thick, Wax
<u>TO-46-050</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.05 Thick, Wax
<u>TO-46-060</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.06 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-46-070</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.07 Thick, Wax
<u>TO-46-090</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.09 Thick, Wax
<u>TO-46-090E</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.09 Thick, Effervescent
<u>TO-46-100</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.10 Thick, Wax
<u>TO-46-120</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.12 Thick, Wax
<u>TO-46-130</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.13 Thick, Wax
<u>TO-46-150</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.15 Thick, Wax
<u>TO-46-200</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.20 Thick, Wax
<u>TO-46-240</u>	Diss-O-Pad, TO-46, Round, 0.25 OD, 0.09, ID, 0.24 Thick, Wax
<u>TO-5-040</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.04 Thick, Wax
<u>TO-5-050</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.05 Thick, Wax
<u>TO-5-050E</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.05 Thick, Effervescent
<u>TO-5-060</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.06 Thick, Wax
<u>TO-5-070</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.07 Thick, Wax
<u>TO-5-090</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.09 Thick, Wax
<u>TO-5-100</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.10 Thick, Wax
<u>TO-5-120</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.12 Thick, Wax
<u>TO-5-120E</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.12 Thick, Effervescent
<u>TO-5-130</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.13 Thick, Wax
<u>TO-5-150</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.15 Thick, Wax
<u>TO-5-170</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.17 Thick, Wax
<u>TO-5-200</u>	Diss-O-Pad, TO-5, Round, 0.375 OD, 0.225, ID, 0.20 Thick, Wax
<u>TO-6-040</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.04 Thick, Wax
<u>TO-6-050</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.05 Thick, Wax
<u>TO-6-060</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.06 Thick, Wax
<u>TO-6-070</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.07 Thick, Wax
<u>TO-6-090</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.09 Thick, Wax
<u>TO-6-100</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.10 Thick, Wax
<u>TO-6-120</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.12 Thick, Wax
<u>TO-6-130</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.13 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-6-150</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.15 Thick, Wax
<u>TO-6-160</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.16 Thick, Wax
<u>TO-6-180</u>	Diss-O-Pad, TO-6, Round, 0.375 OD, 0.25, ID, 0.18 Thick, Wax
<u>TO-64-040</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.04 Thick, Wax
<u>TO-64-050</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.05 Thick, Wax
<u>TO-64-060</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.06 Thick, Wax
<u>TO-64-070</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.07 Thick, Wax
<u>TO-64-090</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.09 Thick, Wax
<u>TO-64-100</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.10 Thick, Wax
<u>TO-64-120</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.12 Thick, Wax
<u>TO-64-130</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.13 Thick, Wax
<u>TO-64-140</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.14 Thick, Wax
<u>TO-64-150</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.15 Thick, Wax
<u>TO-64-160</u>	Diss-O-Pad, TO-64, Round, 0.14 OD, 0.045, ID, 0.16 Thick, Wax
<u>TO-65-050</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.05 Thick, Wax
<u>TO-65-060</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.06 Thick, Wax
<u>TO-65-070</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.07 Thick, Wax
<u>TO-65-080</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.08 Thick, Wax
<u>TO-65-090</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.09 Thick, Wax
<u>TO-65-100</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.10 Thick, Wax
<u>TO-65-120</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.12 Thick, Wax
<u>TO-65-130</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.13 Thick, Wax
<u>TO-65-150</u>	Diss-O-Pad, TO-65, Round, 0.14 OD, 0.075, ID, 0.15 Thick, Wax
<u>TO-67-050</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.05 Thick, Wax
<u>TO-67-060</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.06 Thick, Wax
<u>TO-67-070</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.07 Thick, Wax
<u>TO-67-090</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.09 Thick, Wax
<u>TO-67-100</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.10 Thick, Wax
<u>TO-67-120</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.12 Thick, Wax
<u>TO-67-130</u>	Diss-O-Pad, TO-67, Round, 0.14 OD, 0.045, ID, 0.13 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-68-040</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.04 Thick, Wax
<u>TO-68-050</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.05 Thick, Wax
<u>TO-68-060</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.06 Thick, Wax
<u>TO-68-070</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.07 Thick, Wax
<u>TO-68-090</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.09 Thick, Wax
<u>TO-68-100</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.10 Thick, Wax
<u>TO-68-120</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.12 Thick, Wax
<u>TO-68-130</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.13 Thick, Wax
<u>TO-68-150</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.15 Thick, Wax
<u>TO-68-160</u>	Diss-O-Pad, TO-68, Round, 0.11 OD, 0.045, ID, 0.16 Thick, Wax
<u>TO-7-040</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.04 Thick, Wax
<u>TO-7-050</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.05 Thick, Wax
<u>TO-7-060</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.06 Thick, Wax
<u>TO-7-070</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.07 Thick, Wax
<u>TO-7-090</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.09 Thick, Wax
<u>TO-7-100</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.10 Thick, Wax
<u>TO-7-120</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.12 Thick, Wax
<u>TO-7-130</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.13 Thick, Wax
<u>TO-7-150</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.15 Thick, Wax
<u>TO-7-180</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.18 Thick, Wax
<u>TO-7-210</u>	Diss-O-Pad, TO-7, Round, 0.175 OD, 0.075, ID, 0.21 Thick, Wax
<u>TO-8-040</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.04 Thick, Wax
<u>TO-8-050</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.05 Thick, Wax
<u>TO-8-060</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.06 Thick, Wax
<u>TO-8-070</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.07 Thick, Wax
<u>TO-8-090</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.09 Thick, Wax
<u>TO-8-100</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.10 Thick, Wax
<u>TO-8-120</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.12 Thick, Wax
<u>TO-8-130</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.13 Thick, Wax
<u>TO-8-150</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.15 Thick, Wax

Round Wash-Away Component Spacers

<u>TO-8-160</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.16 Thick, Wax
<u>TO-8-190</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.19 Thick, Wax
<u>TO-8-200</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.20 Thick, Wax
<u>TO-8-210</u>	Diss-O-Pad, TO-8, Round, 0.156 OD, 0.062, ID, 0.21 Thick, Wax
<u>TO-9-040</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.04 Thick, Wax
<u>TO-9-050</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.05 Thick, Wax
<u>TO-9-070</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.07 Thick, Wax
<u>TO-9-080</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.08 Thick, Wax
<u>TO-9-090</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.09 Thick, Wax
<u>TO-9-100</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.10 Thick, Wax
<u>TO-9-120</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.12 Thick, Wax
<u>TO-9-130</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.13 Thick, Wax
<u>TO-9-150</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.15 Thick, Wax
<u>TO-9-180</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.18 Thick, Wax
<u>TO-9-200</u>	Diss-O-Pad, TO-9, Round, 0.437 OD, 0.3, ID, 0.20 Thick, Wax

Products

- Component Mounts & Spacers
- Card Guides & Ejectors
- Product Info Center

Applications

- Audio Video
- Communication
- Industrial
- Medical
- Security
- Transportation

News

- Latest News
- Archives

Distributors & Reps

About Us

- Company Profile
- Quality Assurance
- Corporate Terms & Conditions

Bivar Sites

- Bivar Corporate
- Enclosure Hardware
- LED Indication
- LED Lighting
- MyBivar

© 2014 Bivar Inc., All Rights Reserved.

[Contact Us](#)

[Terms & Conditions](#) | [Privacy Policy](#) | [Sitemap](#)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circuit Board Hardware - PCB category](#):

Click to view products by [Bivar manufacturer](#):

Other Similar products are found below :

[8919-0-00-15-00-00-03-0](#) [0135-0-15-01-30-27-04-0](#) [5970-1-15-01-32-14-04-0](#) [0149-0-15-15-30-27-04-0](#) [7305-0-15-15-47-14-10-0](#) [MLN](#)
[150/1 BLACK](#) [8579-0-15-80-11-27-10-0](#) [8579-1-15-15-11-27-10-0](#) [8830-0-15-01-22-14-10-0](#) [8836-0-00-21-00-00-03-0](#) [PRUEF 1 RED](#)
[PRUEF 2 RED](#) [9976-0-00-00-00-00-03-0](#) [PW1616](#) [1215-3-05-00-00-00-01-0](#) [1231](#) [1303-0-15-15-47-14-04-0](#) [1404-3](#) [1404-4](#) [1406-4](#) [1407-3](#)
[1406-3](#) [1407-4](#) [1408-3](#) [1424-4](#) [1427-3](#) [1419-4](#) [1426-4](#) [MPS 1 BLACK](#) [1548-103](#) [1938-0-00-00-00-00-03-0](#) [1942-0-00-00-00-00-03-0](#) [2101-](#)
[3-00-44-00-00-07-0](#) [2108-2-00-50-00-00-07-0](#) [2109-2-00-44-00-00-07-0](#) [2110-2-00-44-00-00-07-0](#) [2111-2-00-00-00-00-07-0](#) [2113-4-](#)
[00-44-00-00-07-0](#) [2301-3-00-44-00-00-07-0](#) [2308-1-00-50-00-00-07-0](#) [2313-2-00-00-00-00-07-0](#) [2315-2-01-44-00-00-07-0](#) [2317-2-00-50-00-](#)
[00-07-0](#) [2333-1-00-50-00-00-07-0](#) [9000-0-00-00-00-00-03-0](#) [2506-2-00-50-00-00-07-0](#) [2507-2-01-44-00-00-07-0](#) [2508-2-00-44-00-00-07-0](#)
[2561-2-00-44-00-00-07-0](#) [9220](#)