




Product

Isolating Transformer

Type No.:

TIM 500

Schematic Plan



Technical Details

| | |
|--------------------------|---|
| Safety Standards | VDE 0570, EN 61558-1 EN 61558-2-4 ; UL 506 CSA 22.2 |
| Designated Voltage | Input: 230Vac |
| Designated Voltage | Output: 2 x 115Vac |
| Designated Current | Output: 2 x 2,17A |
| Designated Frequency | 50-60Hz. |
| Output Power | 500VA |
| Protection Index | IP 20 |
| Protection Class | I |
| Insulation Class | B (130°C) |
| Ambient Temperature | Max. 40°C |
| Short-Circuit Protection | Short-Circuit-Proof |
| Protection Device | Fuse-Link 5x20mm 2,0AT |
| Connection (Input) | Screw Terminals 4mm ² |
| Connection (Output) | Screw Terminals 4mm ² |
| Construction | Metal enclosure |
| Weight | approx. 9,1Kg |

Description

Short-circuit-proof isolating transformer in steel enclosure
Integrated fuse and thermal protection against short circuit and overload
Output windings for series or parallel connection.

Marking:

BLOCK ISOLATING-TRANSFORMER
TIM 500 500VA
www.block-trafo.de
ta=40°C Cl. B IP20
UL Class 130
VDE 0570/EN 61558


PRI : 50-60Hz 230V-2,36A
SEC : 2x115V - 2,17A 2,0AT

CE
UL US
Type EI120/73/B2
Transformer Only

Approvals (Transformer only)



Dimensions



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [block manufacturer](#):

Other Similar products are found below :

[PVS](#)[B 400/24-20](#) [RKD 120/2X24](#) [AIM5.0/2.5](#) [VB1.5/2/24](#) [STEU160/48](#) [TIM300](#) [AVB1.0/2/12](#) [FL4/18](#) [AVB2.3/2/12](#) [FL6/24](#) [FL24/6](#)
[STEU250/48](#) [STEU160/23](#) [LR3 48-3/80](#) [PC-0148-100-0](#) [PM-0112-040-0](#) [PM-0748-400-0](#) [PT 7.5/2/9](#) [USTE100/2X12](#) [FL14/6](#) [FL52/12](#)
[GNC24-2.5](#) [DCT24-1.5](#) [VB2.3/2/9](#) [VB 1.5/2/8](#) [SIM100](#) [RKD 100/2X15](#) [LR3 48-5/80](#) [LR3 48-5/90](#) [PM-0112-070-0](#) [PM-0148-020-0](#) [EB-](#)
[1824-010-0](#) [USTE1000/2X115](#) [FL14/18](#) [VB 0.35/1/15](#) [PC-0324-400-0](#) [STEU250/23](#) [AIM3.2/1.6](#) [AVB3.2/2/12](#) [FL10/12](#) [FL14/15](#) [FL8/6](#)
[FL8/9](#) [LR3 48-3/90](#) [PC-0112-150-0](#) [EB-2724-100-0](#) [PVA](#)[F 24/3,2AH](#) [PT 4.5/2/12](#) [PM-0124-038-0](#) [EB-GND4](#)