


产品详细信息 introduce

扁平连接器 >> FPC1.0-1

产品订购





◆ SPECIFICATIONS

Unit:mm

- ◇ Poles: 4~35
- ◇ Applicable wire: AWG#28-#22
- ◇ Voltage rating: 50V DC/AC
- ◇ Current rating: 0.5A
- ◇ Withstand voltage: 500V AC
- ◇ Working Temperature: -25°C ~ +85°C
- ◇ Insulation resistance: ≥ 500MΩ
- ◇ Contact resistance: ≤ 0.03Ω
- ◇ Applicable PC board thickness: 0.6~1.2mm


UL:Recognized No.E309635
RoHS-specification and Halogen-free products






FPC 1.0-1-nP 立插




FPC 1.0-nP 卧插

Unit:mm





PCB Layout




Proper Cable

| Poles | Type | Size(mm) | | |
|-------|---------------|----------|------|------|
| | | A | B | C |
| 4 | FPC 1.0-1-4Y | 3.0 | 5.1 | 7.4 |
| 5 | FPC 1.0-1-5Y | 4.0 | 6.1 | 8.4 |
| 6 | FPC 1.0-1-6Y | 5.0 | 7.1 | 9.4 |
| 7 | FPC 1.0-1-7Y | 6.0 | 8.1 | 10.4 |
| 8 | FPC 1.0-1-8Y | 7.0 | 9.1 | 11.4 |
| 9 | FPC 1.0-1-9Y | 8.0 | 10.1 | 12.4 |
| 10 | FPC 1.0-1-10Y | 9.0 | 11.1 | 13.4 |
| 11 | FPC 1.0-1-11Y | 10.0 | 12.1 | 14.4 |
| 12 | FPC 1.0-1-12Y | 11.0 | 13.1 | 15.4 |
| 13 | FPC 1.0-1-13Y | 12.0 | 14.1 | 16.4 |
| 14 | FPC 1.0-1-14Y | 13.0 | 15.1 | 17.4 |

| Poles | Type | Size(mm) | | |
|-------|---------------|----------|------|------|
| | | A | B | C |
| 15 | FPC 1.0-1-15Y | 14.0 | 16.1 | 18.4 |
| 16 | FPC 1.0-1-16Y | 15.0 | 17.1 | 19.4 |
| 17 | FPC 1.0-1-17Y | 16.0 | 18.1 | 20.4 |
| 18 | FPC 1.0-1-18Y | 17.0 | 19.1 | 21.4 |
| 19 | FPC 1.0-1-19Y | 18.0 | 20.1 | 22.4 |
| 20 | FPC 1.0-1-20Y | 19.0 | 21.1 | 23.4 |
| 21 | FPC 1.0-1-21Y | 20.0 | 22.1 | 24.4 |
| 22 | FPC 1.0-1-22Y | 21.0 | 23.1 | 25.4 |
| 23 | FPC 1.0-1-23Y | 22.0 | 24.1 | 26.4 |
| 24 | FPC 1.0-1-24Y | 23.0 | 25.1 | 27.4 |
| 25 | FPC 1.0-1-25Y | 24.0 | 26.1 | 28.4 |

| Poles | Type | Size(mm) | | |
|-------|---------------|----------|------|------|
| | | A | B | C |
| 26 | FPC 1.0-1-26Y | 25.0 | 27.1 | 29.4 |
| 27 | FPC 1.0-1-27Y | 26.0 | 28.1 | 30.4 |
| 28 | FPC 1.0-1-28Y | 27.0 | 29.1 | 31.4 |
| 29 | FPC 1.0-1-29Y | 28.0 | 30.1 | 32.4 |
| 30 | FPC 1.0-1-30Y | 29.0 | 31.1 | 33.4 |
| 31 | FPC 1.0-1-31Y | 30.0 | 32.1 | 34.4 |
| 32 | FPC 1.0-1-32Y | 31.0 | 33.1 | 35.4 |
| 33 | FPC 1.0-1-33Y | 32.0 | 34.1 | 36.4 |
| 34 | FPC 1.0-1-34Y | 33.0 | 35.1 | 37.4 |
| 35 | FPC 1.0-1-35Y | 34.0 | 36.1 | 38.4 |

点击次数: 2862 发布时间: 2010-6-14 [【打印】](#) [【返回】](#)



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [FFC & FPC Connectors](#) category:

Click to view products by [Boom](#) manufacturer:

Other Similar products are found below :

[00-6200-227-022-800](#) [006205250500825+](#) [006205280500825+](#) [FPH-1602G](#) [086222026001800](#) [52610-0675](#) [62674-201121DLF](#) [52746-1671-TR250](#) [10051922-1610EHLF](#) [10051922-2810EHLF](#) [686322124422](#) [XF3M-2915-1B-R100](#) [AYF353125A](#) [AYF530665TA](#) [AYF534065TA](#) [20FLH-RSM1-TB](#) [207356-1](#) [SFW12R-5STE9LF](#) [SFW18R-1STAE9LF](#) [SFW4R-5STE9LF](#) [52807-0430](#) [046283021002868+](#) [FFC05011-10SBB114W5M](#) [502250-8027](#) [67000-008LF](#) [200528-0260](#) [FH28K-10S-0.5SH](#) [FH52K-6S-0.5SH](#) [0.5K-DX-30PWB](#) [DS1020-08-10VBT12](#) [THD0515-34CL-GF](#) [X05A10L28G](#) [ECC2841061EU](#) [1.0K-DHQX-16PWB](#) [1.0K-DHQX-30PWB](#) [1775333-6](#) [10054365-202110ELF](#) [10054365-242110ELF](#) [10054365-282110ELF](#) [10064555-392220HLF](#) [59453-041110EBHLF](#) [59453-091110EDHLF](#) [62674-241141ALF](#) [62684-432100ALF](#) [62684-451100AHLF](#) [62684-5721N0ALF](#) [HFW11R-1STE1MTLF](#) [HFW12R-1STE9LF](#) [HFW14R-1STE9MTLF](#) [HFW18S-2STE9LF](#)