


产品详细信息

introduce

线对板连接器 >> CH3.96

产品订购




◆ SPECIFICATIONS

Unit:mm


- ◇ Poles: 2~12
- ◇ Applicable wire: AWG#22-#30
- ◇ Voltage rating: 250V DC/AC
- ◇ Current rating: 6A
- ◇ Withstand voltage: 1500V AC
- ◇ Working Temperature: -25°C ~ +85°C
- ◇ Insulation resistance: ≥ 1000MΩ
- ◇ Contact resistance: ≤ 0.01Ω
- ◇ Applicable PC board thickness: 1.6mm

UL:Recognized No.E309635
RoHS-specification and Halogen-free products


CH3.96-nY




CH3.96-nA



CH3.96-nAGW




CH3.96-nAW




Unit:mm

CH3.96-PT





Mounting Measurement




Terminal(CH3.96)

| Type | Applicable wires | | O.D of wire ins mm | Material | Finish |
|-----------|------------------|-------|-----------------------|-------------|------------|
| | mm ² | AWG# | | | |
| BM-CH3.96 | 0.08-0.3 | 22-32 | 1.2-1.9 | Phos.bronze | Tin-plated |

| Poles | Type | Size(mm) | |
|-------|------------|----------|-------|
| | | A | B |
| 2 | CH3.96-2Y | 3.96 | 8.65 |
| 3 | CH3.96-3Y | 7.92 | 12.61 |
| 4 | CH3.96-4Y | 11.88 | 16.57 |
| 5 | CH3.96-5Y | 15.84 | 20.53 |
| 6 | CH3.96-6Y | 19.80 | 24.49 |
| 7 | CH3.96-7Y | 23.76 | 28.45 |
| 8 | CH3.96-8Y | 27.72 | 32.41 |
| 9 | CH3.96-9Y | 31.68 | 36.37 |
| 10 | CH3.96-10Y | 35.64 | 40.33 |
| 11 | CH3.96-11Y | 39.60 | 44.29 |
| 12 | CH3.96-12Y | 43.56 | 48.25 |
| 13 | CH3.96-13Y | 47.52 | 52.21 |
| 14 | CH3.96-14Y | 51.48 | 56.17 |
| 15 | CH3.96-15Y | 55.44 | 60.13 |

| Poles | Type | Size(mm) | |
|-------|------------|----------|-------|
| | | A | B |
| 2 | CH3.96-2A | 3.96 | 3.96 |
| 3 | CH3.96-3A | 7.92 | 11.90 |
| 4 | CH3.96-4A | 11.88 | 16.00 |
| 5 | CH3.96-5A | 15.84 | 20.00 |
| 6 | CH3.96-6A | 19.80 | 24.00 |
| 7 | CH3.96-7A | 23.76 | 27.85 |
| 8 | CH3.96-8A | 27.72 | 31.80 |
| 9 | CH3.96-9A | 31.68 | 35.70 |
| 10 | CH3.96-10A | 35.64 | 39.40 |
| 11 | CH3.96-11A | 39.60 | 43.40 |
| 12 | CH3.96-12A | 43.56 | 47.40 |
| 13 | CH3.96-13A | 47.52 | 51.40 |
| 14 | CH3.96-14A | 51.48 | 55.40 |
| 15 | CH3.96-15A | 55.44 | 59.40 |



点击次数: 1322 发布时间: 2010-6-14 【打印】 【返回】



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Boom](#) manufacturer:

Other Similar products are found below :

[57102-F02-18ULF](#) [58102-G61-06LF](#) [0009485154](#) [009176003701906](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#)
[63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [644827-2](#) [65495-038](#) [65692-001LF](#) [65781-018](#) [65781-047](#) [65817-010LF](#)
[65817-015LF](#) [66207-023LF](#) [67016-026LF](#) [67095-007LF](#) [68631-112](#) [68645-018](#) [68648-049](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#)
[70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71961-016LF](#) [733-134](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [FCN-367T-T012/H](#) [80.063.4001.1](#)
[800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#) [803-41-018-10-001000](#) [803-43-014-20-](#)
[001000](#)