




VSM 13328

Standard withdrawn

4.8



BN 373


Slotted flat countersunk head machine screws

small head

Steel 4.8

zinc plated blue

 [3D Cadenas](#)

 All lengths fully threaded
Countersink must be designed according to the corresponding standard!

Article#	d ₁	d ₂ theor.	d ₂ min.	k max.	n	t min.	L
1148982	M3	4,9	4,3	0,95	0,6	0,5	4
1148990							5
1149008							6
1149016							8
1149024							10
1149032							12
1149040							(14)
1149059							16
1149075							20
1149105	M4	6,4	5,8	1,2	0,8	0,6	5
1149113							6
1149121							8
1149148							10
1149156							12
1149172							16
1149199							20
1149210							25
1149229							30
1149237	M5	8,6	7,8	1,8	1	0,8	6
1149245							8
1149253							10
1149261							12
1149296							16
1149326							20
1149342							25
1149350							30

Article#	d ₁	d ₂ theor.	d ₂ min.	k max.	n	t min.	L
1149377	M5	8,6	7,8	1,8	1	0,8	40
1149385	M6	10,6	9,6	2,3	1,2	1	8
1149393							10
1149407							12
1149423							16
1149458							20
1149474							25
1149482							30

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [0098.0094](#) [0098.9206](#) [59781-6](#) [0098.9212](#) [6292-1](#) [690432-1](#) [699161-000](#) [700989](#) [7230-3](#) [72609-02](#) [CAPTIVE JACK](#)
[SCREW](#) [73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9521](#) [992763-3](#) [1-18024-0](#) [A168P1](#) [1-](#)
[24921-1](#) [125416-1](#) [1301810313](#) [1-306131-6](#) [1301830042](#) [1458](#) [1-59781-3](#) [18029-4](#) [NBX-10953](#) [NUT-16-3P-HEX-NICKEL](#) [20993.45098](#)
[21004-1](#) [21009-4](#) [21014-5](#) [21021-2](#) [CA24037A01](#) [22987-4](#) [240632-1](#) [240632-2](#) [89506-9801](#) [2504](#) [9031](#) [9-1393249-2](#) [2.5NZPNBU](#) [26-](#)
[0048PP](#) [27210-1](#) [27210-8](#) [9318](#) [9520](#)