


Hex socket button head cap screws partially / fully threaded

BN 8699



Product description

- Tensile strength min. 600 N/mm²
- Proof stress 0,2% min. 450 N/mm²

Headform

Button

Drive

Hexagon socket

Thread

partially / fully threaded

Material

Stainless steel

Material type

A4

Standard

ISO 7380-1

M2; M2,5: not included in ISO 7380-1, b: the partially threaded version can not always be guaranteed

Article no	d1	L	d2 max	k max	s	t min	b
1726536	M2	3	3.5	1.3	1.3	0.6	-
1726544	M2	4	3.5	1.3	1.3	0.6	-
1726552	M2	5	3.5	1.3	1.3	0.6	-
1726560	M2	6	3.5	1.3	1.3	0.6	-
1726579	M2	8	3.5	1.3	1.3	0.6	-
1726641	M2	10	3.5	1.3	1.3	0.6	-
1727192	M2	12	3.5	1.3	1.3	0.6	-
1727397	M2	16	3.5	1.3	1.3	0.6	-
1727419	M2	20	3.5	1.3	1.3	0.6	-
1727559	M2,5	4	4.7	1.5	1.5	0.8	-
1727702	M2,5	5	4.7	1.5	1.5	0.8	-
1727796	M2,5	6	4.7	1.5	1.5	0.8	-
1727826	M2,5	8	4.7	1.5	1.5	0.8	-
1727850	M2,5	10	4.7	1.5	1.5	0.8	-

Article no	d1	L	d2 max	k max	s	t min	b
1727877	M2,5	12	4.7	1.5	1.5	0.8	-
1727915	M2,5	16	4.7	1.5	1.5	0.8	-
1719866	M2,5	20	4.7	1.5	1.5	0.8	-
1720333	M3	5	5.7	1.65	2	1.04	-
1720368	M3	6	5.7	1.65	2	1.04	-
1720384	M3	8	5.7	1.65	2	1.04	-
1720406	M3	10	5.7	1.65	2	1.04	-
1720414	M3	12	5.7	1.65	2	1.04	-
1720457	M3	16	5.7	1.65	2	1.04	-
1720473	M3	20	5.7	1.65	2	1.04	-
1720481	M3	25	5.7	1.65	2	1.04	18
1720503	M3	30	5.7	1.65	2	1.04	18
1720554	M4	6	7.6	2.2	2.5	1.3	-
1720759	M4	8	7.6	2.2	2.5	1.3	-
1720775	M4	10	7.6	2.2	2.5	1.3	-
1720791	M4	12	7.6	2.2	2.5	1.3	-
1720813	M4	16	7.6	2.2	2.5	1.3	-
1720821	M4	20	7.6	2.2	2.5	1.3	-
1720856	M4	25	7.6	2.2	2.5	1.3	-
1720872	M4	30	7.6	2.2	2.5	1.3	20
1720953	M5	8	9.5	2.75	3	1.56	-
1721100	M5	10	9.5	2.75	3	1.56	-
1721135	M5	12	9.5	2.75	3	1.56	-
1721178	M5	16	9.5	2.75	3	1.56	-
1721194	M5	20	9.5	2.75	3	1.56	-
1721208	M5	25	9.5	2.75	3	1.56	-
1721216	M5	30	9.5	2.75	3	1.56	22
1721232	M5	35	9.5	2.75	3	1.56	22
1721240	M5	40	9.5	2.75	3	1.56	22
1721267	M6	8	10.5	3.3	4	2.08	-
1721283	M6	10	10.5	3.3	4	2.08	-
1721305	M6	12	10.5	3.3	4	2.08	-
1721313	M6	16	10.5	3.3	4	2.08	-
1721321	M6	20	10.5	3.3	4	2.08	-
1721356	M6	25	10.5	3.3	4	2.08	-
1721372	M6	30	10.5	3.3	4	2.08	-
1727966	M6	35	10.5	3.3	4	2.08	24
1727982	M6	40	10.5	3.3	4	2.08	24
1728733	M6	45	10.5	3.3	4	2.08	24
1728768	M6	50	10.5	3.3	4	2.08	24
1728776	M8	10	14	4.4	5	2.6	-
1728784	M8	12	14	4.4	5	2.6	-
1728792	M8	16	14	4.4	5	2.6	-
1728849	M8	20	14	4.4	5	2.6	-
1728857	M8	25	14	4.4	5	2.6	-
1728873	M8	30	14	4.4	5	2.6	-
1728881	M8	35	14	4.4	5	2.6	-
1728903	M8	40	14	4.4	5	2.6	28

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9262](#) [596-2114-013](#) [59781-6](#) [0098.0026](#) [0098.9210](#) [0098.9212](#) [60227-01](#) [60227-04](#) [60227-08](#) [60687-01](#) LOCK WASHER Black [62153-03](#) [62153-11](#) [M316-KSSTMCZ100](#) [M3440-SS](#) [M3448-SS](#) [6292-1](#) [6-306105-9](#) [6-306131-4](#) [690432-1](#) [699161-000](#) [7230-3](#) [7244](#) [7248-1](#) [7248-2](#) [73542-02](#) CAPTIVE SHORT THUMBSCREW [745564-1](#) [F1209](#) [751-00001](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9047](#) [9521](#) [992326-6](#) [992763-3](#) [1-18024-0](#) [1-18028-2](#) [A168P1](#) [A495P1](#) [1-24921-1](#) [125416-1](#) [1260](#) [13-0036](#) [1301810148](#)