


SPAX®

BN 6952 - Hexalobular (6 Lobe) socket flat countersunk head chipboard screws T-STAR plus, partially threaded with 4CUT point



Manufacturer	
Product description	Other documentation: www.spax.com
Additional information	The YELLOX® coating is an alternative chromium free (VI) surface coating with considerably higher corrosion protection compared to yellow electrogalvanizing.
Headform	Countersunk
Drive	Hexalobular socket
Thread	partially threaded
Brand	SPAX®
Material	Steel
Material execution	case-hardened
Surface	zinc plated yellow/YELLOX®, waxed
Version	with 4CUT point
Certificates	
Warnings	ISO 4042 Quenched and tempered fasteners ≥ 360 HV and tempered case-hardened fasteners with electroplated coatings: Susceptible to hydrogen embrittlement! Further notice to residual risks can be found in the introduction section.

4CUT cutter for screw lengths of 160 mm and over (significantly reduces the screwing torque)

Article no	d1	L	d2	k max	Hexalobular socket	b
------------	----	---	----	-------	--------------------	---

Article no	d1	L	d2	k max	Hexalobular socket	b
1072137	4	45	8	2.4	T20	30
1582631	3	30	6	1.8	T10	18
1582658	3	35	6	1.8	T10	23
1731432	3	40	6	1.8	T10	23
1731491	3.5	30	7	2.1	T15/T20	18
1731548	3.5	35	7	2.1	T15/T20	23
1731734	3.5	40	7	2.1	T15/T20	23
2107236	3.5	45	7	2.1	T15/T20	30
2107244	3.5	50	7	2.1	T15/T20	32
1936654	4	30	8	2.4	T20	18
1936662	4	35	8	2.4	T20	23
1936670	4	40	8	2.4	T20	23
2032325	4	50	8	2.4	T20	32
2032333	4	60	8	2.4	T20	35
2107252	4	70	8	2.4	T20	37
3373548	4	80	8	2.4	T20	37
1731904	4.5	30	8.8	2.7	T20	17
1732501	4.5	35	8.8	2.7	T20	25
1936689	4.5	40	8.8	2.7	T20	25
1936697	4.5	45	8.8	2.7	T20	30
1936700	4.5	50	8.8	2.7	T20	32
1936719	4.5	60	8.8	2.7	T20	37
1800361	4.5	70	8.8	2.7	T20	42
2032341	4.5	80	8.8	2.7	T20	47
1732587	5	30	9.7	2.9	T20	17
1732595	5	35	9.7	2.9	T20	25
1800396	5	40	9.7	2.9	T20	27
1800469	5	45	9.7	2.9	T20	30
1800485	5	50	9.7	2.9	T20	32
1800507	5	60	9.7	2.9	T20	37
1801627	5	70	9.7	2.9	T20	41
1801929	5	80	9.7	2.9	T20	46
1801945	5	90	9.7	2.9	T20	61
2032368	5	100	9.7	2.9	T20	61
2032376	5	120	9.7	2.9	T20	69
1731289	6	40	11.6	3.4	T30	24
1802011	6	50	11.6	3.4	T30	32
1802062	6	60	11.6	3.4	T30	37
1802089	6	70	11.6	3.4	T30	41
1802127	6	80	11.6	3.4	T30	46
1802143	6	90	11.6	3.4	T30	61
1802178	6	100	11.6	3.4	T30	61
2045389	6	110	11.6	3.4	T30	68
1802216	6	120	11.6	3.4	T30	68
2045397	6	130	11.6	3.4	T30	68
1802453	6	140	11.6	3.4	T30	68
2045400	6	150	11.6	3.4	T30	68
1731297	6	160	11.6	3.4	T30	65
1731300	6	180	11.6	3.4	T30	65
1731319	6	200	11.6	3.4	T30	65

Article no	d1	L	d2	k max	Hexalobular socket	b
1731327	6	220	11.6	3.4	T30	65
1731335	6	240	11.6	3.4	T30	65
2032384	6	260	11.6	3.4	T30	65
2032392	6	280	11.6	3.4	T30	65

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9221](#) [0098.9262](#) [59781-6](#) [0098.9210](#) [0098.9212](#) [618-00001](#) [6292-1](#)
[690432-1](#) [699161-000](#) [7230-3](#) [72609-02](#) [CAPTIVE JACK SCREW](#) [73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [7680](#) [809704-1](#)
[8700](#) [8860220](#) [9521](#) [992763-3](#) [1-18024-0](#) [A168P1](#) [1-24921-1](#) [125416-1](#) [1301810148](#) [1301810313](#) [1301810400](#) [1301830031](#) [1-306131-6](#)
[1301810131](#) [1301830042](#) [1393160-3](#) [1458](#) [1-59781-3](#) [18029-4](#) [NBX-10953](#) [2079764-1](#) [20993.45098](#) [21004-1](#) [21009-4](#) [21014-5](#) [21021-2](#)
[CA24037A01](#) [22987-4](#) [2-305927-7](#) [2327](#)