




ecosyn®-fix 4.8



BN 4825


Phillips pan washer head machine screws


form H

Steel 4.8

zinc plated blue

i Take reduced tightening torques into account due to the head geometry! A technical brochure is available on request.

Article#	d ₁	d ₂ max.	k max.		m~	t min.	t max.	L
2095726	M2,5	6,5	2,3	1	2,6	1	1,4	4
2095734								5
2095742								6
2095750								8
2095769								10
2095777								12
3056345	M3	8	2,7	2	3,5	0,9	1,4	3
2095785								4
2095793								5
1070479								6
1198440								8
1070568								10
1198459								12
3056347								16
3056349	M4	10	3,4	2	4,1	1,5	2,1	4
2095807								5
2095815								6
1198157								8
1198165								10
1198173								12
1198181								16
3056350								20
2095823	M5	12	4,2	2	4,8	2,2	2,8	6
2095831								8

Article#	d ₁	d _{2 max.}	k max.		m~	t min.	t max.	L
1198203	M5	12	4,2	2	4,8	2,2	2,8	10
1198211								12
1198238								16
1198246								20
3056351								25
2095858	M6	14	4,9	3	6,2	2,3	2,9	8
2095866								10
1198254								12
1198262								16
1198270								20
1198289								25
3056352								30

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [0098.0094](#) [0098.9206](#) [59781-6](#) [0098.9212](#) [6292-1](#) [690432-1](#) [699161-000](#) [700989](#) [7230-3](#) [72609-02](#) [CAPTIVE JACK](#)
[SCREW](#) [73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9521](#) [992763-3](#) [1-18024-0](#) [A168P1](#) [1-](#)
[24921-1](#) [125416-1](#) [1301810313](#) [1-306131-6](#) [1301830042](#) [1458](#) [1-59781-3](#) [18029-4](#) [NBX-10953](#) [NUT-16-3P-HEX-NICKEL](#) [20993.45098](#)
[21004-1](#) [21009-4](#) [21014-5](#) [21021-2](#) [CA24037A01](#) [22987-4](#) [240632-1](#) [240632-2](#) [89506-9801](#) [2504](#) [9031](#) [9-1393249-2](#) [2.5NZPNBU](#) [26-](#)
[0048PP](#) [27210-1](#) [27210-8](#) [9318](#) [9520](#)