

At your service in the field of fastening technology

The company headquartered in Zug, Switzerland, is among the market leaders in fastening technology in Europe, the Americas and Asia-Pacific. Bossard is a global network of companies with **2'500 employees in 77 locations** and carefully selected international partners in all regions of the world.

Our drive for excellence and innovation has led to steady growth and market success for more than 185 years.

The core competences are:



<u>Product Solutions</u> – the full range of fastening products such as screws, nuts, bolts, woodscrews, washers, pins and much more.



<u>Assembly Technology Expert</u> and consulting services to optimize your production and assembly processes



<u>Smart Factory Logistics</u> solutions to free you from Cparts management



BN 20239 3370831 slotted cheese head screw M4x16

Slotted cheese head machine screws (DIN 84 A, ~ISO 1207), 4.8, zinc plated with thicklayer passivation

3D View



Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.


╞ Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.


💠 Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.


2D derivation



ISO View







For any questions, get in contact with us!



BN 20239 3370831 slotted cheese head screw M4x16

Slotted cheese head machine screws (DIN 84 A, ~ISO 1207), 4.8, zinc plated with thicklayer passivation

Technical Data

BNARTNR (Identification)	3370831	
BNNORM1 ()	DIN 84 A	
BNNORM2 ()	~ISO 1207	
BNMAT (Material)	Steel 4.8	
BNSURFACE (Surface)	zinc plated with thicklayer passivation	
D (Nominal thread diameter / mm)	4	
D3 (Thread core diameter / mm)	3.141	
P (Threaded pitch / mm)	0.7	
L (Nominal length / mm)	16	
A (Distance from the last full form thread to the bearing face / mm)	1.4	
B (Thread length / mm)	14.6	
DK (Head diameter / mm)	7	
DA (max. / mm)	4.7	
K (Head height / mm)	2.6	
N (Width of slot / mm)	1.2	
R (Transition radius under head / mm)	0.2	
T (Depth of the driving feature min. / mm)	1.1	
W (min. / mm)	1	
X (max. / mm)	1.75	




BN 20239 3370831 slotted cheese head screw M4x16

Slotted cheese head machine screws (DIN 84 A, ~ISO 1207), 4.8, zinc plated with thicklayer passivation

Bill of Materials

N°	Description	Amount
1.1	BN 20239 3370831 slotted cheese head screw M4x16	1





From the perspective of our customers, the interplay has six core benefits within the perspectives of <u>Product Solutions</u>. <u>Assembly Technology Expert</u> and <u>Smart Factory Loistics</u>:

1. Time to market:

This means that our customers' products are brought to market faster – a crucial competitive advantage in a global environment where speed counts.

2. Lean process:

For our customers, this means saving time, money and resources, being able to better calculate total costs – and above all, achieving higher margins.

3. Better throughput:

This is one of the central cost aspects for our customers when it comes to boosting effectiveness – and especially improving efficiency.

4. High quality:

For our customers, this means absolute reliability in terms of product, process and production safety – and hence, less waste and fewer complaints.

5. Innovative technology:

From a customer's perspective this is crucial. Only companies open to new developments are ready to successfully forge new paths and go where no other competitor has gone before.

6. Maximum reliability:

For our loyal customers, this means knowing that they can rely on us and our long-time employees with the utmost confidence – not just now, but decades down the line.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Screws & Fasteners category:

Click to view products by Bossard manufacturer:

Other Similar products are found below :

 5721-1440-1/4-SS
 593503FX
 0098.0094
 0098.9206
 0098.9219
 0098.9221
 0098.9262
 59781-6
 0098.9210
 0098.9212
 618-00001
 6292-1

 690432-1
 699161-000
 7230-3
 72609-02
 CAPTIVE JACK SCREW
 73542-02
 CAPTIVE SHORT THUMBSCREW
 745564-1
 751-00001

 7680
 809704-1
 8700
 8860220
 9521
 992763-3
 1-18024-0
 A168P1
 1-24921-1
 125416-1
 1301810148
 1301810313
 1301810400

 1301830031
 1-306131-6
 1301810131
 1301830042
 1393160-3
 1458
 1-59781-3
 18029-4
 NBX-10953
 2079764-1
 20993.45098
 21004-1

 21009-4
 21014-5
 21021-2
 CA24037A01
 22987-4
 2-305927-7