


SPAX®

BN 20470 - Hexalobular (6 Lobe) T-STAR plus flange head screws for timber construction with 4CUT point



Manufacturer



Product description

- Waxed

Other documentation: www.spax.com

Headform

Button with collar

Drive

Hexalobular socket

Thread

fully threaded

Brand

SPAX®

Material

Stainless steel

Material type

A2

Version

with 4CUT point

Certificates



1) L ≥ 160 with 4CUT cutter

Article no	d1	L	d2	k max	Hexalobular socket	b
3661448	6	60	13.6	2.4	T30	56
3661449	6	80	13.6	2.4	T30	61
3661450	6	100	13.6	2.4	T30	61
3661451	6	120	13.6	2.4	T30	68
3661452	6	140	13.6	2.4	T30	68
3620429	8	50	20	4.3	T40	46
3620430	8	60	20	4.3	T40	56

Article no	d1	L	d2	k max	Hexalobular socket	b
3522841	8	80	20	4.3	T40	70
3522842	8	100	20	4.3	T40	80
3522843	8	120	20	4.3	T40	80
3522844	8	140	20	4.3	T40	80
3522845	8	160	20	4.3	T40	80
3646964	8	180	20	4.3	T40	80
3646965	8	200	20	4.3	T40	80
9017721	8	220	20	4.3	T40	80
9017722	8	240	20	4.3	T40	80
9017723	8	260	20	4.3	T40	80
9017724	8	280	20	4.3	T40	80
9017725	8	300	20	4.3	T40	80

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Screws & Fasteners](#) category:

Click to view products by [Bossard](#) manufacturer:

Other Similar products are found below :

[5721-1440-1/4-SS](#) [593503FX](#) [0098.0094](#) [0098.9206](#) [0098.9219](#) [0098.9262](#) [596-2114-013](#) [59781-6](#) [0098.0026](#) [0098.9210](#) [0098.9212](#) [60227-01](#) [60227-04](#) [60227-08](#) [60687-01](#) LOCK WASHER Black [62153-03](#) [62153-11](#) [M316-KSSTMCZ100](#) [M3440-SS](#) [M3448-SS](#) [6292-1](#) [6-306105-9](#) [6-306131-4](#) [690432-1](#) [699161-000](#) [7230-3](#) [7244](#) [7248-1](#) [7248-2](#) [73542-02](#) CAPTIVE SHORT THUMBSCREW [745564-1](#) [F1209](#) [751-00001](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9047](#) [9521](#) [992326-6](#) [992763-3](#) [1-18024-0](#) [1-18028-2](#) [A168P1](#) [A495P1](#) [1-24921-1](#) [125416-1](#) [1260](#) [13-0036](#) [1301810148](#)