

## SAFETY DATA SHEET TENSOL 12

According to Regulation (EC) No 1907/2006

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name TENSOL 12
Product No. 620803

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Supplier BOSTIK LIMITED

COMMON ROAD STAFFORD STAFFORDSHIRE ST16 3EH +44 1785 272625 sds.uk@bostik.com

#### 1.4. Emergency telephone number

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Carc. Cat. 3;R40. Xi;R37/38. R43. R18.

2.2. Label elements

Contains DICHLOROMETHANE

METHYL METHACRYLATE

Labelling



Harmful

Risk Phrases

R18 In use, may form flammable/explosive vapour-air mixture.

R37/38 Irritating to respiratory system and skin.
R40 Limited evidence of a carcinogenic effect.
R43 May cause sensitisation by skin contact.

Safety Phrases

S13 Keep away from food, drink and animal feeding stuffs.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S46 If swallowed, seek medical advice immediately and show this container or

label.

Use only in well-ventilated areas.

S56 Dispose of this material and its container to hazardous or special waste

collection point.

### 2.3. Other hazards

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.2. Mixtures

### SDS No. 13881

### **TENSOL 12**

2-PHENOXYETHANOL			1-5%
CAS-No.: 122-99-6	EC No.: 204-589-7		
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Irrit. 2 - H319		Classification (67/548/EEC) Xn;R22 Xi;R36	
DICHLOROMETHANE			30-60%
CAS-No.: 75-09-2	EC No.: 200-838-9		
Classification (EC 1272/2008) Carc. 2 - H351		Classification (67/548/EEC) Carc. Cat. 3;R40	
METHYL METHACRYLATE			30-60%

CAS-No.: 80-62-6 EC No.: 201-297-1

Classification (EC 1272/2008) Classification (67/548/EEC)

 Flam. Liq. 2 - H225
 F;R11

 Skin Irrit. 2 - H315
 R43

 Skin Sens. 1 - H317
 Xi;R37/38

 STOT Single 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion

DO NOT induce vomiting. Get medical attention immediately.

Skin contact

Promptly flush contaminated skin with water. Promptly remove clothing if soaked through and flush the skin with water. Get medical attention if irritation persists after washing.

Eye contact

Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

Extinguishing media

Foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

Vapours are heavier than air and may spread near ground to sources of ignition. Solvent vapours may form explosive mixtures with air. Specific hazards

Fire or high temperatures create: Toxic gases/vapours/fumes of: Carbon dioxide (CO2). Carbon monoxide (CO).

### 5.3. Advice for firefighters

Protective equipment for fire-figthers

Wear self contained breathing apparatus

### **TENSOL 12**

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact. Avoid breathing vapour Wear personal protective equipment.

### 6.2. Environmental precautions

Prevent entry into drains and water courses.

### 6.3. Methods and material for containment and cleaning up

Absorb onto sand, earth or abosorbent granules. Pick up with non-sparking tools and place into metal containers with sealable lids. Mark containers with details of hazards and store in designated area ready for disposal.

### 6.4. Reference to other sections

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

### 7.2. Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well ventilated area.

Storage Class

Flammable liquid storage.

### 7.3. Specific end use(s)

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL -	- 15 Min	Notes
DICHLOROMETHANE	WEL	100 ppm(Sk)	350 mg/m3(Sk)	300 ppm(Sk)	1060 mg/m3(Sk)	
METHYL METHACRYLATE		50 ppm	208 mg/m3	100 ppm	416 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

### 8.2. Exposure controls

Protective equipment







Process conditions

Use engineering controls to reduce air contamination to permissible exposure level.

Engineering measures

Provide adequate ventilation.

Respiratory equipment

Wear suitable respiratory protection.

Hand protection

Protective gloves should be used if there is a risk of direct contact or splash.

Eye protection

Wear splash-proof eye goggles to prevent any possibility of eye contact.

Other Protection

Wear suitable protective clothing as protection against splashing or contamination.

Hygiene measures

Use appropriate skin cream to prevent drying of skin. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

### **TENSOL 12**

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Clear

Odour Characteristic.

Vapour density (air=1) 3.45 Vapour pressure 38.5

Flash point (°C) > 61 CC (Closed cup).

### 9.2. Other information

### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal temperature conditions.

### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

Materials To Avoid

Strong acids. Oxidising agents.

### 10.6. Hazardous decomposition products

None under normal conditions.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Inhalation

Irritating to respiratory system.

Skin contact

Prolonged and frequent contact may cause redness and irritation. May cause sensitisation by skin contact.

Eye contact

Particles in the eyes may cause irritation and smarting.

Route of entry

Inhalation. Skin absorption. Ingestion.

### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

### **SECTION 13: DISPOSAL CONSIDERATIONS**

SDS No. 13881

### **TENSOL 12**

#### General information

This material is classified as special waste as defined by Special Waste Regulations 1996 and must be disposed of by an authorised contractor

#### 13.1. Waste treatment methods

### **SECTION 14: TRANSPORT INFORMATION**

### 14.1. UN number

UN No. (ADR/RID/ADN) 1593 UN No. (IMDG) 1593 UN No. (ICAO) 1593

### 14.2. UN proper shipping name

Proper Shipping Name DICHLOROMETHANE

### 14.3. Transport hazard class(es)

ADR/RID/ADN Class 6.1

ADR/RID/ADN Class Class 6.1:Toxic substances.

ADR Label No. 6.1

IMDG Class 6.1

ICAO Class/Division 6.1

Transport Labels



### 14.4. Packing group

ADR/RID/ADN Packing group III
IMDG Packing group III
ICAO Packing group III

### 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

### 14.6. Special precautions for user

EMS F-A, S-A
Emergency Action Code 2Z
Hazard No. (ADR) 60
Tunnel Restriction Code (E)

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716). Control of Substances Hazardous to Health

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations. Guidance Notes

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

### 15.2. Chemical Safety Assessment

SDS No. 13881

### **TENSOL 12**

### **SECTION 16: OTHER INFORMATION**

#### General information

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services. Information Sources

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

**Revision Comments** 

NOTE: Lines within the margin indicate significant changes from the previous revision. This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

Issued By Approved LJ Revision Date May 2012

Revision 10

Date June 2003

Risk Phrases In Full

R22 Harmful if swallowed.
R11 Highly flammable
R36 Irritating to eyes.

R37/38 Irritating to respiratory system and skin.
R40 Limited evidence of a carcinogenic effect.
R43 May cause sensitisation by skin contact.

Hazard Statements In Full

H319 Causes serious eye irritation.

H315 Causes skin irritation. H302 Harmful if swallowed.

H225 Highly flammable liquid and vapour.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for bostik manufacturer:

Other Similar products are found below:

**Bostik**