



Bourns Releases New Chip Inductors

Model CWF1610 and CWF2414 Series

Riverside, California – **TO BE RELEASED AUGUST 2, 2021** – Bourns Magnetics Product Line is introducing the Model CWF1610 and Model CW2414 Series Chip Inductors. These new inductors feature wirewound construction on a ferrite core which offers high inductance, high Q, high self-resonant frequency and low DCR in a compact size with an operating temperature range of -40 to +125 °C. The inductors are ideal for use in RF signal processing, resonant circuits, decoupling, noise filters and low current DC power lines, as well as for audio headsets, cable modems, set-top boxes, hard disk drives, tablets and various mobile electronic devices.

Series	Size (mm)	Inductance	Q Value	Self-Resonant Frequency	Rated Current	Saturated Current
CWF1610	1.6 x 1 x 1	1 – 22 μ H	14 – 16	24 – 390 MHz	200 – 700 mA	200 – 860 mA
CWF2414	2.2 x 1.4 x 1.3	1 – 22 μ H	14 – 15	20 – 208 MHz	340 – 1300 mA	240 – 1100 mA

Please visit the Bourns website at www.bourns.com/products/magnetic-products/chip-inductors-wirewound for additional information and contact Bourns Customer Service/Inside Sales if you have any questions.

Features

- Miniature size
- High Q value
- High self-resonant frequency
- Low DCR
- RoHS compliant* and halogen free**

Applications

- RF signal processing
- Resonant circuits
- Decoupling
- Noise filters
- Low current DC power lines
- Audio headsets
- Cable modems
- Set-top boxes
- Hard disk drives
- Tablets
- Various mobile electronic devices

* RoHS Directive 2015/863, Mar 31, 2015 and Annex.

** Bourns considers a product to be "halogen free" if (a) the Bromine (Br) content is 900 ppm or less; (b) the Chlorine (Cl) content is 900 ppm or less; and (c) the total Bromine (Br) and Chlorine (Cl) content is 1500 ppm or less

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [Bourns](#) manufacturer:

Other Similar products are found below :

[CR43NP-680KC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#) [CTX32CT-100](#) [70F224AI](#) [MGDQ4-00004-P](#) [MHL1ECTTP18NJ](#) [MHL1JCTTD12NJ](#)
[PE-51506NL](#) [PE-53601NL](#) [PE-53602NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-62892NL](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#)
[9310-16](#) [PM06-2N7](#) [PM06-39NJ](#) [A01TK](#) [1206CS-471XJ](#) [HC2-2R2TR](#) [HC2LP-R47-R](#) [HC3-2R2-R](#) [1206CS-151XG](#) [RCH664NP-140L](#)
[RCH664NP-4R7M](#) [RCH8011NP-221L](#) [RCP1317NP-332L](#) [RCP1317NP-391L](#) [RCR1010NP-470M](#) [RCR110DNP-331L](#) [DH2280-4R7M](#)
[DS1608C-106](#) [ASPI-4020HI-R10M-T](#) [B10TJ](#) [B82477P4333M](#) [B82498B3101J000](#) [B82498B3680J000](#) [ELJ-RE27NJF2](#) [1812CS-153XJ](#)
[1812CS-183XJ](#) [1812CS-223XJ](#) [1812LS-104XJ](#) [1812LS-105XJ](#) [1812LS-124XJ](#) [1812LS-154XJ](#) [1812LS-223XJ](#) [1812LS-224XJ](#)