PRODUCT DATASHEET REV 1



BB630

630 tie-point Solderless Plug-in BreadBoard



AVAILABLE STYLES:


WHITE

PART#:

BB630

BB630 Features:


- 630 tie-point IC-circuit area.
- · White ABS plastic body with black printed legend.
- Contacts are Phosphor Bronze with Plated Nickel Finish, rated for 50,000 insertions.
- Rated at 36 Volts, 2 Amps.
- Insertion Wire Size is 21 to 26 AWG, 0.016 to 0.028 inches diameter (0.4 to 0.7mm diameter).
- Peelable adhesive tape backing provided for attaching to a surface.







BB630 Details:

BB630 is a solderless plug-in breadboard with 630 connection tie-points (i.e. wire insertion holes). Solderless breadboards are great for building and testing new circuits because parts can be easily inserted and removed. They are completely re-usable. The housing is made of white ABS plastic, with a printed legend giving numbers and letters for columns and rows. The internal contacts are phosphor bronze with a plated nickel finish. A peelable adhesive tape backing is provided for attaching it to a surface. BPS BreadBoards are Lead-Free and RoHS Compliant. Finished projects can be moved to a BR1 or SB830 Solderable PC BreadBoard to make them permanent.





Related Products:



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PCBs & Breadboards category:

Click to view products by BusBoard Prototype manufacturer:

Other Similar products are found below:

8004 8007 8016 8017 8028 8029 1268-12 1268-10 1320833-1 923252-R 3410 3396 8006 8015 8018 8019 8020 1268-19 1268-20 8026 1239-19 SBBTH1520-1 SBBTH1506-1 SBBTH4080-1 SBBTH3030-1 SBBTH1512-1 SBBTH1508-1 SBBSM2120-1 SBB2808-1 SBB2805-1 SBB1605-1 SBB1602-1 SBB1005-1 SBB1002-1 3426 32P15WE ZAS1X206203XRPU160 SBBTH3040-1 SBB0004-1 SBB830-QTY10 7115 923749-I RE013-LF RE014-LF RE015-LF RE1210-LF RE200-C3 RE210-S1 RE317-HP RE438-LF