

SB830 - Solderable PC BreadBoard

Transfer your circuit to this permanent circuit board from a plug-in breadboard to create a rugged long-lasting prototype.

Features


- Transfer your circuit and wires without recutting wires or changing your layout. The SB830 Solderable PC BreadBoard has the same pattern as a standard 830 connection point BB830 plug-in breadboard with power rails.
- SB830 is similar to the BR1 board, but a top-side silkscreen is added. Pads are connected with thinner 0.040" tracks for easier track cutting when required.
- Make your prototype rugged. Soldered joints provide a more reliable long-term connection than solderless plug-in contacts.
- Standard 5-hole strip for each IC pin, just like solderless breadboards.
- Four power rails are provided along the edges like a breadboard, plus 2 bonus rails.
- Bonus centerline 2 hole pads provide an easy way to mount DIL headers.

Specifications

- High-quality etched FR4 glass-epoxy circuit board with top side silkscreen.
- Single sided, 1oz/ft² copper with an anti-tarnish coating for easy soldering. Lead free and RoHS compatible.
- Holes are drilled on 0.1" (2.54mm) centers.
- 1258 holes total. 0.042" (1.07mm) holes sized for ICs or square post headers.
- Four 0.125" mounting holes.
- 1.85" wide, 7.25" long, 1/16" thick (184.2 x 47.0 x 1.6mm)


Order Part# SB830

Related Parts: BB830 and BB830T breadboards have the same layout as solderable PC breadboards.




**Move Your Circuit
To Make It Permanent**

Board Layout Bottom (actual size)




SB830 – Bottom Side Copper

Board Layout Top (actual size)




SB830 – Top Side Silkscreen

Board Photo



SB830 – Bottom Side Copper

Board Dimensions



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for PCBs & Breadboards category:

Click to view products by [BusBoard Prototype manufacturer](#):

Other Similar products are found below :

[8004](#) [8007](#) [8016](#) [8017](#) [8028](#) [8029](#) [1268-12](#) [1268-10](#) [1320833-1](#) [923252-R](#) [3410](#) [3396](#) [8006](#) [8015](#) [8018](#) [8019](#) [8020](#) [1268-19](#) [1268-20](#)
[8026](#) [1239-19](#) [SBBTH1520-1](#) [SBBTH1506-1](#) [SBBTH4080-1](#) [SBBTH3030-1](#) [SBBTH1512-1](#) [SBBTH1508-1](#) [SBBSM2120-1](#) [SBB2808-1](#)
[SBB2805-1](#) [SBB1605-1](#) [SBB1602-1](#) [SBB1005-1](#) [SBB1002-1](#) [3426](#) [32P15WE](#) [ZAS1X206203XRPU160](#) [SBBTH3040-1](#) [SBB0004-1](#)
[SBB830-QTY10](#) [7115](#) [923749-I](#) [RE013-LF](#) [RE014-LF](#) [RE015-LF](#) [RE1210-LF](#) [RE200-C3](#) [RE210-S1](#) [RE317-HP](#) [RE438-LF](#)