





22kW EV charger with cable and cable holder, Charging Mode: MODE 3, Connector standard Type 2, WI-FI connectivity in Client or Access Point mode, Start Charging with RFID card or OCPP1.6J

Series	PLUS
Code	EVPLUS22C
Type	EVPLUS22C
HS code	85437090
PRODUCT INFORMATION	
Power	3.5 – 22 kW
Charging Mode	MODE 3 CASE C (with cable 5m)
Connector standard	Type 2
Dimensions (W x H x D)	355x650x150 mm
Weight	12.5 kg
Enclosure Material	PC+ASA (UL94-V0)
Cooling system	Integrated fan
Mounting	Wall / Stand
GENERAL FEATURES	
Voltage	400V±15% (three phase) 230 V±15% (single phase)
Frequency	50/60Hz
Network Configuration	TN/TT/IT(3P+N+T o 3P+T) TN/TT/IT(1P+N+T o 2P+T)
Earth Leakage Protection	DC Leak (6 mA)
User interface	APP Control
Start/Stop Charge	RFID Card or via OCPP1.6J
Communications signals	LED Light belt (red, blue, green) Digital display LED indicators
Power metering	Power meter MID certificate
Additional	Wifi (Client)/Wifi (Access Point) Hotspot RS485 (Pow.Managemnt ext meter) CAN (Load balancing)
Power Management	Dynamic (with external energy meter)
PhotoVoltaic integration	-
Dry contact	-
Communication Protocol	OCPP1.6J
Background Functions	WIFI system upgrade
Reports	Charge reports / Fault reports
Protections	Overcurrent protection; Overvoltage protection; Undervoltage protection; Relay over temperature protection; Socket or plug over temperature protection; CP fault protection; Relay adhesion protection
IP Degree	IP54
IK Protection degree (20°C)	IK8
Ambient Temperature	-25°C +50°C, forced ventilation
Operating Humidity	≤95%HR
Standards	IEC 61851-1; IEC 61851-21-2 (EMC class B); IEC 62196-2; EN 300 328 (RED WiFi 2.4GHz); EN 301 489-1/17 (RF-EMC); EN 62311 (Health)
APPROVALS AND MARKINGS	CE, 



*: Stylish and compact design | *: Wall or stand mounting | *: Charging Mode: MODE 3, with cable and cable holder (CASE C) | *: Connector standard Type 2 | *: WI-FI connectivity in Client or Access Point mode | *: Start Charging with RFID card or via OCPP1.6J | *: Web App configuration management | *: DC Earth Leakage Protection 6mA | *: Integrated Meter, MID certificate | *: Remote management via OCPP protocol |

DESCRIZIONE DEL PRODOTTO

22kW EV charger with cable and cable holder, Charging Mode: MODE 3, Connector standard Type 2, WI-FI connectivity in Client or Access Point mode, Start Charging with RFID card or OCPP1.6J

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Specialised Cables](#) category:

Click to view products by [Cabur](#) manufacturer:

Other Similar products are found below :

[706000D02F200](#) [910640](#) [96CB-L2020PIB2](#) [AC172](#) [ACL-SSI-4](#) [1300150047](#) [1300660036](#) [1302260080](#) [1300150079](#) [1300220119](#)
[1301240492](#) [1365323-1](#) [1589946-2](#) [1971465-2](#) [20240400003](#) [20886510030](#) [2-22733-8](#) [3011-03](#) [SSM005PC0DY012Q](#) [CCS-FCB-5](#)
[CCSFCBF2](#) [426122200-3](#) [VMMP6R](#) [427492400-3](#) [05AD05X](#) [10075358-F0200YYLF](#) [1052015-1-10](#) [540012](#) [RTPADPTR02](#) [636083-1](#)
[83010-0157](#) [VMMP2BK](#) [VMMP1BK](#) [ENP2205M030](#) [5-1589943-0](#) [N12601](#) [1300660038](#) [1300300020](#) [1300150101](#) [1300140041](#)
[1300660049](#) [1300300014](#) [1300150058](#) [1300150050](#) [1300150031](#) [1300140064](#) [1200900023](#) [00-4951](#) [XW2Z100JF1](#) [1200900047](#)