





7kW EV charger without cable, Charging Mode: MODE 3, Connector standard Type 2, WI-FI connectivity in Client or Access Point mode, Start Charging with RFID card or via OCPP1.6J

<b>Series</b>	PLUS
<b>Code</b>	EVPLUS7S
<b>Type</b>	EVPLUS7S
<b>HS code</b>	85437090
<b>PRODUCT INFORMATION</b>	
<b>Power</b>	3.5 -7.4 kW
<b>Charging Mode</b>	MODE 3 CASE B (no cable)
<b>Socket</b>	Type 2
<b>Dimensions (W x H x D)</b>	355x650x150 mm
<b>Weight</b>	9 kg
<b>Enclosure Material</b>	PC+ASA (UL94-V0)
<b>Mounting</b>	Wall / Stand
<b>GENERAL FEATURES</b>	
<b>Voltage</b>	230 V ±15%
<b>Frequency</b>	50/60Hz
<b>Network Configuration</b>	TN/TT/IT(1P+N+T o 2P+T)
<b>Earth Leakage Protection</b>	DC Leak (6 mA)
<b>User interface</b>	RFID Card OCPP Control APP Control
<b>Start/Stop Charge</b>	RFID Card or via OCPP1.6J
<b>Communications signals</b>	LED Light belt (red, blue, green) Digital display LED indicators
<b>Power metering</b>	Power meter MID certificate
<b>Additional</b>	Wifi (Client)/Wifi (Access Point) Hotspot RS485 (Pow.Managemnt ext meter) CAN (Load balancing)
<b>Power Management</b>	Dynamic (with external energy meter)
<b>PhotoVoltaic integration</b>	-
<b>Dry contact</b>	-
<b>Communication Protocol</b>	OCPP1.6J
<b>Background Functions</b>	WIFI system upgrade
<b>Reports</b>	Charge reports / Fault reports
<b>Protections</b>	Overcurrent protection; Overvoltage protection; Undervoltage protection; Relay over temperature protection; Socket or plug over temperature protection; CP fault protection; Relay adhesion protection
<b>IP Degree</b>	IP54
<b>IK Protection degree (20°C)</b>	IK8
<b>Ambient Temperature</b>	-25°C +50°C, forced ventilation
<b>Operating Humidity</b>	≤95%HR
<b>Standards</b>	IEC 61851-1; IEC 61851-21-2 (EMC class B); IEC 62196-2; EN 300 328 (RED WiFi 2.4GHz); EN 301 489-1/17 (RF-EMC); EN 62311 (Health)
<b>APPROVALS AND MARKINGS</b>	CE, 



\*: Stylish and compact design | \*: Wall or stand mounting | \*: Charging Mode: MODE 3, with type 2 socket (CASE B) | \*: Connector standard Type 2 | \*: WI-FI connectivity in Client or Access Point mode | \*: Start Charging with RFID card or via OCPP1.6J | \*: Web App configuration management | \*: DC Earth Leakage Protection 6mA | \*: Integrated Meter MID certificate | \*: Remote management via OCPP protocol |

## DESCRIZIONE DEL PRODOTTO

7kW EV charger without cable, Charging Mode: MODE 3, Connector standard Type 2, WI-FI connectivity in Client or Access Point mode, Start Charging with RFID card or via OCPP1.6J

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Specialised Cables](#) category:*

*Click to view products by [Cabur](#) manufacturer:*

Other Similar products are found below :

[706000D02F200](#) [910640](#) [96CB-L2020PIB2](#) [AC172](#) [ACL-SSI-4](#) [1300150047](#) [1300660036](#) [1302260080](#) [1300150079](#) [1300220119](#)  
[1301240492](#) [1365323-1](#) [1589946-2](#) [1971465-2](#) [20240400003](#) [20886510030](#) [2-22733-8](#) [3011-03](#) [SSM005PC0DY012Q](#) [CCS-FCB-5](#)  
[CCSFCBF2](#) [426122200-3](#) [VMMP6R](#) [427492400-3](#) [05AD05X](#) [10075358-F0200YYLF](#) [1052015-1-10](#) [540012](#) [RTPADPTR02](#) [636083-1](#)  
[83010-0157](#) [VMMP2BK](#) [VMMP1BK](#) [ENP2205M030](#) [5-1589943-0](#) [N12601](#) [1300660038](#) [1300300020](#) [1300150101](#) [1300140041](#)  
[1300660049](#) [1300300014](#) [1300150058](#) [1300150050](#) [1300150031](#) [1300140064](#) [1200900023](#) [00-4951](#) [XW2Z100JF1](#) [1200900047](#)