THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

REVISIONS

REV. DESCRIPTIONS DATE APPROVED

- CLASS A RELEASED 10/24/02

- 1. BNC MALE TO BNC MALE CABLE ASSEMBLY ON RG58C/U COAXIAL CABLE, 50Ω w/MOLDED BEND RELIEF BOOTS.
- 2. SPECIFICATIONS:

CONNECTOR:

BNC MALE CRIMP, 50Ω IMPEDANCE PER MIL-C-39012.

BODY: BRASS OR DIECAST ZINC.

DIELECTRIC: TEFLON.

CENTER PIN: BRASS, GOLD PLATED.

CABLE:

RG58C/U PER MIL-C-17 50Ω, BLACK, Ø0.195 DIAMETER.

MOLDED BOOT MATERIAL:

PVC, BLACK. (MOLDED TO CABLE AND CONNECTOR).

3. RATING:

VOLTAGE: 500Vrms. IMPEDANCE: 50Ω.

TEMPERATURE: 0° C TO +80° C.

PART NUMBER


CT2942-L

LENGTH: (CENTIMETERS)

STANDARDS: 25, 50, 100, 120, 150, 200,

250

THIRD ANGLE PROJECTION		UNLESSOTHERWISESPECIFIED DIMENSIONS ARE IN INCHES	CONTRACT NO.		Cal Test Electronics 22820 Savi Ranch Parkway					
		TOLERANCES ARE: FRACTIONS DECIMALS			Yorba Linda, CA 92887-4604					
			APPROVALS	DATE	TITLE					
			DRAWN WDH	10/20/02] (CABLE ASSEMBLY, BNC MALE TO MALE,				
		MATERIAL	CHECKED		1	RG58C/U, 50Ω				
		FINISH	ENGR.		SIZE	CAGE CODE	DWG. NO.	294200	REV.	
NEXT ASSY	USED ON		DESIGN ACTIVITY		<u> </u>		P294200		_	
APPLICATION		1	,		SCALE	NONE		SHEET 1 OF	2	



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for RF Cable Assemblies category:

Click to view products by Cal Test manufacturer:

Other Similar products are found below:

73-6352-10 73-6353-3 R285001001 R288940004 145111-05-12.00 1661-C-24 1801171170914KE 24P104C24J1-012 24P104C24P1-006
24P104C24P1-018 24P204C24J1-003 172-2150-EX 1800920920914PJ FCB-3030-ALT 21117-046 21117-050 PCX-24-50 24P103C24P2003 25P203C25P2-003 R284008001 R285001021 R285426000 R288940003 4814-BB-24 5260-72 JT2N1-CL1-1F DLP-COAX1 4814-K48 115101-09-06.00 CCNTN2-MM-LL335-26 73-6351-25 73-6352-3 73-6353-25 1800920920610PJ GD0BQ0BQ024.0 1-3636-600-5210
TL8A-11SMA-11SMA-01500-51 R284C0351060 R288940009 R284C0351028 R288940002 9702-1SL-1 PT82NSMA 73-6353-10
R285020301W PCX-18-50 Minibend-9 Minibend-4 BNC TO SMA Cable MIKROE-274