


THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

REVISIONS			
REV.	DESCRIPTIONS	DATE	APPROVED
-	CLASS A RELEASED	9/7/11	
A	Updated Note 1, material was BeCu; Deleted Note 2.	2/18/15	

NOTES:

- OUTER CONDUCTOR AND BODY - BRASS, NICKEL PLATED.
CENTER CONDUCTOR - BRASS AND PHOS. BRONZE, GOLD PLATED.
DIELECTRIC - (TEF) FLUOROCARBON.
- n/a
- SPECIFICATIONS:
 FREQUENCY RANGE - DC TO 4 GHz.
 ATTENUATION ACCURACY - 0 TO 6 dB ±0.3 dB.
 7 TO 20 dB ±0.5 dB.
 21 TO 30 dB ± 0.75 dB.
 VSWR (MAX) - DC TO 4 GHz 1.25:1.
 POWER - 2 W (AVG.) @ 25° C DERATED LINEARLY TO 0.5 W @ 125° C
 250 W (PEAK) 5 μs PULSE WIDTH, 0.05% DUTY CYCLE.
 IMPEDANCE - 50 Ω ±1 Ω TYP.
 OPERATING TEMPERATURE: -65° C TO +125° C.
 TEMPERATURE COEFFICIENT: 10-4 dB/dB/°C.



MODEL NUMBER

CT3369A-XX

- ATTENUATION (dB):
- 03 - 3 dB
 - 06 - 6 dB
 - 08 - 8 dB
 - 10 - 10 dB
 - 14 - 14 dB
 - 20 - 20 dB
 - 30 - 30 dB

THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: FRACTIONS DECIMALS ± 1/32 .XX ± .02 .XXX ± .005 DO NOT SCALE DRAWING	CONTRACT NO.		Cal Test Electronics 22820 Savi Ranch Parkway Yorba Linda, CA 92887-4610			
			APPROVALS	DATE	TITLE			
		MATERIAL	DRAWN WDH	9/7/11	ATTENUATOR, FIXED, BNC MALE TO FEMALE, 50Ω			
		FINISH	CHECKED		SIZE	CAGE CODE	DWG. NO.	REV.
NEXT ASSY	USED ON		ENGR.		A	43F45	P3369A0	A
APPLICATION			DESIGN ACTIVITY		SCALE	1:1	SHEET	1 OF 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Attenuators - Interconnects](#) category:

Click to view products by [Cal Test](#) manufacturer:

Other Similar products are found below :

[R411803119](#) [R413806115](#) [R413808000](#) [R413810115](#) [R413850115](#) [R414510000](#) [R414701000](#) [BNC-13](#) [R411800121](#) [R411801121](#)
[R412412124](#) [R412450000](#) [R413800000](#) [R413805000](#) [R413830000](#) [R413840115](#) [R414730000](#) [R415420000](#) [R415703000](#) [R416010000](#)
[R420003110](#) [R411801000](#) [R411815121](#) [R413305000](#) [R413801000](#) [R414520000](#) [R411808121](#) [R412500124](#) [R412414124](#) [R412501124](#)
[HMC-C584](#) [R413802000](#) [R412400124](#) [R411700124](#) [R417310130](#) [R411801119](#) [R412419124](#) [R411703124](#) [R412401124](#) [R443131000](#)
[R417130110](#) [R414700000](#) [R414505000](#) [R411802119](#) [R417720128](#) [R420706110](#) [R413811000](#) [R413803115](#) [R414501000](#) [R417903128](#)