THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED. REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

REVISIONS									
REV.	DESCRIPTIONS	DATE	APPROVED						
_	CLASS A RELEASED	11/18/11							

NOTES:

1. TEST LEAD, 4mm STRAIGHT SHEATH SAFETY BANANA PLUGS, UL LISTED.



BANANA PLUG SHEATH AND TIP: POLYPROPYLENE, UL94V-0, COLOR: AS DESIGNATED BY PART NUMBER.




/3.\ BANANA PLUG OVER-MOLD: THERMOPLASTIC ELASTOMER (EPTR), COLOR: GREY.




4. WIRE, SILICONE JACKET, 18AWG, (175/0.08mm), COLOR AS DESIGNATED BY PART NUMBER.

- 5. BANANA PLUG BODY: BRASS, NICKEL PLATED.
- 6. BANANA PLUG CONTACT: BERYLLIUM COPPER, NICKEL PLATED.
- 7. RATING, OVERALL: 1000 V CAT III P2, 10 A, 0° TO +40° C.
- 8. UL:
 - LISTED, FILE NUMBER E315929.
 - PRODUCT CATEGORY: MEASURING AND TESTING EQUIPMENT.
 - CONTROL NUMBER: 3LXV.
- 9. STANDARDS: UL61010-031, CSA C22.2 NO. 61010-031, IEC61010-031.
- ↑ 10. CE MARK.
- 11. RoHS COMPLIANT.
- 12. PACKING: 10 pc/PACK OR BULK.



THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	CONTRACT NO.			Cal Tast Flactronics 22820 Savi Ranch Parkway				
		TOLERANCES ARE: FRACTIONS DECIMALS ± 1/32 .XX ± .02 .XXX ±.005 DO NOT SCALE DRAWING			Cal Test Electronics 22820 Savi Ranch Parkway Yorba Linda, CA 92887-461					
			APPROVALS	DATE	TITLE					
		MATERIAL	DRAWN WDH	11/18/11		SAFETY TEST LEAD, SILICONE				
		MATERIAL	CHECKED		4mm STRAIGHT SHEATH PLUG					
		FINISH	ENGR.		SIZE CAGE CODE		DWG. NO.		REV.	
NEXT ASSY	USED ON		DESIGN ACTIVITY		A	A 43F45		P375100		_
APPLICATION					SCALE	1:1			SHEET 1 OF	2



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Test Leads category:

Click to view products by Cal Test manufacturer:

Other Similar products are found below:

795-2384-10-25 1301430020 1510-24-105 15308 15408 15302 15409 BU-1149-A-36-0 BU-1481-E-12-0 BU-1481-E-24-0 1927617 2450 2524-A-60 LB1F-2R-RED LB1F-2R-YLW 2500 2524-A-48 2977-J-48 R948131000 380200 BU-1449-E-12-2 BU-1480-E-24-0 BU-1481-E-12-2 BU-1481-E-24-2 LB1F-2R-BLK LB1F-2R-BLUE LB1F-2R-WHT 6345 6432 6416 EM3782-24-3# R948161002 R948160002 R948170002 R948171002 R948163002 973604100 934160101 934160100 R948174000 CT3269 CT3258 CT3158-100 HSPL 8568/AWG16/200/RT HSPL 8568/AWG16/200/SW 28.0119-10020 28.0127-05025 28.0127-20025 49.0079-20021 49.0079-20024