



# 651/652-Series

Small-Sized Rocker Switches

**PRODUCT WEBPAGE** 

request sample, configure part





This switch is ideal for applications with back panel size constraints. It fits in a standard rectangular cutout and is designed to provide ease of insertion along with superior panel retention qualities. A high profile rocker and buttaction contacts provide the user with a crisp positivetype feel. A variety of ratings, circuitry and termination choices will appeal to many market segments.

125-250 Pole Amps

# **Typical Applications**

- Handheld Appliances
- · Audio-Visual
- · Power Supplies



# **Tech Specs**

### **Dielectric Strength**

UL/CSA: 1000V-live to dead metal parts

100,000 cycles- maintained 50,000 cycles- momentary 50,000 cycles- T-rating

**Electrical Life** 

### **Operating Temperature**

32°F to 185°F (0°C to 85°C)

# **Ordering Scheme**

Part Number Selection

#### 1. SERIES

651 Matte Finish

652 Gloss Finish

#### 4. BASE COLOR

Black

W White

#### 2. CIRCUITRY / RATING / TERMINATION

10A 250VAC, 10A 1	25VAC, 1/4 HP, .187 Solder Lugs	,125-250 .187 Tabs	VAC PC Terms	PC Rt.	Wire Angle
ON-NONE-OFF  (ON)-NONE-OFF  ON-NONE-(OFF)  ON-NONE-(ON)  ON-OFF-ON  ON-OFF-(ON)  (ON)-OFF-(ON)	121	122	123	124	125
	261	262	263	264	265
	361	362	363	364	365
	421	422	423	424	425
	561	562	563	564	565
	681	682	683	684	686
	781	782	783	784	785
	881	882	883	884	885

#### 3. ACTUATOR COLOR

Black

W White

#### **5. ROCKER LEGEND**

	molded in <sup>4</sup>	hot stamp
NO LEGEND	0	0
Off-On vertical	1	A
Off-On horizontal	_	В
I-O horizontal	8	D
I-O vertical	9	E
O on rocker end	-	F
II-O-I vertical	-	G
II-O-I horizontal	-	Н

### 6. VISI-ROCKER END / LEGEND COLOR

N/A

Black Visi-red

Notes:
Additional ratings (including 14V T) & color options are available; Consult factory.
Rated 12A 125VAC, 6A 250 VAC, 1/4HP 125-250VAC.
Rated 8A 125-250VAC, 1/4HP 125-250VAC.
Additional colors available. Consult factory for details.


- Available with Visi-Rocker option only Indicates momentary function.


🕅 Configure Complete Part Number 🗲

Browse Standard Parts >

# Dimensional Specs

inches [millimeters]





RECOMMENDED

PANEL THICKNESS	Α	В		B*.000[.00]
.030[.76]050[1.27]	.508[12.90]	.756[19.20]		TEST CUT
.050[1.27]078[1.98]	.508[12.90]	.764[19.40]	A000[.00]	HOLE IN ACTUAL
.078[1.98]125[3.17]	.508[12.90]	.780[19.81]	<u> </u>	MATERIAL

## **Authorized Sales Representatives and Distributors**

Click on a region of the map below to find your local representatives and distributors or visit www.carlingtech.com/findarep.



# **About Carling**

Founded in 1920, Carling Technologies is a leading manufacturer of electrical and electronic switches and assemblies, circuit breakers, electronic controls, power distribution units, and multiplexed power distribution systems. With six ISO9001 and IATF16949 registered manufacturing facilities and technical sales offices worldwide, Carling Technologies Sales, Service and Engineering teams do much more than manufacture electrical components, they engineer powerful solutions! To learn more about Carling please visit www.carlingtech.com/company-profile.

To view all of Carling's environmental, quality, health & safety certifications please visit www.carlingtech.com/environmental-certifications.

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Rocker Switches category:

Click to view products by Carling manufacturer:

Other Similar products are found below:

LTILA6E-1S-WH-RC-FN12VXCR1 6-1571986-9 8007K26N324V52 8055K32Z7V 8055K52Z7V 8138K20E6M50 84206L 84312LX
PREDD5-07F-BB0GW 999-16716-002 999-16716-003 999-16716-004 A101J1V3Q004 A101J2ZQ004 A101J4ZQ004 A101J51CB0004
A103J1ZQ004 A201J1AQ004 A201J3ZB004 A201J50ZQ004 A203J51ZQ0004 A435S1YZQ H8500XBBBBL-A H8653VBBG2577W
HB130CHNWWNAAC R13112ABB-602W 1251.0303 AE205J60V3B004 1352.0107 1571099-3 1571987-4 1571987-5 1571989-7
1571988-5 B123J77V7B2 B226J50W4Q22P B433J37ZQ22M 160212E 1634200-7 1801.1164 1839.1502 PANEL-PLUG-VHP-BLACK
PANEL-PLUG-VHP-WT K1ABBSCADN KG312A2DXD246X 250011E714 2600HM11E 2600R21E 2637LH/2A7/122048L0
2639LH/2A7/127000L0