R135-Series ROTARY SWITCHES

The R135 and R135A-Series rotary switches are single pole, single throw "L" rated up to 3A, feature an ON-OFF repeating action, and are available with a nylon actuating knob; nylon snap-in bracket or nickel-plated brass bushing. These switches are typically used to control lighting functions.



Product Highlights:

- 3A 125VAC "L" rating to control lighting
- Off-On repeating action circuitry
- · Integrated wire lead termination
- · Bushing or snap in mounting styles

Typical Applications:

- Appliance
- HVAC



Carling Technologies, Inc. 60 Johnson Avenue, Plainville, CT 06062 Email: sales@carlingtech.com Application Support: team2@carlingtech.com Phone: 860.793.9281 Fax: 860.793.9231

www.carlingtech.com


Dielectric Strength

UL/CSA: 1000V - live to dead metal parts

Electrical Life 100,000 cycles

Operating Temperature

32°F to 185°F (0°C to 85°C)



Base Part Number

– Knob Color


1 BASE PART NUMBER: SERIES / CIRCUITRY / RATING / TERMINATION		
1.5A 250 VAC; 3A 125 VAC OFF-ON repeating OFF-ON repeating	C L; 5A 12 VDC .375 threaded bushing nylon snap-in bezel	Wire Leads R135 R135-A
or i or repeating	hylon shap-in bezer	11105-A


Notes

Standard Wire Leads are 6" long, stripped 1/2" black. If different length required, please specify at the end of the part number. ex. R135-A-BL/20". Panel Cut-Out Recommendations: For sheet metal panels, switch must enter panel in same direction as the punch. Burr on bottom. Test cut hole in actual material.

Custom colors available. Consult factory. 1

2 KNOB COLOR¹ BL Black White





THREADED BUSHING MOUNTING HOLE Fits into .375[9.52] Dia. hole Bushing Length: .312[7.92]

*Manufacturer reserves the right to change product specification without prior notice.

Authorized Sales Representatives and Distributors

Click on a region of the map below to find your local representatives and distributors or visit *www.carlingtech.com/findarep*.



About Carling

Founded in 1920, Carling Technologies is a leading manufacturer of electrical and electronic switches and assemblies, circuit breakers, electronic controls, power distribution units, and multiplexed power distribution systems. With four ISO registered manufacturing facilities and technical sales offices worldwide, Carling Technologies Sales, Service and Engineering teams do much more than manufacture electrical components, they engineer powerful solutions! To learn more about Carling please visit www.carlingtech.com/company-profile.

To view all of Carling's environmental, quality, health & safety certifications please visit **www.carlingtech.com/environmental-certifications**

Worldwide Headquarters

Carling Technologies, Inc. 60 Johnson Avenue, Plainville, CT 06062 Phone: 860.793.9281 Fax: 860.793.9231 Email: sales@carlingtech.com

Northern Region Sales Office: nrsm@carlingtech.com Southeast Region Sales Office: sersm@carlingtech.com Midwest Region Sales Office: mrsm@carlingtech.com West Region Sales Office: wrsm@carlingtech.com Latin America Sales Office: larsm@carlingtech.com

Asia-Pacific Headquarters

Carling Technologies, Asia-Pacific Ltd., Suite 1607, 16/F Tower 2, The Gateway, Harbour City, 25 Canton Road, Tsimshatsui, Kowloon, Hong Kong Phone: Int + 852-2737-2277 Fax: Int + 852-2736-9332 Email: sales@carlingtech.com.hk

Shenzhen, China: shenzhen@carlingtech.com Shanghai, China: shanghai@carlingtech.com Pune, India: india@carlingtech.com Kaohsiung, Taiwan: taiwan@carlingtech.com Yokohama, Japan: japan@carlingtech.com

Europe | Middle East | Africa Headquarters

Carling Technologies LTD 4 Airport Business Park, Exeter Airport, Clyst Honiton, Exeter, Devon, EX5 2UL, UK **Phone:** Int + 44 1392.364422 **Fax:** Int + 44 1392.364477 **Email:** Itd.sales@carlingtech.com

Germany: gmbh@carlingtech.com France: sas@carlingtech.com



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Rotary Switches category:

Click to view products by Carling manufacturer:

Other Similar products are found below :

57HS22-02-2-06N 57M22-02B16N 57M22-09A16N 58J1007 58J8A45-01B05N 59M18-02A20N M3786/39-3BA M3786/39-LMC M3786/4-0007 M3786/4-0073 M3786/4-0182 M3786/4-0640 M3786/4-0873 M3786/4-0881 M3786/4-3187 M3786/4-3267 M3786/4-5272 M3786/4-5568 M3786/4-5876 M3786/4-6029 71ESF30-05204N MC06L1NCGF FA201BKGN 84986-26 9003K2C003GA PLR3251 PLR3262 PLR3279 PS3 A019305 A019306 A019501 A029301 A165W-T2AR R2AA2133NNNN R2AA4455NNNN R2BB4455NNNN ACSNO-6123-FB-C6002 RMS1224 DR75-AMSF-10R-B 14-520.0360 BCK1006 1703.3201 HW1MS-0202-101 C6P0206N-A 24002-03S A019109 A029101 A165W-T3MR A22NS-3BM-NRA-G120-NN