

# PRODUCT SPECIFICATION

**Carl  
Kammerling**  
International

|                         |   |
|-------------------------|---|
| <b>Brand</b>            | C.K   |
| <b>Product Range</b>    | Dextro Screwdrivers   |
| <b>Catalogue number</b> | 49110, 49112, 49113, 49117, 49118,<br>49125, 49153, 49162 & 49163 |
| <b>Date</b>             | 30/03/2012  |

## Range Description

A range of Professional quality Technicians screwdrivers

## Features

- Optimised grip for fingertip control and final torque down power
- Non roll handle design – Specifically designed to stop the screwdrivers rolling off non flat surfaces
- Permanent tip type marking on the end of the handle for convenient blade type identification
- Additional blade type identification with colour coded handles
- Toughened high alloy steel blade offering the ultimate in wear resistance and performance
- Blade torque capacity up to 20% over the International standards requirement
- Chrome plated shaft with black non peel tip finish for corrosion protection
- Precision machined tips featuring anti cam out ribs for the ultimate screw fit and high torque output\*





| Item Number  | Item Description                              | EAN No        | Commodity code | Carton Qty |
|--------------|---|---------------|----------------|------------|
| T49112-0     | Dextro Screwdriver PH0x60mm                   | 5013969704112 | 82054000       | 6          |
| T49112-1     | Dextro Screwdriver PH1x80mm                   | 5013969704129 | 82054000       | 6          |
| T49112-2     | Dextro Screwdriver PH2x100mm                  | 5013969704136 | 82054000       | 6          |
| T49112-3     | Dextro Screwdriver PH3x150mm                  | 5013969704143 | 82054000       | 6          |
| T49112-1250  | Dextro Screwdriver PH1x250mm                  | 5013969704150 | 82054000       | 6          |
| T49112-2250  | Dextro Screwdriver PH2x250mm                  | 5013969704167 | 82054000       | 6          |
| T49113-0     | Dextro Screwdriver PZ0x60mm                   | 5013969704174 | 82054000       | 6          |
| T49113-1     | Dextro Screwdriver PZ1x80mm                   | 5013969704181 | 82054000       | 6          |
| T49113-2     | Dextro Screwdriver PZ2x100mm                  | 5013969704198 | 82054000       | 6          |
| T49113-3     | Dextro Screwdriver PZ3x150mm                  | 5013969704204 | 82054000       | 6          |
| T49113-1250  | Dextro Screwdriver PZ1x250mm                  | 5013969704211 | 82054000       | 6          |
| T49113-2250  | Dextro Screwdriver PZ2x250mm                  | 5013969704228 | 82054000       | 6          |
| T49110-040   | Dextro Screwdriver Slotted Flared 4.0x75mm    | 5013969704235 | 82054000       | 6          |
| T49110-055   | Dextro Screwdriver Slotted Flared 5.5x100mm   | 5013969704242 | 82054000       | 6          |
| T49110-065   | Dextro Screwdriver Slotted Flared 6.5x150mm   | 5013969704259 | 82054000       | 6          |
| T49110-100   | Dextro Screwdriver Slotted Flared 10.0x200mm  | 5013969704266 | 82054000       | 6          |
| T49125-025   | Dextro Screwdriver Slotted Parallel 2.5x75mm  | 5013969704273 | 82054000       | 6          |
| T49125-03025 | Dextro Screwdriver Slotted Parallel 3.0x250mm | 5013969704297 | 82054000       | 6          |
| T49125-030   | Dextro Screwdriver Slotted Parallel 3.0x75mm  | 5013969704280 | 82054000       | 6          |
| T49125-035   | Dextro Screwdriver Slotted Parallel 3.5x100mm | 5013969704292 | 82054000       | 6          |
| T49125-040   | Dextro Screwdriver Slotted Parallel 4.0x125mm | 5013969704303 | 82054000       | 6          |
| T49125-055   | Dextro Screwdriver Slotted Parallel 5.5x150mm | 5013969704310 | 82054000       | 6          |
| T49117-06    | Dextro Screwdriver TX06x70mm                  | 5013969704334 | 82054000       | 6          |
| T49117-07    | Dextro Screwdriver TX07x70mm                  | 5013969704341 | 82054000       | 6          |
| T49117-08    | Dextro Screwdriver TX08x70mm                  | 5013969704358 | 82054000       | 6          |
| T49117-09    | Dextro Screwdriver TX09x70mm                  | 5013969704365 | 82054000       | 6          |
| T49117-10    | Dextro Screwdriver TX10x80mm                  | 5013969704372 | 82054000       | 6          |

|           |   |               |          |    |
|-----------|---|---------------|----------|----|
| T49117-15 | Dextro Screwdriver TX15x80mm  | 5013969704389 | 82054000 | 6  |
| T49117-20 | Dextro Screwdriver TX20x90mm  | 5013969704396 | 82054000 | 6  |
| T49117-25 | Dextro Screwdriver TX25x90mm  | 5013969704402 | 82054000 | 6  |
| T49117-27 | Dextro Screwdriver TX27x110mm   | 5013969704419 | 82054000 | 6  |
| T49117-30 | Dextro Screwdriver TX30x110mm   | 5013969704426 | 82054000 | 6  |
| T49117-40 | Dextro Screwdriver TX40x120mm   | 5013969704433 | 82054000 | 6  |
| T49118-1  | Dextro Screwdriver Robertson No1  | 5013969001761 | 82054000 | 6  |
| T49118-2  | Dextro Screwdriver Robertson No2  | 5013969001778 | 82054000 | 6  |
| T49118-3  | Dextro Screwdriver Robertson No3  | 5013969001758 | 82054000 | 6  |
| T49153    | Dextro Screwdriver 5 Pc Set SL/PZ<br>contains T49110 4.0x75, 5.5x100, 6.5x150, T49113<br>PZ1x80, PZ2x100                        | 5013969704440 | 82054000 | 18 |
| T49162    | Dextro Screwdriver 7 Pc Set SL/PH<br>contains T49110 4.0x75, 5.5x100, 6.5x150, T49125<br>3.0x75, T49113 PH0x60, PH1x80, PH2x100 | 5013969704457 | 82054000 | 18 |
| T49163    | Dextro Screwdriver 7 Pc Set SL/PZ<br>contains T49110 4.0x75, 5.5x100, 6.5x150, T49125<br>3.0x75, T49113 PZ0x60, PZ1x80, PZ2x100 | 5013969704464 | 82054000 | 18 |

| Technical product information | <b>Blade/Shaft</b>  |              |           |               |          |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
|-------------------------------|---|--------------|-----------|---------------|----------|-----------------|---------------|--------------|-----------|---------------|----------|----------|----|----|-----|---|---|----------|-----|----|-----|---|---|----------|-----|-----|-----|---|---|----------|-----|-----|-----|---|---|-------------|-----|-----|-----|---|---|-------------|-----|-----|-----|---|---|----------|----|----|-----|---|---|----------|-----|----|-----|---|---|----------|-----|-----|-----|---|---|----------|-----|-----|-----|---|---|-------------|-----|-----|-----|---|---|-------------|-----|-----|-----|---|---|------------|-----|----|-----|-----|---|------------|-----|-----|-----|-----|---|------------|-----|-----|-----|-----|
|                               | <p>Made from chrome molybdenum vanadium steel, hardened to 57-59 HRC, Chrome plated with black non peel tip finish.<br/>Engineers screwdrivers slotted 5.5, 6.5, 8 and 10mm made from chrome vanadium steel, hardened to 53-55 HRC, black non peel finish.</p> <p><b>Handle</b></p> <p>The handle core is polypropylene, injection moulded around the blade with a TPE soft grip over-mould. The handles are shatterproof down to -35° C.</p> <p><b>Dimensions</b></p> <table border="1"> <thead> <tr> <th>Dimensions (mm)</th> <th>Handle length</th> <th>Blade length</th> <th>Blade Dia</th> <th>Tip thickness</th> <th>Grip Tip</th> </tr> </thead> <tbody> <tr><td>T49112-0</td><td>95</td><td>60</td><td>3.5</td><td>-</td><td>N</td></tr> <tr><td>T49112-1</td><td>107</td><td>80</td><td>5.0</td><td>-</td><td>Y</td></tr> <tr><td>T49112-2</td><td>120</td><td>100</td><td>6.0</td><td>-</td><td>Y</td></tr> <tr><td>T49112-3</td><td>135</td><td>150</td><td>8.0</td><td>-</td><td>Y</td></tr> <tr><td>T49112-1250</td><td>107</td><td>250</td><td>5.0</td><td>-</td><td>Y</td></tr> <tr><td>T49112-2250</td><td>120</td><td>250</td><td>6.0</td><td>-</td><td>Y</td></tr> <tr><td>T49113-0</td><td>95</td><td>60</td><td>3.5</td><td>-</td><td>N</td></tr> <tr><td>T49113-1</td><td>107</td><td>80</td><td>5.0</td><td>-</td><td>Y</td></tr> <tr><td>T49113-2</td><td>120</td><td>100</td><td>6.0</td><td>-</td><td>Y</td></tr> <tr><td>T49113-3</td><td>135</td><td>150</td><td>8.0</td><td>-</td><td>Y</td></tr> <tr><td>T49113-1250</td><td>107</td><td>250</td><td>5.0</td><td>-</td><td>Y</td></tr> <tr><td>T49113-2250</td><td>120</td><td>250</td><td>6.0</td><td>-</td><td>Y</td></tr> <tr><td>T49110-040</td><td>107</td><td>75</td><td>4.0</td><td>0.8</td><td>Y</td></tr> <tr><td>T49110-055</td><td>120</td><td>100</td><td>5.5</td><td>1.0</td><td>Y</td></tr> <tr><td>T49110-065</td><td>120</td><td>150</td><td>6.5</td><td>1.2</td><td>Y</td></tr> </tbody> </table> |              |           |               |          | Dimensions (mm) | Handle length | Blade length | Blade Dia | Tip thickness | Grip Tip | T49112-0 | 95 | 60 | 3.5 | - | N | T49112-1 | 107 | 80 | 5.0 | - | Y | T49112-2 | 120 | 100 | 6.0 | - | Y | T49112-3 | 135 | 150 | 8.0 | - | Y | T49112-1250 | 107 | 250 | 5.0 | - | Y | T49112-2250 | 120 | 250 | 6.0 | - | Y | T49113-0 | 95 | 60 | 3.5 | - | N | T49113-1 | 107 | 80 | 5.0 | - | Y | T49113-2 | 120 | 100 | 6.0 | - | Y | T49113-3 | 135 | 150 | 8.0 | - | Y | T49113-1250 | 107 | 250 | 5.0 | - | Y | T49113-2250 | 120 | 250 | 6.0 | - | Y | T49110-040 | 107 | 75 | 4.0 | 0.8 | Y | T49110-055 | 120 | 100 | 5.5 | 1.0 | Y | T49110-065 | 120 | 150 | 6.5 | 1.2 |
| Dimensions (mm)               | Handle length   | Blade length | Blade Dia | Tip thickness | Grip Tip |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-0                      | 95  | 60           | 3.5       | -             | N        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-1                      | 107   | 80           | 5.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-2                      | 120   | 100          | 6.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-3                      | 135   | 150          | 8.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-1250                   | 107   | 250          | 5.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49112-2250                   | 120   | 250          | 6.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-0                      | 95  | 60           | 3.5       | -             | N        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-1                      | 107   | 80           | 5.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-2                      | 120   | 100          | 6.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-3                      | 135   | 150          | 8.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-1250                   | 107   | 250          | 5.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49113-2250                   | 120   | 250          | 6.0       | -             | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49110-040                    | 107   | 75           | 4.0       | 0.8           | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49110-055                    | 120   | 100          | 5.5       | 1.0           | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |
| T49110-065                    | 120   | 150          | 6.5       | 1.2           | Y        |                 |               |              |           |               |          |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |          |    |    |     |   |   |          |     |    |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |             |     |     |     |   |   |             |     |     |     |   |   |            |     |    |     |     |   |            |     |     |     |     |   |            |     |     |     |     |

|                                    |   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
|------------------------------------|---|------------|------|-----|------|-----|---|------------|----|----|-----|-----|---|--------------|----|-----|-----|-----|---|------------|----|----|-----|-----|---|------------|----|-----|-----|-----|---|------------|-----|-----|-----|-----|---|------------|-----|-----|-----|-----|---|-----------|----|----|-----|---|---|-----------|----|----|-----|---|---|-----------|----|----|-----|---|---|-----------|----|----|-----|---|---|-----------|-----|----|-----|---|---|-----------|-----|----|-----|---|---|-----------|-----|----|-----|---|---|-----------|-----|----|-----|---|---|-----------|-----|-----|-----|---|---|-----------|-----|-----|-----|---|---|-----------|-----|-----|-----|---|---|----------|-----|-----|-----|---|---|----------|-----|-----|-----|---|---|----------|-----|-----|-----|---|---|
|                                    | <table border="1"> <tbody> <tr><td>T49110-100</td><td>135</td><td>200</td><td>10.0</td><td>1.6</td><td>Y</td></tr> <tr><td>T49125-025</td><td>95</td><td>75</td><td>3.0</td><td>0.4</td><td>N</td></tr> <tr><td>T49125-03025</td><td>95</td><td>250</td><td>3.0</td><td>0.5</td><td>Y</td></tr> <tr><td>T49125-030</td><td>95</td><td>75</td><td>3.0</td><td>0.5</td><td>Y</td></tr> <tr><td>T49125-035</td><td>95</td><td>100</td><td>3.5</td><td>0.6</td><td>Y</td></tr> <tr><td>T49125-040</td><td>107</td><td>125</td><td>4.0</td><td>0.8</td><td>Y</td></tr> <tr><td>T49125-055</td><td>120</td><td>150</td><td>5.5</td><td>1.0</td><td>Y</td></tr> <tr><td>T49117-06</td><td>95</td><td>70</td><td>3.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-07</td><td>95</td><td>70</td><td>3.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-08</td><td>95</td><td>70</td><td>3.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-09</td><td>95</td><td>70</td><td>3.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-10</td><td>107</td><td>80</td><td>3.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-15</td><td>107</td><td>80</td><td>3.5</td><td>-</td><td>N</td></tr> <tr><td>T49117-20</td><td>107</td><td>90</td><td>4.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-25</td><td>107</td><td>90</td><td>4.5</td><td>-</td><td>N</td></tr> <tr><td>T49117-27</td><td>120</td><td>110</td><td>5.5</td><td>-</td><td>N</td></tr> <tr><td>T49117-30</td><td>120</td><td>110</td><td>6.0</td><td>-</td><td>N</td></tr> <tr><td>T49117-40</td><td>135</td><td>120</td><td>7.0</td><td>-</td><td>N</td></tr> <tr><td>T49118-1</td><td>120</td><td>125</td><td>6.0</td><td>-</td><td>N</td></tr> <tr><td>T49118-2</td><td>120</td><td>125</td><td>6.0</td><td>-</td><td>N</td></tr> <tr><td>T49118-3</td><td>120</td><td>125</td><td>6.0</td><td>-</td><td>N</td></tr> </tbody> </table> | T49110-100 | 135  | 200 | 10.0 | 1.6 | Y | T49125-025 | 95 | 75 | 3.0 | 0.4 | N | T49125-03025 | 95 | 250 | 3.0 | 0.5 | Y | T49125-030 | 95 | 75 | 3.0 | 0.5 | Y | T49125-035 | 95 | 100 | 3.5 | 0.6 | Y | T49125-040 | 107 | 125 | 4.0 | 0.8 | Y | T49125-055 | 120 | 150 | 5.5 | 1.0 | Y | T49117-06 | 95 | 70 | 3.0 | - | N | T49117-07 | 95 | 70 | 3.0 | - | N | T49117-08 | 95 | 70 | 3.0 | - | N | T49117-09 | 95 | 70 | 3.0 | - | N | T49117-10 | 107 | 80 | 3.0 | - | N | T49117-15 | 107 | 80 | 3.5 | - | N | T49117-20 | 107 | 90 | 4.0 | - | N | T49117-25 | 107 | 90 | 4.5 | - | N | T49117-27 | 120 | 110 | 5.5 | - | N | T49117-30 | 120 | 110 | 6.0 | - | N | T49117-40 | 135 | 120 | 7.0 | - | N | T49118-1 | 120 | 125 | 6.0 | - | N | T49118-2 | 120 | 125 | 6.0 | - | N | T49118-3 | 120 | 125 | 6.0 | - | N |
| T49110-100                         | 135   | 200        | 10.0 | 1.6 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-025                         | 95  | 75         | 3.0  | 0.4 | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-03025                       | 95  | 250        | 3.0  | 0.5 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-030                         | 95  | 75         | 3.0  | 0.5 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-035                         | 95  | 100        | 3.5  | 0.6 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-040                         | 107   | 125        | 4.0  | 0.8 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49125-055                         | 120   | 150        | 5.5  | 1.0 | Y    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-06                          | 95  | 70         | 3.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-07                          | 95  | 70         | 3.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-08                          | 95  | 70         | 3.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-09                          | 95  | 70         | 3.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-10                          | 107   | 80         | 3.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-15                          | 107   | 80         | 3.5  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-20                          | 107   | 90         | 4.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-25                          | 107   | 90         | 4.5  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-27                          | 120   | 110        | 5.5  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-30                          | 120   | 110        | 6.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49117-40                          | 135   | 120        | 7.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49118-1                           | 120   | 125        | 6.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49118-2                           | 120   | 125        | 6.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| T49118-3                           | 120   | 125        | 6.0  | -   | N    |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| Standards compliance               | <p><b>Slotted screwdrivers</b><br/>DIN 5265, DIN 5263, DIN 5264A</p> <p><b>PZD/SDV Screwdrivers</b><br/>DIN 5262-B-PZ, DIN 5260-PZ, DIN/ISO 8764-1 &amp; 2</p> <p><b>PH Screwdrivers</b><br/>DIN 5262-B-PH, DIN 5260-PH, DIN/ISO 8764-1 &amp; 2</p>   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| User health and safety information | Users and bystanders are advised to wear safety goggles   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| RoHS/WEEE compliance               | This product range does not fall within the scope of RoHS or WEEE regulations   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| Material safety data               | None applicable   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| Warranty                           | Dextro Screwdrivers are guaranteed for life against imperfect materials or workmanship<br>Normal wear and tear or damage caused through inappropriate use is not covered  |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |
| Country of origin                  | Germany   |            |      |     |      |     |   |            |    |    |     |     |   |              |    |     |     |     |   |            |    |    |     |     |   |            |    |     |     |     |   |            |     |     |     |     |   |            |     |     |     |     |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |    |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |    |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |           |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |          |     |     |     |   |   |

## Dimensional details

| Item         | Product only |          |           |              | Product on primary packaging |          |           |                |
|--------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
|              | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| T49112-0     | 30           | 25       | 155       | 36           | 30                           | 25       | 155       | 37             |
| T49112-1     | 34           | 28       | 187       | 71           | 34                           | 28       | 187       | 72             |
| T49112-2     | 37           | 31       | 220       | 90           | 37                           | 31       | 220       | 91             |
| T49112-3     | 42           | 34       | 285       | 159          | 42                           | 34       | 285       | 160            |
| T49112-1250  | 34           | 28       | 357       | 87           | 34                           | 28       | 357       | 88             |
| T49112-2250  | 37           | 31       | 370       | 123          | 37                           | 31       | 370       | 124            |
| T49113-0     | 30           | 25       | 155       | 36           | 30                           | 25       | 155       | 37             |
| T49113-1     | 34           | 28       | 187       | 71           | 34                           | 28       | 187       | 72             |
| T49113-2     | 37           | 31       | 220       | 90           | 37                           | 31       | 220       | 91             |
| T49113-3     | 42           | 34       | 285       | 159          | 42                           | 34       | 285       | 160            |
| T49113-1250  | 34           | 27       | 357       | 87           | 34                           | 27       | 357       | 88             |
| T49113-2250  | 37           | 31       | 370       | 123          | 37                           | 31       | 370       | 124            |
| T49110-040   | 34           | 28       | 182       | 53           | 34                           | 28       | 182       | 54             |
| T49110-055   | 37           | 31       | 220       | 77           | 37                           | 31       | 220       | 78             |
| T49110-065   | 37           | 31       | 270       | 101          | 37                           | 31       | 270       | 102            |
| T49110-100   | 42           | 34       | 335       | 181          | 42                           | 34       | 335       | 182            |
| T49125-025   | 30           | 25       | 170       | 31           | 30                           | 25       | 170       | 32             |
| T49125-03025 | 30           | 25       | 345       | 45           | 30                           | 25       | 345       | 46             |
| T49125-030   | 30           | 25       | 170       | 35           | 30                           | 25       | 170       | 36             |
| T49125-035   | 30           | 25       | 195       | 39           | 30                           | 25       | 195       | 40             |
| T49125-040   | 34           | 28       | 232       | 58           | 34                           | 28       | 232       | 59             |
| T49125-055   | 37           | 31       | 270       | 93           | 37                           | 31       | 270       | 94             |
| T49117-06    | 30           | 25       | 165       | 35           | 30                           | 25       | 165       | 36             |
| T49117-07    | 30           | 25       | 165       | 35           | 30                           | 25       | 165       | 36             |
| T49117-08    | 30           | 25       | 165       | 35           | 30                           | 25       | 165       | 36             |
| T49117-09    | 30           | 25       | 165       | 35           | 30                           | 25       | 165       | 36             |
| T49117-10    | 34           | 28       | 187       | 48           | 34                           | 28       | 187       | 49             |
| T49117-15    | 34           | 28       | 187       | 51           | 34                           | 28       | 187       | 52             |
| T49117-20    | 34           | 28       | 197       | 55           | 34                           | 28       | 197       | 56             |
| T49117-25    | 34           | 28       | 197       | 59           | 34                           | 28       | 197       | 60             |
| T49117-27    | 37           | 31       | 230       | 86           | 37                           | 31       | 230       | 87             |
| T49117-30    | 37           | 31       | 230       | 86           | 37                           | 31       | 230       | 87             |

|           |    |    |     |     |     |    |     |     |
|-----------|----|----|-----|-----|-----|----|-----|-----|
| T49117-40 | 42 | 34 | 255 | 128 | 42  | 34 | 255 | 129 |
| T49118-1  | 34 | 28 | 245 | 97  | 34  | 28 | 245 | 98  |
| T49118-2  | 34 | 28 | 245 | 98  | 34  | 28 | 245 | 99  |
| T49118-3  | 34 | 28 | 245 | 99  | 34  | 28 | 245 | 100 |
| T49153    | -  | -  | -   | -   | 220 | 50 | 300 | 741 |
| T49162    | -  | -  | -   | -   | 220 | 50 | 300 | 814 |
| T49163    | -  | -  | -   | -   | 220 | 50 | 300 | 814 |

| Item         | Shelf box (secondary packaging) |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|--------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
|              | Width mm                        | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| T49112-0     | 80                              | 160      | 35        | 263            |                             |                     |
| T49112-1     | 100                             | 190      | 35        | 480            |                             |                     |
| T49112-2     | 100                             | 230      | 35        | 594            |                             |                     |
| T49112-3     | 110                             | 288      | 40        | 1035           |                             |                     |
| T49112-1250  | 110                             | 360      | 40        | 603            |                             |                     |
| T49112-2250  | 105                             | 373      | 60        | 850            |                             |                     |
| T49113-0     | 80                              | 160      | 35        | 255            |                             |                     |
| T49113-1     | 100                             | 190      | 35        | 473            |                             |                     |
| T49113-2     | 100                             | 230      | 35        | 594            |                             |                     |
| T49113-3     | 110                             | 288      | 40        | 1035           |                             |                     |
| T49113-1250  | 110                             | 360      | 40        | 603            |                             |                     |
| T49113-2250  | 105                             | 373      | 60        | 850            |                             |                     |
| T49110-040   | 80                              | 185      | 35        | 365            |                             |                     |
| T49110-055   | 100                             | 223      | 35        | 516            |                             |                     |
| T49110-065   | 110                             | 273      | 40        | 687            |                             |                     |
| T49110-100   | 105                             | 338      | 60        | 1198           |                             |                     |
| T49125-025   | 80                              | 198      | 55        | 248            |                             |                     |
| T49125-03025 | 90                              | 348      | 55        | 337            |                             |                     |
| T49125-030   | 60                              | 173      | 35        | 249            |                             |                     |
| T49125-035   | 80                              | 198      | 35        | 281            |                             |                     |
| T49125-040   | 80                              | 235      | 35        | 395            |                             |                     |
| T49125-055   | 90                              | 273      | 40        | 625            |                             |                     |
| T49117-06    | 80                              | 168      | 35        | 257            |                             |                     |
| T49117-07    | 80                              | 168      | 35        | 257            |                             |                     |
| T49117-08    | 80                              | 168      | 35        | 257            |                             |                     |

|           |     |     |     |       |  |  |
|-----------|-----|-----|-----|-------|--|--|
| T49117-09 | 80  | 168 | 35  | 257   |  |  |
| T49117-10 | 80  | 190 | 35  | 335   |  |  |
| T49117-15 | 80  | 190 | 35  | 353   |  |  |
| T49117-20 | 80  | 200 | 35  | 377   |  |  |
| T49117-25 | 80  | 200 | 35  | 401   |  |  |
| T49117-27 | 90  | 233 | 40  | 583   |  |  |
| T49117-30 | 90  | 233 | 40  | 583   |  |  |
| T49117-40 | 105 | 258 | 60  | 880   |  |  |
| T49118-1  | 95  | 265 | 60  | 664   |  |  |
| T49118-2  | 95  | 265 | 60  | 670   |  |  |
| T49118-3  | 95  | 265 | 60  | 676   |  |  |
| T49153    | 610 | 415 | 250 | 13988 |  |  |
| T49162    | 610 | 415 | 250 | 15302 |  |  |
| T49163    | 610 | 415 | 250 | 15302 |  |  |

## Packaging waste details

| Item         | Primary Packaging |     |        |       | Secondary packaging |     |        |     |
|--------------|-------------------|-----|--------|-------|---------------------|-----|--------|-----|
|              | Plastic g         | Use | Card g | Use   | Plastic g           | Use | Card g | Use |
| T49112-0     |                   |     | 1      | Label |                     |     | 47     | Box |
| T49112-1     |                   |     | 1      | Label |                     |     | 54     | Box |
| T49112-2     |                   |     | 1      | Label |                     |     | 54     | Box |
| T49112-3     |                   |     | 1      | Label |                     |     | 81     | Box |
| T49112-1250  |                   |     | 1      | Label |                     |     | 81     | Box |
| T49112-2250  |                   |     | 1      | Label |                     |     | 112    | Box |
| T49113-0     |                   |     | 1      | Label |                     |     | 39     | Box |
| T49113-1     |                   |     | 1      | Label |                     |     | 47     | Box |
| T49113-2     |                   |     | 1      | Label |                     |     | 54     | Box |
| T49113-3     |                   |     | 1      | Label |                     |     | 81     | Box |
| T49113-1250  |                   |     | 1      | Label |                     |     | 81     | Box |
| T49113-2250  |                   |     | 1      | Label |                     |     | 112    | Box |
| T49110-040   |                   |     | 1      | Label |                     |     | 47     | Box |
| T49110-055   |                   |     | 1      | Label |                     |     | 54     | Box |
| T49110-065   |                   |     | 1      | Label |                     |     | 81     | Box |
| T49110-100   |                   |     | 1      | Label |                     |     | 112    | Box |
| T49125-025   |                   |     | 1      | Label |                     |     | 26     | Box |
| T49125-03025 |                   |     | 1      | Label |                     |     | 67     | Box |

|            |  |  |   |       |  |  |     |     |
|------------|--|--|---|-------|--|--|-----|-----|
| T49125-030 |  |  | 1 | Label |  |  | 39  | Box |
| T49125-035 |  |  | 1 | Label |  |  | 47  | Box |
| T49125-040 |  |  | 1 | Label |  |  | 47  | Box |
| T49125-055 |  |  | 1 | Label |  |  | 67  | Box |
| T49117-06  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-07  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-08  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-09  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-10  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-15  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-20  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-25  |  |  | 1 | Label |  |  | 47  | Box |
| T49117-27  |  |  | 1 | Label |  |  | 67  | Box |
| T49117-30  |  |  | 1 | Label |  |  | 67  | Box |
| T49117-40  |  |  | 1 | Label |  |  | 112 | Box |
| T49118-1   |  |  | 1 | Label |  |  | 76  | Box |
| T49118-2   |  |  | 1 | Label |  |  | 76  | Box |
| T49118-3   |  |  | 1 | Label |  |  | 76  | Box |
| T49153     |  |  |   |       |  |  | 650 | Box |
| T49162     |  |  |   |       |  |  | 650 | Box |
| T49163     |  |  |   |       |  |  | 650 | Box |



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Carl Kammerling](#) manufacturer:*

Other Similar products are found below :

[1406504-2](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [30246](#) [323451-000](#) [46722](#) [XW4Z-00B](#) [96025](#) [96030](#) [96560](#) [96703](#) [96430](#) [31830](#)  
[92270](#) [96012](#) [96436](#) [96536](#) [92064](#) [92008](#) [72820](#) [92005](#) [76070](#) [96520](#) [92040](#) [36372](#) [96416](#) [92024](#) [96420](#) [76005](#) [96570](#) [72823](#) [96325](#)  
[96525](#) [96720](#) [31832](#) [76019](#) [92004](#) [76007](#) [92069](#) [92020](#) [76021](#) [96523](#) [96510](#) [96427](#) [96425](#) [96415](#) [96320](#) [92073](#) [92052](#) [92026](#)