


# Photoelectrics Accessories Reflectors Type ER



- High quality reflectors for retro-reflective photoelectric switches
- Reflective tape suitable for polarized light
- Heated reflectors for cold storage or freezer installations
- All catalogued photoelectrics use ER 4 as reference for applicable sensing distance

## Type Selection

Size W x H x D	Mounting <sup>1)</sup>	Ordering no.	Reduction factors on distance
51.0 x 17.5 x 6.0	Adhesive	<b>ER 1</b>	0.20
60.0 x 41.0 x 8.0	2 x M3 screws	<b>ER 4060</b>	0.81
80.0 x 54.0 x 8.0	Adhesive	<b>ER 5080</b>	0.60
82.0 x 37.0 x 5.5	Adhesive	<b>ER 8</b>	0.51
186.0 x 46.5 x 8.0	2 x M6 screws	<b>ER 42182</b>	0.65
100.0 x 100.0 x 9.2	2 x M3 screws	<b>ER 100</b>	1.20
84.5 x 84.5 x 9.0	2 x M3 screws	<b>ER 840</b>	0.96
51.5 x 61.0 x 8.0	2 x M4 screws	<b>ER 5060</b>	0.80
23.5 x 47.5 x 8.0	2 x M3.5 screws	<b>ER 390</b>	0.39
32.5 x 65.0 x 8.0	2 x M3.5 screws	<b>ER 483</b>	0.55
19.0 x 72.5 x 8.4	2 x M3.5 screws	<b>ER 530</b>	0.45
55.3 x 126.0 x 9.0	2 x M6 screws	<b>ER 686</b>	0.92
18.5 x 120.0 x 6.5	2 x M4 screws	<b>ER 665</b>	0.45
13.0 x 17.0 x 5.0	Adhesive	<b>ER 640</b>	0.16
52.0 x 119.0 x 27.0	4 x M4 screws	<b>ER 681 <sup>2)</sup></b>	0.92
Ø 35.0 x 5.5	Adhesive	<b>ER 692</b>	0.53
Ø 84.0 x 7.4	1 x M4 screw	<b>ER 4</b>	1.00
Ø 25.0 x 5.0	Adhesive	<b>ER 689</b>	0.39
Ø 42.0 x 6.0	Adhesive	<b>ER 420</b>	0.54
Ø 42.0 x 60.0 x 6.8	2 x M3.5 screws	<b>ER 423</b>	0.54
Ø 46.0 x 6.5	Adhesive	<b>ER 460</b>	0.55
<b>Reflective tape</b>			
25 mm wide x 45.7 meters long (1 roll)		<b>ERT 25</b>	0.23 (25 x25 mm)
50 mm wide x 45.7 meters long (1 roll)		<b>ERT 50</b>	0.34 (50 x 50 mm)

<sup>1)</sup> Mounting material not included

<sup>2)</sup> (internal heating)

### Reflectors

Material: PMMA/ABS

Temperature range: -20 to +60 degree C















Degree of protection: IP69K

### Reflective tape










Material: PMMA (Acrylic)

Temperature range: -20 to +50 degree C

## Dimensions

<p><b>ER 1</b></p> 	<p><b>ER 5080</b></p> 	<p><b>ER 42182</b></p> 
<p><b>ER 4</b></p> 		<p><b>ER 8</b></p> 
<p><b>ER 100</b></p> 	<p><b>ER 390</b></p> 	<p><b>ER 420</b></p> 
<p><b>ER 423</b></p> 	<p><b>ER 460</b></p> 	<p><b>ER 483</b></p> 
<p><b>ER 530</b></p> 	<p><b>ER 640</b></p> 	<p><b>ER 665</b></p> 

## Dimensions (cont.)

<p><b>ER 681</b></p>  <p>24 VDC</p> <p>Supply: 24 VDC Power consumption: approx. 8 W</p>	<p><b>ER 686</b></p> 	
<p><b>ER 689</b></p> 	<p><b>ER 692</b></p> 	<p><b>ER 840</b></p> 
<p><b>ER 4060</b></p> 	<p><b>ER 5060</b></p> 	
<p><b>ERT 25</b></p>  <p>25 mm</p> <p>45.7 m</p>		
<p><b>ERT 50</b></p>  <p>50 mm</p> <p>45.7 m</p>		

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Adhesive Tapes](#) category:*

*Click to view products by [Carlo Gavazzi](#) manufacturer:*

Other Similar products are found below :

[56-YELLOW-34"X72YD](#) [00-021200-13972-7](#) [021200-64630](#) [60 TAPE \(1"\)](#) [62-GRAY-12"X36YD](#) [62-GRAY-1"X36YD](#) [69-1"X36YD](#) [764-1"x36yd-Red](#) [764-1"x36yd-White](#) [PG ASSY](#) [9500PC-3/4](#) [967454-1](#) [1181 19MM X 16,5 METERS](#) [130C-1X15FT](#) [E39-RS1-CA](#) [1900-48mm](#) [22-1/2X36YD](#) [88-SUPER-34X44FT](#) [890103N001](#) [2670](#) [96](#) [EVK-TA-TM047NBH01](#) [20-1"X60YDS](#) [2020-18mmx55m](#) [H150](#) [363](#) [3900-Blue](#) [3939-24mmx55m](#) [44-TAN-14"X90YD](#) [4504-34x18](#) [471-Trans-1"x36yd-Bulk](#) [5414 34X36](#) [35-Gray-1/2](#) [4008-12"X36YD](#) [4104-34"x18yd](#) [4116](#) [444-1"x36yd](#) [4466 1"](#) [4466W-1/2"x36yd](#) [4492B-12"x72yd](#) [4492B-1"x72yd](#) [4496W-12"x36yd](#) [4508-1"x36yd](#) [4516-3/8x36](#) [4726 1/2"X36YD](#) [054007-43154](#) [054007-43152](#) [06149](#) [11-32-2857](#) [5419 1/2"](#)