Conductive Sensors Level Probes Type VS2





- Food and beverage usage
- 2 Teflon isolated electrodes
- For welding in container
- Screw connection

((

Product Description

Level sensor for measuring the level of conductive liquids, i.e. max./min. control of charging for discharging. The function is determined by the amplifier relay used. The

sensors are delivered with standard length electrodes these are cut off to suit the application. For use in the food and beverage industry.

Ordering Key

VS 2

Type — Housing material — Number of electrodes

Type Selection

Ordering no. 2 electrodes

VS 2

Mode of Operation


The length of the electrodes determines the levels which will be detected and the amplifier chosen determines the function (see SV...,

S195/196, S1961, ELA, ELC or ELD). If the container is made of a conductive material this can be used as common electrode.

Specifications

Electrodes	T (1 (DTFF)
Isolation	Teflon (PTFE)
Material	Stainless steel AISI316/DIN1.4401
Standard length	40 cm
Diameter	Ø 4 mm
Housing	
Material	
Тор	Silumin
Probe head	Stainless steel
	AISI316/DIN1.4401
Connection	Screw terminals
Environment	
Degree of protection	IP 54
Operating temperature	0 to +120°C (+32° to +246 °F)
Storage temperature	-25° to +130°C (-13° to +266°F)
Pressure	149 bar at 120°C
- 1 1 2 2 2 3 1 2	
CE marking	IEC 529

Dimensions



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Liquid Level Sensors category:

Click to view products by Carlo Gavazzi manufacturer:

Other Similar products are found below:

FSH-21 FSH-25 FSH-34 FSH-35 FSV-31 FSV-35 RSF54H100R1/8 LRNH31S41 F03-16SFC-10M F03-16SF-5M F03-16PE-5M F03
16PT-5M LBFS 1151 SCN-1518SC LL103000 LRNR31N01 MS03-PP F03-16SF-10M KSL-100-1 LS01-1B66-PP-500W LS02-1B66-S
500W LS02-1B85-PP-5000W LS03-1A85-PP-500W LRNH31S42 59630-1-T-02-F LS04-1B66-2-500W LFFS 011 T0-SKF-0.5 T0-SKF-10

T0-SKF-5 VNI3 CLP2FA1BM24 VNI1 LBFS 0111 LFFS 014 KSL-88-PP KSL-99-1 LS02-1A85-PP-500W LS02-1B85-PP-500W LS03
1A85-PA-500W MIC 1000-20 700670 BAF147B002-00A0 DFT-110 DFT-220 A94-10 CA30CLL30BP CA30CLL30BPM1 CLE1 CLE1K