#### **CLL4448**

## HIGH SPEED SWITCHING DIODE



# **Central**™ Semiconductor Corp.

#### **DESCRIPTION:**

The CENTRAL SEMICONDUCTOR CLL4448 type is a ultra-high speed silicon switching diode manufactured by the epitaxial planar process, in a hermetically sealed glass surface mount package, designed for high speed switching applications.

MARKING CODE: CATHODE BAND.

<b>MAXIMUM</b>	RATINGS	(T <sub>A</sub> =25°C)
----------------	---------	------------------------

	SYMBOL		UNITS
Continuous Reverse Voltage	$v_{R}$	75	V
Peak Repetitive Reverse Voltage	$V_{RRM}$	100	V
Continuous Forward Current	Ι <sub>F</sub>	250	mA
Peak Repetitive Forward Current	I <sub>FRM</sub>	500	mA
Forward Surge Current, tp=1 ms	<sup>I</sup> FSM	4.0	Α
Forward Surge Current, tp=1 s	<sup>I</sup> FSM	1.0	Α
Power Dissipation	$P_{D}$	500	mW
Operating and Storage			
Junction Temperature	$T_J, T_stg$	-65 to +200	°C
Thermal Resistance	$\Theta_{\sf JA}$	350	°C/W

#### $\textbf{ELECTRICAL CHARACTERISTICS} \quad (T_{\mbox{\scriptsize A}} = 25^{\circ}\mbox{C unless otherwise noted})$


SYMBOL	TEST CONDITIONS	MIN	MAX	UNITS
$BV_R$	I <sub>R</sub> =5.0μA	75		V
$BV_R$	I <sub>R</sub> =100μA	100		V
$I_{R}$	V <sub>R</sub> =20V		25	nA
$V_{F}$	I <sub>F</sub> =5.0mA	0.62	0.72	V
$V_{F}$	I <sub>F</sub> =100mA		1.0	V
$C_T$	V <sub>R</sub> =0, f=1.0 MHz		4.0	pF
t <sub>rr</sub>	$I_R=I_F=10$ mA, $R_L=100\Omega$ , Rec. to 1.0mA		4.0	ns



#### **CLL4448**

## HIGH SPEED SWITCHING DIODE

#### **SOD-80 CASE - MECHANICAL OUTLINE**



#### MARKING CODE: CATHODE BAND

DIMENSIONS							
	INCHES		MILLIMETERS				
SYMBOL	MIN	MAX	MIN	MAX			
Α	0.130	0.146	3.30	3.71			
В	0.016		0.41				
C (DIA)	0.051	0.067	1.30	1.70			
D	-	0.004	-	0.10			

SOD-80 (REV:R1)

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Diodes - General Purpose, Power, Switching category:

Click to view products by Central Semiconductor manufacturer:

Other Similar products are found below:

RD0306T-H BAV17-TR BAV19-TR 1N3611 NTE156A NTE525 NTE571 NTE5804 NTE5806 NTE6244 1SS181-TP 1SS193,LF

1SS400CST2RA SDAA13 SHN2D02FUTW1T1G LS4151GS08 1N4449 1N456A 1N4934-E3/73 1N914B 1N914BTR RFUH20TB3S

BAS 28 E6327 BAV199-TP BAW56DWQ-7-F BAW75-TAP MM230L-CAA IDW40E65D1 JAN1N3600 LL4151-GS18 053684A

SMMSD4148T3G 707803H NSVDAN222T1G SP000010217 CDSZC01100-HF BAV199E6433HTMA1 BAV70M3T5G SMBT2001T1G

NTE5801 NTE5800 NTE5808 NTE6240 NTE6248 BAS28-7 BAW56HDW-13 BAS28 TR VS-HFA04SD60STR-M3

NSVM1MA152WKT1G BAV99TQ-13-F