#### CMPTA46

#### SURFACE MOUNT EXTREMELY HIGH VOLTAGE NPN SILICON TRANSISTOR



www.centralsemi.com

### **DESCRIPTION:**

The CENTRAL SEMICONDUCTOR CMPTA46 type is a surface mount epoxy molded NPN silicon planar epitaxial transistor designed for extremely high voltage applications.

MARKING CODE: C46



MAXIMUM RATINGS: (T <sub>A</sub> =25°C)	SYMBOL		UNITS
Collector-Base Voltage	$V_{CBO}$	450	V
Collector-Emitter Voltage	$V_{CEO}$	450	V
Emitter-Base Voltage	$V_{EBO}$	6.0	V
Continuous Collector Current	I <sub>C</sub>	500	mA
Power Dissipation	$P_{D}$	350	mW
Operating and Storage Junction Temperature	T <sub>J</sub> , T <sub>stg</sub>	-65 to +150	°C
Thermal Resistance	$\Theta_{\sf JA}$	357	°C/W

## **ELECTRICAL CHARACTERISTICS:** (T<sub>A</sub>=25°C unless otherwise noted)


	` /\		,		
SYMBOL	TEST CONDITIONS	MIN	TYP	MAX	UNITS
I <sub>CBO</sub>	V <sub>CB</sub> =400V			100	nA
I <sub>EBO</sub>	V <sub>BE</sub> =4.0V			100	nA
BV <sub>CBO</sub>	I <sub>C</sub> =100μA	450	610		V
BVCEO	I <sub>C</sub> =1.0mA	450	490		V
BVEBO	I <sub>E</sub> =10μA	6.0	8.7		V
VCE(SAT)	I <sub>C</sub> =1.0mA, I <sub>B</sub> =0.1mA			0.20	V
VCE(SAT)	I <sub>C</sub> =10mA, I <sub>B</sub> =1.0mA			0.30	V
VCE(SAT)	I <sub>C</sub> =50mA, I <sub>B</sub> =5.0mA		0.15	0.50	V
V <sub>BE</sub> (SAT)	I <sub>C</sub> =10mA, I <sub>B</sub> =1.0mA			1.0	V
h <sub>FE</sub>	V <sub>CE</sub> =10V, I <sub>C</sub> =1.0mA	40	108		
hFE	V <sub>CE</sub> =10V, I <sub>C</sub> =10mA	50	110	200	
hFE	V <sub>CE</sub> =10V, I <sub>C</sub> =50mA	45	95		
hFE	V <sub>CE</sub> =10V, I <sub>C</sub> =100mA	25	35		
f <sub>T</sub>	$V_{CE}$ =10V, $I_{C}$ =10mA, f=10MHz	20			MHz
C <sub>ob</sub>	V <sub>CB</sub> =20V, I <sub>E</sub> =0, f=1.0MHz			7.0	pF
C <sub>ib</sub>	$V_{EB}$ =0.5V, $I_{C}$ =0, f=1.0MHz			130	pF


### CMPTA46

#### **SURFACE MOUNT EXTREMELY HIGH VOLTAGE** NPN SILICON TRANSISTOR



## **SOT-23 CASE - MECHANICAL OUTLINE**





### LEAD CODE:

- 1) Base 2) Emitter 3) Collector

**MARKING CODE: C46** 

DIMENSIONS							
	INCHES		MILLIMETERS				
SYMBOL	MIN	MAX	MIN	MAX			
Α	0.003	0.007	0.08	0.18			
В	0.006	-	0.15	-			
С	-	0.005	-	0.13			
D	0.035	0.043	0.89	1.09			
Е	0.110	0.120	2.80	3.05			
F	0.075		1.90				
G	0.037		0.95				
Н	0.047	0.055	1.19	1.40			
	0.083	0.098	2.10	2.49			
J	0.014	0.020	0.35	0.50			

SOT-23 (REV: R3)

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Bipolar Transistors - BJT category:

Click to view products by Central Semiconductor manufacturer:

Other Similar products are found below:

619691C MCH4017-TL-H BC546/116 BC557/116 BSW67A NTE158 NTE187A NTE195A NTE2302 NTE2330 NTE63 C4460
2SA1419T-TD-H 2SA1721-O(TE85L,F) 2SA2126-E 2SB1204S-TL-E 2SD2150T100R SP000011176 FMMTA92QTA 2N2369ADCSM
2N5769 2SC2412KT146S 2SC5490A-TL-H 2SD1816S-TL-E 2SD1816T-TL-E CMXT2207 TR CPH6501-TL-E MCH4021-TL-E
US6T6TR NJL0281DG 732314D CMXT3906 TR CPH3121-TL-E CPH6021-TL-H 873787E IMZ2AT108 UMX21NTR MCH6102-TL-E
NJL0302DG 2N3583 2SA1434-TB-E 2SC3143-4-TB-E 2SD1621S-TD-E NTE103 30A02MH-TL-E NSV40301MZ4T1G NTE101 NTE13
NTE15 NTE16001