







453651 to 699.



SF 4200	Rated Current A	Leakage Current @ 250V 50Hz	Inductance mH L1	L2	Connections	Resistor Value	Approvals	UL	CS
SF 4200-1/01	1	0.2mA	4.3	4.3	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-2/01	2	0.2mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-3/01	3	0.2mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-4/01	4	0.2mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-6/01	6	0.2mA	1.3	1.3	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-10/01	10	0.2mA	1.0	1.0	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-16/01	16	0.2mA	0.45	0.45	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200-16/04	16	0.2mA	0.45	0.45	M4 Stud	1MΩ	■	■	■
SF 4200-20/04	20	0.2mA	0.68	0.68	M4 Stud	1MΩ	■	■	■
SF 4200-24/04	24	0.2mA	0.45	0.45	M4 Stud	1MΩ	■	■	■
Higher Performance									
SF 4200H-1/01	1	0.4mA	4.3	4.3	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-2/01	2	0.4mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-3/01	3	0.4mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-4/01	4	0.4mA	2.2	2.2	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-6/01	6	0.4mA	1.3	1.3	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-10/01	10	0.4mA	1.0	1.0	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-16/01	16	0.4mA	0.45	0.45	6.3 x 0.8 Faston	1MΩ	■	■	■
SF 4200H-16/04	16	0.4mA	0.45	0.45	M4 Stud	1MΩ	■	■	■
SF 4200H-20/04	20	0.4mA	0.68	0.68	M4 Stud	1MΩ	■	■	■
SF 4200H-24/04	24	0.4mA	0.45	0.45	M4 Stud	1MΩ	■	■	■

Notification of change in Specification to Filters SF4200-3/01 to SF4200-6/01 inclusive

May we bring to your attention a minor modification to be introduced on the above range of filters. As you will note from the drawing SK7527 attached, the Earth Tag is being moved nearer to the corner to facilitate an improvement on our automatic filter testing equipment.

It is our policy to inform our customers of any change to the published specification but we do not believe, in this particular instance, you have any cause for concern.


BEIJING LEE SF 4200

Continued from previous page


DIMENSIONS

All dimensions are nominal and in mm

SF 4200 1-16/01




SF 4200-20/04 & SF 4200-24/04




CIRCUIT DIAGRAMS

Standard Version



Higher Performance (Suffix 'H')



FOR MORE INFORMATION PLEASE PHONE 0638 665161

