


Specifications

- Current rating:3A AC,DC
- Voltage rating:250V AC,DC
- Temperature range:-40°C~+105°C
- Contact resistance:10mΩMax.
- Insulation resistance:1000MΩMin.
- Withstanding voltage:800V AC/minute
- *Compliant with RoHS and REACH*
- *Meet the HF/Halogen Free,need to customize*
- *Contact CJT for details*

Standards



Assembly layout




A2006-T

2.00mm pitch Crimp Terminal

Reference Informations:

*Used in CJT A2006 series Housing



Ordering information & Specifications:

Unit:mm

| Part NO. | Wire Range | Insulation O.D. | Material | Finish | Qty/reel |
|----------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Gold over flash | 10,000 PCS |


Optional Gold plating available but MOQ requested

A2006-T-B

2.00mm pitch Crimp Terminal

Reference Informations:

*Used in CJT A2006HB series Housing



Ordering information & Specifications:

Unit:mm

| Part NO. | Wire Range | Insulation O.D. | Material | Finish | Qty/reel |
|------------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP-B | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP-B | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Gold over flash | 10,000 PCS |


Optional Gold plating available but MOQ requested

A2006-T-U

2.00mm pitch Crimp Terminal

Reference Informations:

*Used in CJT A2006HU series Housing



Ordering information & Specifications:

Unit:mm

| Part NO. | Wire Range | Insulation O.D. | Material | Finish | Qty/reel |
|------------|------------|-----------------|-----------------|-----------------|------------|
| A2006-TP-U | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Tin over Nickel | 10,000 PCS |
| A2006-GP-U | AWG#22-#28 | 1.50mm(max) | Phosphor Bronze | Gold over flash | 10,000 PCS |

Optional Gold plating available but MOQ requested

A2006H-2xXP

2.00mm pitch Dual Row Housing

Reference Informations:

*Material:Nylon 66,UL94V-0

*Suitable CJT A2006 series Terminal

*Mates with CJT A2006 series Dual Row Wafer

*Color:White

Ordering Information:

A2006H-2xXP - **

1 2


1.Part No.

2.Color

(blank) :White

BK :Black

Ordering Information & Dimensions:



| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 5.90 |
| 2x3P | 4.00 | 7.90 |
| 2x4P | 6.00 | 9.90 |
| 2x5P | 8.00 | 11.90 |
| 2x6P | 10.00 | 13.90 |
| 2x7P | 12.00 | 15.90 |
| 2x8P | 14.00 | 17.90 |
| 2x9P | 16.00 | 19.90 |
| 2x10P | 18.00 | 21.90 |
| 2x11P | 20.00 | 23.90 |
| 2x12P | 22.00 | 25.90 |
| 2x13P | 24.00 | 27.90 |
| 2x14P | 26.00 | 29.90 |
| 2x15P | 28.00 | 31.90 |
| 2x16P | 30.00 | 33.90 |
| 2x17P | 32.00 | 35.90 |
| 2x18P | 34.00 | 37.90 |
| 2x19P | 36.00 | 39.90 |
| 2x20P | 38.00 | 41.90 |
| 2x21P | 40.00 | 43.90 |
| 2x22P | 42.00 | 45.90 |
| 2x23P | 44.00 | 47.90 |
| 2x24P | 46.00 | 49.90 |
| 2x25P | 48.00 | 51.90 |


Unit: mm

A2006HA-2xXP

2.00mm pitch Dual Row Housing

Reference Informations:

- *Material:Nylon 66,UL94V-0
- *Suitable CJT A2006 series Terminal
- *Mates with CJT A2006 series Dual Row Wafer
- *Color:White



Ordering Information & Dimensions:

| PART NO. | Dimensions | | |
|----------|------------|-------|-------|
| | A | B | C |
| 2x3P | 4.00 | 6.45 | 11.60 |
| 2x4P | 6.00 | 8.45 | 13.60 |
| 2x5P | 8.00 | 10.45 | 15.60 |
| 2x6P | 10.00 | 12.45 | 17.60 |
| 2x7P | 12.00 | 14.45 | 19.60 |
| 2x8P | 14.00 | 16.45 | 21.60 |
| 2x9P | 16.00 | 18.45 | 23.60 |
| 2x10P | 18.00 | 20.45 | 25.60 |
| 2x11P | 20.00 | 22.45 | 27.60 |
| 2x12P | 22.00 | 24.45 | 29.60 |
| 2x13P | 24.00 | 26.45 | 31.60 |
| 2x14P | 26.00 | 28.45 | 33.60 |
| 2x15P | 28.00 | 30.45 | 35.60 |
| 2x16P | 30.00 | 32.45 | 37.60 |
| 2x17P | 32.00 | 34.45 | 39.60 |
| 2x18P | 34.00 | 36.45 | 41.60 |
| 2x19P | 36.00 | 38.45 | 43.60 |
| 2x20P | 38.00 | 40.45 | 45.60 |


Unit: mm

A2006HB-2xXP

2.00mm pitch Dual Row Housing

Reference Informations:

- *Material:Nylon 66,UL94V-0
- *Suitable CJT A2006-T-B series Terminal
- *Mates with CJT A2006WVB , A2006WRB series Dual Row Wafer
- *Color:White



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 5.90 |
| 2x3P | 4.00 | 7.90 |
| 2x4P | 6.00 | 9.90 |
| 2x5P | 8.00 | 11.90 |
| 2x6P | 10.00 | 13.90 |
| 2x7P | 12.00 | 15.90 |
| 2x8P | 14.00 | 17.90 |
| 2x9P | 16.00 | 19.90 |
| 2x10P | 18.00 | 21.90 |
| 2x11P | 20.00 | 23.90 |
| 2x12P | 22.00 | 25.90 |
| 2x13P | 24.00 | 27.90 |
| 2x14P | 26.00 | 29.90 |
| 2x15P | 28.00 | 31.90 |
| 2x16P | 30.00 | 33.90 |
| 2x17P | 32.00 | 35.90 |
| 2x18P | 34.00 | 37.90 |
| 2x19P | 36.00 | 39.90 |
| 2x20P | 38.00 | 41.90 |
| 2x21P | 40.00 | 43.90 |
| 2x22P | 42.00 | 45.90 |






Unit: mm

A2006HU-2xXP

2.00mm pitch Dual Row Housing

Reference Informations:

- *Material:Nylon 66,UL94V-0
- *Suitable CJT A2006-T-U series Terminal
- *Mates with CJT A2006WVU,WRU series Dual Row Wafer
- *Color:Natural



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm

A2006WV-2xXP






2.00mm pitch 180° Dual Row Wafer

Reference Informations:

- *Material:Pin:Brass/Tin over Nickel
Insulator:Nylon 66,UL94V-0
- *Mates with CJT A2006 series Dual Row Housing
- *Color:Grey

Ordering Information:
A2006WV-2xXP - **

- 1.Part No.
- 2.Color
(blank) :Grey
BK :Black



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 5.90 |
| 2x3P | 4.00 | 7.90 |
| 2x4P | 6.00 | 9.90 |
| 2x5P | 8.00 | 11.90 |
| 2x6P | 10.00 | 13.90 |
| 2x7P | 12.00 | 15.90 |
| 2x8P | 14.00 | 17.90 |
| 2x9P | 16.00 | 19.90 |
| 2x10P | 18.00 | 21.90 |
| 2x11P | 20.00 | 23.90 |
| 2x12P | 22.00 | 25.90 |
| 2x13P | 24.00 | 27.90 |
| 2x14P | 26.00 | 29.90 |
| 2x15P | 28.00 | 31.90 |
| 2x16P | 30.00 | 33.90 |
| 2x17P | 32.00 | 35.90 |
| 2x18P | 34.00 | 37.90 |
| 2x19P | 36.00 | 39.90 |
| 2x20P | 38.00 | 41.90 |
| 2x21P | 40.00 | 43.90 |
| 2x22P | 42.00 | 45.90 |
| 2x23P | 44.00 | 47.90 |
| 2x24P | 46.00 | 49.90 |
| 2x25P | 48.00 | 51.90 |

Unit: mm


A2006WR-2xXP

2.00mm pitch 90° Dual Row Wafer

Reference Informations:

- *Material: Pin: Brass/Tin over Nickel
Insulator: Nylon 66, UL94V-0
- *Mates with CJT A2006 series Dual Row Housing
- *Color: Grey





Ordering Information:
A2006WR-2xXP - **
1
2
1. Part No.
2. Color
(blank): Grey
BK: Black



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 5.90 |
| 2x3P | 4.00 | 7.90 |
| 2x4P | 6.00 | 9.90 |
| 2x5P | 8.00 | 11.90 |
| 2x6P | 10.00 | 13.90 |
| 2x7P | 12.00 | 15.90 |
| 2x8P | 14.00 | 17.90 |
| 2x9P | 16.00 | 19.90 |
| 2x10P | 18.00 | 21.90 |
| 2x11P | 20.00 | 23.90 |
| 2x12P | 22.00 | 25.90 |
| 2x13P | 24.00 | 27.90 |
| 2x14P | 26.00 | 29.90 |
| 2x15P | 28.00 | 31.90 |
| 2x16P | 30.00 | 33.90 |
| 2x17P | 32.00 | 35.90 |
| 2x18P | 34.00 | 37.90 |
| 2x19P | 36.00 | 39.90 |
| 2x20P | 38.00 | 41.90 |
| 2x21P | 40.00 | 43.90 |
| 2x22P | 42.00 | 45.90 |
| 2x23P | 44.00 | 47.90 |
| 2x24P | 46.00 | 49.90 |
| 2x25P | 48.00 | 51.90 |

Unit: mm







A2006WVA-2xXP

2.00mm pitch 180° Dual Row Wafer

Reference Informations:

- *Material: Pin: Brass/Tin over Nickel
Insulator: Nylon 66, UL94V-0
- *Mates with CJT A2006HA series Dual Row Housing
- *Color: Grey



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 8.00 |
| 2x3P | 4.00 | 10.00 |
| 2x4P | 6.00 | 12.00 |
| 2x5P | 8.00 | 14.00 |
| 2x6P | 10.00 | 16.00 |
| 2x7P | 12.00 | 18.00 |
| 2x8P | 14.00 | 20.00 |
| 2x9P | 16.00 | 22.00 |
| 2x10P | 18.00 | 24.00 |
| 2x11P | 20.00 | 26.00 |
| 2x12P | 22.00 | 28.00 |
| 2x13P | 24.00 | 30.00 |
| 2x14P | 26.00 | 32.00 |
| 2x15P | 28.00 | 34.00 |
| 2x16P | 30.00 | 36.00 |
| 2x17P | 32.00 | 38.00 |
| 2x18P | 34.00 | 40.00 |
| 2x19P | 36.00 | 42.00 |
| 2x20P | 38.00 | 44.00 |


Unit: mm

A2006WRA-2xXP

2.00mm pitch 90° Dual Row Wafer

Reference Informations:

- *Material: Pin: Brass/Tin over Nickel
Insulator: Nylon 66, UL94V-0
- *Mates with CJT A2006HA series Dual Row Housing
- *Color: Grey



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 8.00 |
| 2x3P | 4.00 | 10.00 |
| 2x4P | 6.00 | 12.00 |
| 2x5P | 8.00 | 14.00 |
| 2x6P | 10.00 | 16.00 |
| 2x7P | 12.00 | 18.00 |
| 2x8P | 14.00 | 20.00 |
| 2x9P | 16.00 | 22.00 |
| 2x10P | 18.00 | 24.00 |
| 2x11P | 20.00 | 26.00 |
| 2x12P | 22.00 | 28.00 |
| 2x13P | 24.00 | 30.00 |
| 2x14P | 26.00 | 32.00 |
| 2x15P | 28.00 | 34.00 |
| 2x16P | 30.00 | 36.00 |
| 2x17P | 32.00 | 38.00 |
| 2x18P | 34.00 | 40.00 |
| 2x19P | 36.00 | 42.00 |
| 2x20P | 38.00 | 44.00 |



Unit: mm

A2006WVB-2xXP

2.00mm pitch 180° Dual Row Wafer

Reference Informations:

- *Material: Pin: Brass/Tin over Nickel
Insulator: Nylon 66, UL94V-0
- *Mates with CJT A2006HB series Dual Row Housing
- *Color: Grey



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 6.00 |
| 2x3P | 4.00 | 8.00 |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |






Unit: mm

A2006WRB-2xXP

2.00mm pitch 90° Dual Row Wafer

Reference Informations:

- *Material:Pin:Brass/Tin over Nickel
Insulator:Nylon 66,UL94V-0
- *Mates with CJT A2006HB series Dual Row Housing
- *Color:White



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x2P | 2.00 | 6.00 |
| 2x3P | 4.00 | 8.00 |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm

A2006WVU-2xXP

2.00mm pitch 180° Dual Row Wafer






Reference Informations:

- *Material:Pin:Brass/Tin over Nickel
Insulator:PA4T,UL94V-0
- *Mates with CJT A2006HU series Dual Row Housing
- *Color:Natural

Ordering Information:

A2006WVU-2xXP - *
1 2

- 1.Part No.
- 2.Finish
(blank) :Tin over Nickel
G :Gold over Nickel






Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm

2x4P~2x7P Without Guideway
2x8P~2x20P Without Guideway











A2006WRU-2xXP

2.00mm pitch 90° Dual Row Wafer

Reference Informations:

- *Material:Pin:Brass/Tin over Nickel
Insulator:PA4T,UL94V-0
- *Mates with CJT A2006HU series Dual Row Housing
- *Color:Natural

Ordering Information:
A2006WRU-2xXP - $\frac{**}{2}$ - $\frac{*}{3}$
 1.Part No.
 2.Size(L):
 (blank) :3.00mm
 L18 :1.80mm
 3.Finish
 (blank) :Tin over Nickel
 G :Gold over Nickel



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm










A2006WVU-F-2xXP

2.00mm pitch 180° Dual Row Wafer

Reference Informations:

- *Material:Pin:Brass/Tin over Nickel
Insulator:PA4T,UL94V-0
- *Mates with CJT A2006HU series Dual Row Housing
- *Color:Natural

Ordering Information:
A2006WVU-F-2xXP - $\frac{*}{2}$
 1.Part No.
 2.Finish
 (blank) :Tin over Nickel
 G :Gold over Nickel



Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm

A2006WRU-F-2xXP






2.00mm pitch 90° Dual Row Wafer

Reference Informations:

- *Material: Pin: Brass/Tin over Nickel
Insulator: PA4T, UL94V-0
- *Mates with CJT A2006HU series Dual Row Housing
- *Color: Natural

Ordering Information:


- A2006WRU-F-2xXP - $\frac{**}{1}$ - $\frac{*}{2}$ - $\frac{*}{3}$
- Part No.
 - Size(L):
(blank) : 3.00mm
L18 : 1.80mm
 - Finish
(blank) : Tin over Nickel
G : Gold over Nickel



2x4P~2x5P



2x6P~2x9P



2x10P~2x20P

Ordering Information & Dimensions:

| PART NO. | Dimensions | |
|----------|------------|-------|
| | A | B |
| 2x4P | 6.00 | 10.00 |
| 2x5P | 8.00 | 12.00 |
| 2x6P | 10.00 | 14.00 |
| 2x7P | 12.00 | 16.00 |
| 2x8P | 14.00 | 18.00 |
| 2x9P | 16.00 | 20.00 |
| 2x10P | 18.00 | 22.00 |
| 2x11P | 20.00 | 24.00 |
| 2x12P | 22.00 | 26.00 |
| 2x13P | 24.00 | 28.00 |
| 2x14P | 26.00 | 30.00 |
| 2x15P | 28.00 | 32.00 |
| 2x16P | 30.00 | 34.00 |
| 2x17P | 32.00 | 36.00 |
| 2x18P | 34.00 | 38.00 |
| 2x19P | 36.00 | 40.00 |
| 2x20P | 38.00 | 42.00 |

Unit: mm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Headers & Wire Housings](#) category:

Click to view products by [Changjiang](#) manufacturer:

Other Similar products are found below :

[57102-F02-18ULF](#) [58102-G61-06LF](#) [0009485154](#) [009176003701906](#) [0050291907](#) [02.125.8002.8](#) [609-3404](#) [61062-3](#) [622-0430](#) [622-3653LF](#)
[63453-116](#) [636-1030](#) [636-1427](#) [636-3427](#) [636-4007](#) [641938-9](#) [644827-2](#) [65495-038](#) [65692-001LF](#) [65781-018](#) [65781-047](#) [65817-010LF](#)
[65817-015LF](#) [66207-023LF](#) [67016-026LF](#) [67095-007LF](#) [68631-112](#) [68645-018](#) [68648-049](#) [699319-000](#) [70.362.1628.0](#) [70-4210](#) [70-4226B](#)
[70-4853B](#) [707-5020](#) [707-5028](#) [71.350.2428.0](#) [71961-016LF](#) [733-134](#) [754199-000](#) [760-3052](#) [787-8014-00](#) [FCN-367T-T012/H](#) [80.063.4001.1](#)
[800-90-001-10-001000](#) [800-90-010-10-002000](#) [801-43-002-10-013000](#) [801-43-006-10-002000](#) [803-41-018-10-001000](#) [803-43-014-20-001000](#)